

Supplement to

Black and brown carbon over central Amazonia: Long-term aerosol measurements at the ATTO site

Jorge Saturno¹, Bruna A. Holanda¹, Christopher Pöhlker¹, Florian Ditas¹, Qiaoqiao Wang^{1,2}, Daniel Moran-Zuloaga¹, Joel Brito^{3,4}, Samara Carbone^{3,5}, Yafang Cheng¹, Xuguang Chi⁶, Jeannine Ditas^{1,2}, Thorsten Hoffmann⁷, Isabella Hrabe de Angelis¹, Tobias Könemann¹, Jošt V. Lavrič⁸, Nan Ma^{1,2}, Jing Ming¹, Hauke Paulsen⁹, Mira L. Pöhlker¹, Luciana V. Rizzo¹⁰, Patrick Schlag³, Hang Su¹, David Walter¹, Stefan Wolff¹, Yuxuan Zhang¹, Paulo Artaxo³, Ulrich Pöschl¹, and Meinrat O. Andreae^{1,11}

¹Biogeochemistry & Multiphase Chemistry Departments, Max Planck Institute for Chemistry, P. O. Box 3060, 55020 Mainz, Germany.

²Jinan University Institute for Environmental and Climate Research, Guangzhou, China.

³Department of Applied Physics, Institute of Physics, University of São Paulo (USP), Rua do Matão, Travessa R, 187, CEP 05508-900, São Paulo, SP, Brazil.

⁴Laboratory for Meteorological Physics, Université Clermont Auvergne, Clermont-Ferrand, France.

⁵Institute of Agrarian Sciences, Federal University of Uberlândia, Uberlândia, Minas Gerais, Brazil.

⁶Institute for Climate and Global Change Research & School of Atmospheric Sciences, Nanjing University, Nanjing, 210093, China.

⁷Department of Chemistry, Johannes Gutenberg University, Mainz, Germany.

⁸Department of Biogeochemical Systems, Max Planck Institute for Biogeochemistry, 07701 Jena, Germany.

⁹Institute of General Botany, Johannes Gutenberg University, Mainz, Germany.

¹⁰Departamento de Ciências Ambientais, Universidade Federal de São Paulo, Diadema, SP, Brasil.

¹¹Scripps Institution of Oceanography, University of California San Diego, La Jolla, CA 92098, USA.

Correspondence to: Jorge Saturno (j.saturno@mpic.de) and Christopher Pöhlker (c.pohlker@mpic.de)

This file includes:

Tables S1 to S2.

Figures S1 to S6.

Table S1. Aerosol sampling conditions and locations at the ATTO site.

Time period	Location	Inlet tube dimensions	Approx. flow rate (L min⁻¹)	Drying system	1 µm cyclone cut for BC (y/n)
Mar 2012 – Sep 2012	Mast *	60 m height 17 mm (0.685 ") inner diameter	13	Diffusion dryers	n
Sep 2012 – Dec 2013	Walk-up tower **	60 m height 17 mm (0.685 ") inner diameter	13	Diffusion dryers	n
Dec 2013 – May 2014	Mast *	60 m height 24 mm (0.935 ") inner diameter	18	Diffusion dryers	n
May 2014 – Jan 2015	Mast *	60 m height 24 mm (0.935 ") inner diameter	30	Diffusion dryers	y
Jan 2015 – present	Mast *	60 m height 24 mm (0.935 ") inner diameter	30	Automatic regenerating adsorption aerosol dryer	y

* S 02° 08.602'; W 59° 00.033', 130 m a.s.l.

** S 02° 08.647'; W 58° 59.992', 130 m a.s.l.




Figure S1. Precipitation anomalies calculated from the Tropical Rainfall Measurement Mission (TRMM) observations along the BT tracks in the ROI ATTO area (top) (see Fig. 1), and Oceanic Niño Index (ONI) (bottom) time series from 1998 to 2016.




Figure S2. HYP SLIT backward trajectory footprint of the ZF2 site (01 Jan 2014 to 31 Dec 2015) calculated every hour with a starting height of 1000 m. Adapted from Pöhlker et al. (2017).




Figure S3. Nephelometer, MAAP, Aethalometer, and SP2 (+ split detector) measurement periods at the ATTO site.




Figure S4. Scatter plots and SMA fits applied for each wavelength of AE31 and AE33 data during the instrument intercomparison at ATTO from 27 Nov to 15 Dec 2014.




Figure S5. Results of Mie model calculations for pure BC, using a log-normal size distribution with mean = BC geometric mean diameter (GMD), and a standard deviation of 1.45, and internally mixed BC using the core-shell model for monodisperse BC cores with a coating's refractive index of $1.55 - 0.001i$. The horizontal dashed lines show the boundaries of the inter-quartile range.

Table S2. Relative overestimation of the BrC contribution to light absorption at 370 nm obtained from Mie model calculations by considering different BC core size ranges and different refractive indices of the coating material. The parameters used in this study are shown in bold letters.

BC core size range [nm]	Refractive index of the coating material	Relative overestimation of BrC contribution to σ_{370} (%)
100 – 275	1.55 - 0i	0
100 – 275	1.55 - 0.001i	0
100 – 275	1.55 - 0.1i	33
100 – 275	1.55 - 0.2i	46
80 – 275	1.55 - 0i	18
80 – 275	1.55 - 0.001i	18
80 – 275	1.55 - 0.1i	44
80 – 275	1.55 - 0.2i	56




Figure S6. Light absorption coefficient at 637 nm ($\sigma_{\text{ap } 637}$) vs. rBC mass concentration (30-min averaged data) corresponding to the wet and the dry seasons, in green and gray, respectively. The slopes of the SMA fits correspond to the BC mass absorption cross-section at 637 nm ($\alpha_{\text{abs } 637}$), inter-quartile ranges are indicated in brackets.