

PERMANENT GENETIC RESOURCES NOTE

Permanent Genetic Resources added to Molecular Ecology  
Resources Database 1 February – 31 March 2012

MOLECULAR ECOLOGY RESOURCES PRIMER DEVELOPMENT CONSORTIUM,<sup>1</sup> MALVINA ANDRIS,<sup>2</sup> M. C. ARIAS,<sup>3</sup> BRANDON L. BARTHEL,<sup>4</sup> BURTON H. BLUHM,<sup>5</sup> JOËL BRIED,<sup>2</sup> D. CANAL,<sup>6</sup> X. M. CHEN,<sup>7,8</sup> P. CHENG,<sup>7</sup> MARINA B. CHIAPPERO,<sup>9</sup> MANUELA M. COELHO,<sup>10</sup> ANGELA B. COLLINS,<sup>4</sup> M. DASH,<sup>11</sup> MICHELLE C. DAVIS,<sup>4</sup> MARGARIDA DUARTE,<sup>10</sup> MARIE-PIERRE DUBOIS,<sup>12</sup> E. FRANÇOSO,<sup>3</sup> M. A. GALMÉS,<sup>13,14</sup> KESHNI GOPAL,<sup>15,16</sup> PHILIPPE JARNE,<sup>12</sup> MARTIN KALBE,<sup>17</sup> LESZEK KARCZMARSKI,<sup>18</sup> HUN KIM,<sup>5</sup> MÓNICA B. MARTELLA,<sup>19</sup> RICHARD S. MCBRIDE,<sup>20</sup> VALERIA NEGRI,<sup>21</sup> J. J. NEGRO,<sup>6</sup> ANNAKAY D. NEWELL,<sup>5</sup> ANA F. PIEDADE,<sup>10</sup> CECILIA PUCHULUTEGUI,<sup>4</sup> LORENZO RAGGI,<sup>21</sup> IRENE E. SAMONTE,<sup>17</sup> J. H. SARASOLA,<sup>13,22,14</sup> D. R. SEE,<sup>8</sup> SEIFU SEYOUNG,<sup>4</sup> MÓNICA C. SILVA,<sup>10</sup> C. SOLARO,<sup>13,22</sup> KRISTAL A. TOLLEY,<sup>16</sup> MICHAEL D. TRINGALI,<sup>4</sup> A. VASEMÄGI,<sup>11,23</sup> L. S. XU<sup>7</sup> and J. I. ZANÓN-MARTÍNEZ<sup>13,22</sup>

<sup>1</sup>Molecular Ecology Resources Editorial Office, 6270 University Blvd, Vancouver, BC V6T 1Z4, Canada, <sup>2</sup>Departamento de Oceanografia e Pescas, Centro do IMAR da Universidade dos Açores, 9901-862 Horta, Açores, Portugal, <sup>3</sup>Departamento de Genética e Biología Evolutiva, Instituto de Biociências, Universidade de São Paulo, rua do Matão, 277, São Paulo, SP 05508-090, Brazil,

<sup>4</sup>Florida Fish and Wildlife Conservation Commission, 100 Eighth Avenue S.E. Saint Petersburg, FL 33701-5095, USA, <sup>5</sup>Department of Plant Pathology, University of Arkansas, Fayetteville, AR 72701, USA, <sup>6</sup>Department of Evolutionary Ecology, Estación Biológica de Doñana-CSIC, Avda. Américo Vespucio s/n, 41092 Seville, Spain, <sup>7</sup>Department of Plant Pathology, Washington State University, Pullman, WA 99164-6430, USA, <sup>8</sup>USDA-ARS, Wheat Genetics, Quality, Physiology, and Disease Research Unit, Pullman, WA 99164-6430, USA, <sup>9</sup>Consejo Nacional de Investigaciones Científicas y Técnicas (CONICET) and Cátedra de

Genética de Poblaciones y Evolución, Facultad de Ciencias Exactas, Físicas y Naturales, Universidad Nacional de Córdoba, Av. Velez Sarsfield 299 (5000) Córdoba, Argentina, <sup>10</sup>Centro de Biología Ambiental, Faculdade de Ciências, Universidade de Lisboa, Campo Grande, 1749-016 Lisboa, Portugal, <sup>11</sup>Division of Genetics and Physiology, Department of Biology, University of Turku, 20014

Turku, Finland, <sup>12</sup>CEFE, UMR 5175 CNRS, 1919 route de Mende, 34293 Montpellier Cedex 5, France, <sup>13</sup>Centro para el Estudio y Conservación de las Aves Rapaces en Argentina (CECARA), Universidad Nacional de La Pampa, Avda. Uruguay 151, 6300 Santa Rosa, La Pampa, Argentina, <sup>14</sup>The Peregrine Fund, 5668 West Flying Hawk Lane, Boise, ID 83709, USA, <sup>15</sup>Mammal Research Institute, University of Pretoria, PO Box 61, Cape Town 8000, South Africa, <sup>16</sup>Applied Biodiversity Research, South African National Biodiversity Institute, Private Bag X7, Claremont, 7735 Cape Town, South Africa, <sup>17</sup>Department of Evolutionary Ecology, Max-Planck Institute for Evolutionary Biology, August-Thienemann Strasse 2, 24306 Ploen, Germany, <sup>18</sup>The Swire Institute of Marine Science, School of Biological Sciences, The University of Hong Kong, Cape d'Aguilar, Shek O, Hong Kong, <sup>19</sup>Consejo

Nacional de Investigaciones Científicas y Técnicas (CONICET) and Centro de Zoología Aplicada, Facultad de Ciencias Exactas, Físicas y Naturales, Universidad Nacional de Córdoba, Rondeau 798 (5000) Córdoba, Argentina, <sup>20</sup>National Marine Fisheries Service, Northeast Fisheries Science Center, 166 Water Street, Woods Hole, MA 02543-1026, USA, <sup>21</sup>Department of Applied

Biology, University of Perugia, Borgo XX Giugno 74, 06121 Perugia, Italy, <sup>22</sup>Instituto de las Ciencias de la Tierra y Ambientales de La Pampa (INCITAP), Consejo Nacional de Investigaciones Científicas y Técnicas de Argentina (CONICET), Avda. Uruguay 151, 6300 Santa Rosa, La Pampa, Argentina, <sup>23</sup>Department of Aquaculture, Institute of Veterinary Medicine and Animal Science, Estonian University of Life Sciences, 51014 Tartu, Estonia

**Abstract**

This article documents the addition of 171 microsatellite marker loci and 27 pairs of single nucleotide polymorphism (SNP) sequencing primers to the Molecular Ecology Resources Database. Loci were developed for the following species: *Bombus pauloensis*, *Cephalorhynchus heavisidii*, *Cercospora sojina*, *Harpyhaliaetus coronatus*, *Hordeum vulgare*, *Lachnolaimus maximus*, *Oceanodroma monsteroi*, *Puccinia striiformis* f. sp. *tritici*, *Rhea americana*, *Salmo salar*, *Salmo trutta*, *Schistocephalus solidus*, *Sousa plumbea* and *Tursiops aduncus*. These loci were cross-tested on the following species: *Aquila heliaca*, *Bulweria bulwerii*, *Buteo buteo*, *Buteo swainsoni*, *Falco rusticolus*, *Haliaeetus albicilla*, *Halobaena caerulea*, *Hieraetus fasciatus*, *Oceanodroma castro*, *Puccinia graminis* f. sp. *Triticis*, *Puccinia triticina*, *Rhea pennata* and *Schistocephalus pungitii*. This article also documents the addition of 27 sequencing primer pairs for *Puffinus baroli* and *Bulweria bulwerii* and cross-testing

Correspondence: Molecular Ecology Resources Primer Development Consortium, E-mail: editorial.office@molecol.com

of these loci in *Oceanodroma castro*, *Pelagodroma marina*, *Pelecanoides georgicus*, *Pelecanoides urinatrix*, *Thalassarche chrysostoma* and *Thalassarche melanophrys*.

This article documents the addition of 171 microsatellite marker loci and 27 pairs of single nucleotide polymorphism (SNP) genotyping primers to the Molecular Ecol-

ogy Resources Database. Table 1 contains information on the focal species, the number of loci developed, any other species the loci were tested in and the accession numbers

**Table 1** Information on the focal species, the number of loci developed, any other species the loci were tested in and the accession numbers for the loci in both the Molecular Ecology Resources Database and GenBank. The authors responsible for each set of loci are listed in the final column

Species	No. primers developed	Other species tested	MER database no.	GenBank accession no.	Authors
<i>Bombus pauloensis</i>	12	n/a	48673–48684	JN997460–JN997471	Françoso, E.; Arias, M.C.
<i>Cephalorhynchus heavisidii</i> , <i>Sousa plumbea</i> and <i>Tursiops aduncus</i>	16	n/a	48724–48728, 48730–48763	See article for details	Gopal, Keshni; Tolley, Krystal A.; Karczmarski, Leszek
<i>Cercospora sojina</i>	8	n/a	48716–48723	JQ624627–JQ624634	Kim, Hun; Newell, Annakay D.; Bluhm, Burton H.
<i>Harpyhaliaetus coronatus</i>	17	<i>Aquila heliaca</i> , <i>Buteo buteo</i> , <i>Buteo swainsoni</i> , <i>Falco rusticolus</i> , <i>Haliaeetus albicilla</i> , <i>Hieraetus fasciatus</i>	48793–48798, 48800–48810	JQ309945–JQ309948, JQ309950–JQ309961, JQ321581	Sarasola, J. H.; Canal, D.; Solaro, C.; Galmes, M. A.; Zanón-Martínez, J. I.; Negro, J. J.
<i>Hordeum vulgare</i>	10	n/a	48783–48792	AF043090, AY008692, AY156992, AY785849, AY785885, DQ297407, DQ539338, EU331872, X99973	Raggi, Lorenzo; Negri, Valeria
<i>Lachnolaimus maximus</i>	29	n/a	48940–48967, 48983	FJ844445–FJ844456, FJ844458–FJ844474	Seyoum, Seifu; Tringali, Michael D.; Barthel, Brandon L.; Puchulutegui, Cecilia; Davis, Michelle C.; Collins, Angela B.; McBride, Richard S.
<i>Oceanodroma monteiroi</i>	18	<i>Bulweria bulwerii</i> , <i>Halobaena caerulea</i> , <i>Oceanodroma castro</i>	48764–48781	JQ303226–JQ303243	Bried, Joël; Andris, Malvina; Dubois, Marie-Pierre; Jarne, Philippe
<i>Puccinia striiformis</i> f. sp. <i>tritici</i>	17	<i>Puccinia graminis</i> f. sp. <i>Tritici</i> , <i>Puccinia triticina</i>	48906–48922	EG374292.1, GH737707.1, GH737337.1, GH737942.1, GH737347.1, GH737353.1, GH737872.1, GH737984.1, GH737893.1, JK479800, JK479801, JK479803, JK479804, JK479808, JK479809, JK479813	Cheng, P.; Chen, X. M.; Xu, L. S.; See, D. R.
<i>Rhea americana</i>	8	<i>Rhea pennata</i>	48685–48692	JQ067657–JQ067664	Chiappero, Marina B.; Martella, Mónica B.
<i>Salmo salar</i> and <i>Salmo trutta</i>	22	n/a	48923–48939, 48968–48982	EF427381, EF210363, EU008541, FJ969488–FJ969490, GQ505858–GQ505860	Dash, M.; Vasemägi, A.
<i>Schistocephalus solidus</i>	14	<i>Schistocephalus pungitii</i>	48811–48824	JQ619705–JQ619718	Samonte, Irene E.; Kalbe, Martin

**Table 2** Information on the focal species, the sequencing primer pairs developed, the number of single nucleotide polymorphisms observed and any other species the loci were tested in. The next columns contain the number of allele-specific primers and probes developed, and the Molecular Ecology Resources Database and GenBank accession numbers, respectively. The authors responsible for each set of loci are listed in the final column

Species	No. primer pairs	No. SNPs in sequence	Other species tested	No. allele specific primers/probe	Target gene(s)	MER database numbers	GenBank accession no	Authors
<i>Bulweria bulwerii</i> and <i>Puffinus baroli</i>	27	123	<i>Oceanodroma castro</i> , <i>Pelagodroma marina</i> , <i>Pelecanoides georgicus</i> , <i>Pelecanoides urinatrix</i> , <i>Thalassarche chrysostoma</i> , <i>Thalassarche melanophrys</i>	n/a	n/a	48693–48715 JS799780– JS799802	Silva, Mónica C.; Duarte, Margarida; Piedade, Ana F.; Coelho, M. Manuela	

for the loci in both the Molecular Ecology Resources Database and GenBank. The authors responsible for each set of loci are listed in the final column. Table 2 presents information on SNP genotyping resources added to the MER database and presents data on the focal species, the number of sequencing primer pairs, the observed number of SNPs, other species the loci were tested in and the

number of allele-specific primers or probes. The MER database and GenBank accession numbers and the authors responsible are also listed. A full description of the development protocol for the loci presented here can be found on the Molecular Ecology Resources Database (<http://tomato.biol.trinity.edu/>).