

Finished Genome Sequence of the Unicellular Cyanobacterium *Synechocystis* sp. Strain PCC 6714

Journal Information
Journal ID (nlm-ta): Genome Announc
Journal ID (iso-abbrev): Genome Announc
Journal ID (hwp): ga
Journal ID (pmc): ga
Journal ID (publisher-id): GA
Title: Genome Announcements
ISSN (electronic): 2169-8287
Publisher: American Society for Microbiology (1752 N St., N.W., Washington, DC)

Article/Issue Information
Self URI: jga004141527001.pdf
Date received: 7 July 2014
Date accepted: 16 July 2014
Publication date (electronic): 31 July 2014
Publication date (collection): Jul-Aug 2014
Volume: 2
Issue: 4
Electronic Location Identifier: e00757-14
Article Id (accession): PMC4118070
Article Id (pmcid): PMC4118070
Article Id (pmc-uid): 4118070
PubMed ID: 25081267
Publisher ID: genomeA00757-14
DOI: 10.1128/genomeA.00757-14

Categories

Subject: Prokaryotes

Counts

Pages: 2

Custom metadata

cover-date: July/August 2014

access-type: free

Finished Genome Sequence of the Unicellular Cyanobacterium *Synechocystis* sp. Strain PCC 6714

Matthias Kopf
Stephan Klähn
Björn Voss
Kurt Stüber
Bruno Huettel
Richard Reinhardt
Wolfgang R. Hess

a aGenetics and Experimental Bioinformatics, Faculty of
Biology, University of Freiburg, Freiburg, Germany

b bMax Planck-Genome-Centre, Cologne, Germany

Address correspondence to Wolfgang R. Hess, wolfgang.hess@biologie.uni-freiburg.de.

Abstract

Synechocystis sp. strain PCC 6714 is a unicellular cyanobacterium closely related to the popular model organism *Synechocystis* sp. strain PCC 6803. A combination of PacBio SMRT and Illumina GAIIX data results in a highly accurate finished genome sequence that provides a reliable resource for further comparative analyses.

GENOME ANNOUNCEMENT

Synechocystis sp. strain PCC 6714 (from here on *Synechocystis* 6714) is a unicellular cyanobacterium and closely related to the popular model organism *Synechocystis* sp. strain PCC 6803 (*Synechocystis* 6803). Despite the large number of recently sequenced cyanobacterial genomes (1), there is still no finished genome available for comparative studies with *Synechocystis* 6803. Recent studies based on a draft genome of *Synechocystis* 6714 have already revealed the potential for comparative analysis by explaining its lower salt tolerance (2) as well as differences in two clustered regularly interspaced short palindromic repeats (CRISPR) associated proteins (CRISPR-*cas*) loci (3). *Synechocystis* 6714 has also been investigated for various other unique aspects (4–7).

For SMRT sequencing, high-quality genomic DNA was isolated using the CTAB protocol (8). Libraries were prepared according to the large SMRTbell gDNA protocol (Pacific Biosciences) with 10 kb insert size. Genomic DNA was sequenced with a PacBio RS II platform yielding 134,034 reads with an average length of 3,818 nt. The reads were *de novo* assembled with HS HGAP Assembly version 2 (Pacific Biosciences), resulting in 7 contigs with a 97-fold average coverage. Three of the contigs could be identified as assembly artifacts and were removed. In order to maximize sequence quality, the publicly available Illumina GAIIX-based draft sequences of *Synechocystis* 6714 (2) were fragmented into pieces of 30 nt and mapped against the SMRT-based assembly using the short read mapper segemehl (version 0.1.7-403) (9). All mismatches, insertions, and deletions were corrected in favor of the highly accurate draft assembly sequences. The final contigs were checked for circularization and overlapping ends were trimmed. Gene prediction and annotation were done with RAST (10).

The finished genome of *Synechocystis* 6714 consists of 4 circular contigs. The largest contig represents the chromosome (3.5 Mb) while the other three contigs represent the plasmids

Copyright © 2014 Kopf et al.
Copyright 2014, Kopf et al.

License (open-access): This is an open-access article distributed under the terms of the [Creative Commons Attribution 3.0 Unported license](#).

pSYLA (109 kb), pSYLB (104 kb), and pSYLC (41 kb). The annotation revealed 3,770 protein-coding sequences, 42 tRNAs, two rRNA clusters, and three loci of CRISPR-*cas* genes located on the plasmids pSYLA and pSYLB. The finding of the putative prophage *Psy1*, as well as the absence of the *ggtABCD* and *pilA5* genes in the former draft assembly (2), was confirmed in the finished assembly. Additionally, 37 new coding sequences (CDSs), one tRNA, and a second rRNA cluster were detected, compared to the draft genome. The availability of the highly accurate finished genome sequence of *Synechocystis* 6714 provides a reliable resource for future comparative analysis with *Synechocystis* 6803, the most advanced cyanobacterial model.

Nucleotide sequence accession numbers.

The finished genome sequences have been deposited at DDBJ/ENA/GenBank under the accession no. [CP007542](#) (chromosome), [CP007543](#) (pSYLA), [CP007544](#) (pSYLB), and [CP007545](#) (pSYLC). The versions described in this paper are the first versions.

End notes

Citation Kopf M, Klähn S, Voss B, Stüber K, Huettel B, Reinhardt R, Hess WR. 2014. Finished genome sequence of the unicellular cyanobacterium *Synechocystis* sp. strain PCC 6714. *Genome Announc.* 2(4):e00757-14. doi:10.1128/genomeA.00757-14.

ACKNOWLEDGMENT

This work was supported by funding from the Federal Ministry of Education and Research (BMBF) grant “e: bio RNAsys” 0316165 to W.R.H.

REFERENCES

1. PM ShihD WuA LatifiSD AxenDP FewerE TallaA CalteauF CaiN Tandeau de MarsacR RippkaM HerdmanK SivonenT CoursinT LaurentL GoodwinM NolanKW DavenportCS HanEM RubinJA EisenT WoykeM GuggerCA Kerfeld 2013 Improving the coverage of the cyanobacterial phylum using diversity-driven genome sequencing. *Proc. Natl. Acad. Sci. USA* 110:1053–1058. 10.1073/pnas.121710711023277585
2. M KopfS KlähnN PadeC WeingärtnerM HagemannB VoßWR Hess 2014 Comparative genome analysis of the closely related *Synechocystis* strains PCC 6714 and PCC 6803. *DNA Res.* 21:255–266. 10.1093/dnares/dst05524408876
3. S HeinI ScholzB VoßWR Hess 2013 Adaptation and modification of three CRISPR loci in two closely related Cyanobacteria. *RNA Biol.* 10:852–864. 10.4161/rna.2416023535141
4. G AjlaniD KirilovskyM PicaudC Astier 1989 Molecular analysis of *psbA* mutations responsible for various herbicide resistance phenotypes in *Synechocystis* 6714. *Plant Mol. Biol.* 13:469–479. 10.1007/BF000273072518834
5. C VernotteM PicaudD KirilovskyJ OliveG AjlaniC Astier 1992 Changes in the photosynthetic apparatus in the cyanobacterium *Synechocystis* sp. PCC 6714 following light-to-dark and dark-to-light transitions. *Photosynth. Res.* 32:45–57. 10.1007/BF0002879724408154
6. M ImashimizuS FujiwaraR TanigawaK TanakaT HirokawaY NakajimaJ HigoM Tsuzuki 2003 Thymine at -5 is crucial for *cpc* promoter Activity of *Synechocystis* sp. Strain PCC 6714. *J. Bacteriol.* 185:6477–6480. 10.1128/JB.185.21.6477-6480.200314563885
7. B CampaniniF SchiarettaS AbbruzzettiD KesslerA Mozzarelli 2006 Sulfur mobilization in cyanobacteria: the catalytic mechanism of L-cystine C-S lyase (C-DES) from *Synechocystis*. *J. Biol. Chem.* 281:38769–38780. 10.1074/jbc.M60709820017020883

8. K Wilson 2001 Preparation of Genomic DNA from Bacteria. *In* Current protocols in molecular Biology. John Wiley & Sons, New York, NY. 10.1002/0471142727.mb0204s56
9. S HoffmannC OttoS KurtzCM SharmaP KhaitovichJ VogelPF StadlerJ Hackermüller 2009 Fast mapping of short sequences with mismatches, insertions and deletions using index structures. PLOS Comput. Biol. 5:e1000502. 10.1371/journal.pcbi.100050219750212
10. RK AzizD BartelsAA BestM DeJonghT DiszRA EdwardsK FormsmaS GerdesEM GlassM KubalF MeyerGJ OlsenR OlsonAL OstermanRA OverbeekLK McNeilD PaarmannT PaczianB ParrelloGD PuschC ReichR StevensO VassievaV VonsteinA WilkeO Zagnitko 2008 The RAST server: Rapid Annotations using Subsystems Technology. BMC Genomics 9:75. 10.1186/1471-2164-9-7518261238