

## Surface brightness profile of the Milky Way's nuclear star cluster (Corrigendum)

R. Schödel<sup>1</sup>, A. Feldmeier<sup>2</sup>, D. Kunneriath<sup>3</sup>, S. Stolovy<sup>4</sup>, N. Neumayer<sup>2</sup>, P. Amaro-Seoane<sup>5</sup>, and S. Nishiyama<sup>6</sup>

<sup>1</sup> Instituto de Astrofísica de Andalucía (CSIC), Glorieta de la Astronomía s/n, 18008 Granada, Spain  
e-mail: [rainer@iaa.es](mailto:rainer@iaa.es)

<sup>2</sup> European Southern Observatory, Karl-Schwarzschild-Strasse 2, 85748 Garching bei München, Germany

<sup>3</sup> Astronomical Institute, Academy of Sciences, Boční II 1401, 14100 Prague, Czech Republic

<sup>4</sup> El Camino College, 16007 Crenshaw Blvd., Torrance, CA 90506, USA

<sup>5</sup> Max-Planck Institut für Gravitationsphysik (Albert-Einstein-Institut), Am Mühlenberg 1, 14476 Potsdam, Germany

<sup>6</sup> National Astronomical Observatory of Japan, Mitaka, 181-8588 Tokyo, Japan

A&A 566, A47 (2014), DOI: [10.1051/0004-6361/201423481](https://doi.org/10.1051/0004-6361/201423481)

**Key words.** dust, extinction – Galaxy: center – Galaxy: nucleus – Galaxy: structure – galaxies: nuclei – errata, addenda

The first column of Table 4 for the multi-Gaussian expansion (MGE) fits contains an error. The maximum intensity of the Gaussian components  $I$  is in  $10^5 L_{\odot,4.5 \mu\text{m}}/\text{pc}^2$  and not in  $10^6 L_{\odot,4.5 \mu\text{m}}/\text{pc}^2$ . A correct version of the table is presented here.

*Acknowledgements.* We thank Troy Raen for bringing this to our attention.

**Table 4.** MGE fit parameters for the *Spitzer*/IRAC PAH- and extinction-corrected image.

$I$ ( $10^5 L_{\odot,4.5 \mu\text{m}}/\text{pc}^2$ )	$\sigma$ (arcsec)	$q$
25.13	14.1	0.90
2.63	52.8	1.00
1.35	56.1	0.35
2.33	101.6	0.38
0.71	150.5	1.00
0.15	481.3	0.09
0.44	581.3	0.42
0.17	2656.5	1.00
0.31	2656.5	0.20