



# Left inferior frontal gyrus mediates morphosyntax

**DOI:**

[10.1016/j.cortex.2016.11.007](https://doi.org/10.1016/j.cortex.2016.11.007)

**Document Version**

Accepted author manuscript

[Link to publication record in Manchester Research Explorer](#)

**Citation for published version (APA):**

Regel, S., Kotz, S. A., Henseler, I., & Friederici, A. D. (2017). Left inferior frontal gyrus mediates morphosyntax: ERP evidence from verb processing in left-hemisphere damaged patients. *Cortex*, 86, 156-171. <https://doi.org/10.1016/j.cortex.2016.11.007>

**Published in:**

Cortex

**Citing this paper**

Please note that where the full-text provided on Manchester Research Explorer is the Author Accepted Manuscript or Proof version this may differ from the final Published version. If citing, it is advised that you check and use the publisher's definitive version.

**General rights**

Copyright and moral rights for the publications made accessible in the Research Explorer are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

**Takedown policy**

If you believe that this document breaches copyright please refer to the University of Manchester's Takedown Procedures [<http://man.ac.uk/04Y6Bo>] or contact [uml.scholarlycommunications@manchester.ac.uk](mailto:uml.scholarlycommunications@manchester.ac.uk) providing relevant details, so we can investigate your claim.



# Accepted Manuscript

Left inferior frontal gyrus mediates morphosyntax: ERP evidence from verb processing in left-hemisphere damaged patients

Dr. Stefanie Regel, Sonja A. Kotz, Ilona Henseler, Angela D. Friederici



PII: S0010-9452(16)30321-5

DOI: [10.1016/j.cortex.2016.11.007](https://doi.org/10.1016/j.cortex.2016.11.007)

Reference: CORTEX 1878

To appear in: *Cortex*

Received Date: 28 April 2015

Revised Date: 19 July 2016

Accepted Date: 8 November 2016

Please cite this article as: Regel S, Kotz SA, Henseler I, Friederici AD, Left inferior frontal gyrus mediates morphosyntax: ERP evidence from verb processing in left-hemisphere damaged patients, *CORTEX* (2016), doi: 10.1016/j.cortex.2016.11.007.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

1 **Left inferior frontal gyrus mediates morphosyntax: ERP evidence from**  
2 **verb processing in left-hemisphere damaged patients**

3  
4 Stefanie Regel<sup>1</sup>, Sonja A. Kotz<sup>1,2</sup>, Ilona Henseler<sup>1</sup>, & Angela D. Friederici<sup>1</sup>

5  
6 <sup>1</sup>Max-Planck-Institute for Human Cognitive and Brain Sciences, Department of  
7 Neuropsychology, Leipzig, Germany

8 <sup>2</sup>Faculty of Psychology and Neuroscience, Department of Neuropsychology and  
9 Psychopharmacology, Maastricht University, Maastricht, The Netherlands

10  
11  
12  
13  
14  
15  
16  
17  
18 **Corresponding author:**

19 Dr. Stefanie Regel

20 Max-Planck-Institute for Human Cognitive and Brain Sciences

21 Department of Neuropsychology

22 PO Box 500 355

23 D-04303 Leipzig

24 Germany

25  
26 Tel: ++49 - 30 - 2093 - 9471

27 Fax: ++49 - 30 - 2093 - 9361

28 Email: regel@cbs.mpg.de

29  
30 Date of submission: 17 November, 2016

31 Manuscript information: 34 Pages, 5 Figures, 2 Tables

32

33 **Abstract**

34 Neurocognitive models of language comprehension have proposed different  
35 mechanisms with different neural substrates mediating human language processing.  
36 Whether the left inferior frontal gyrus (LIFG) is engaged in morpho-syntactic  
37 information processing is currently still controversially debated. The present study  
38 addresses this issue by examining the processing of irregular verb inflection in real  
39 words (e.g., *swim*>*swum*>*swam*) and pseudowords (e.g., *frim*>*frum*>*fram*) by using  
40 event-related brain potentials (ERPs) in neurological patients with lesions in the LIFG  
41 involving Broca's area as well as healthy controls. Different ERP patterns in response  
42 to the grammatical violations were observed in both groups. Controls showed a  
43 biphasic negativity-P600 pattern in response to incorrect verb inflections whereas  
44 patients with LIFG lesions displayed a N400. For incorrect pseudoword inflections, a  
45 late positivity was found in controls, no ERP effects were obtained in patients. These  
46 findings of different ERP patterns in the two groups strongly indicate an involvement  
47 of LIFG in morphosyntactic processing, thereby suggesting brain regions'  
48 specialization for different language functions.

49

50 **Keywords**

51 Event-related potentials (ERPs), left inferior frontal gyrus (LIFG), Broca's area,  
52 (morpho-)syntax, language processing

## 53 1. Introduction

54 The neural basis mediating human language comprehension is controversially debated  
55 with regard to whether particular brain regions are specialized for specific language  
56 functions. Accordingly, the language system is characterized either as a modular system  
57 with specified modules for the computation and the retrieval of linguistic information  
58 (e.g., dual-system approaches, see Clahsen, 1999; Friederici & Frisch, 2000; Pinker,  
59 1999; Pinker & Prince, 1988; Pinker & Ullman, 2002), or as a unitary system depending  
60 on a memory-based mechanism (e.g., connectionist approaches, see Bybee, 1995;  
61 Joanisse & Seidenberg, 1999; McClelland & Patterson, 2002; Rumelhart & McClelland,  
62 1986). While both approaches agree that the left hemisphere (LH) critically supports  
63 language functions, disagreement exists about the involvement of the relevant brain  
64 regions, specifically, the left inferior frontal gyrus (LIFG) including Broca's area (i.e., the  
65 pars opercularis and the pars triangularis (Brodmann area (BA) 44 and 45)).

66 Modular-system approaches separate syntactic from lexical-semantic processes  
67 and generally accord with the suggestion that the LIFG supports the computation of  
68 syntactic information at the phrase and the sentence level (for review see Friederici,  
69 2011; Friederici & Kotz, 2003; Grodzinsky, 2000). The posterior portion of Broca's area  
70 is associated with particular language functions involved in syntactic structure building  
71 processes. A prominent view within the class of dual system approaches (i.e., the  
72 declarative/procedural model (Pinker & Ullman, 2002; Ullman, 2001b; Ullman et al.,  
73 1997)), holds that primarily the frontal cortex in connection with the basal ganglia (BG),  
74 the parietal cortex, and the dentate nucleus of the cerebellum underlie a procedural  
75 memory system responsible for the computation of grammatical structures. This proposal

76 makes the prediction that the fronto-basal ganglia circuit supports the processing of  
77 regularly inflected verbs consisting of a stem and affix (e.g., *walk* + *-ed*). A second  
78 system (i.e., the declarative memory system) engaging the medial temporal lobe is  
79 involved in the processing of lexical-semantic information, but also comes into play when  
80 processing irregularly inflected verbs (e.g., *caught*) that are stored and retrieved as whole  
81 word forms from the mental lexicon. Irregular verbs underlying similar inflection patterns  
82 (e.g., *sing* > *sang*, *ring* > *rang*) are captured by lexical redundancy rules within the  
83 mental lexicon. These lexical rules allow the inflection patterns to generalize over stored  
84 verb forms and to extend to novel forms. Another quite similar view, the decompositional  
85 approach of Marslen-Wilson and Tyler (1998, 2007) attributes to the LIFG a role in  
86 morpho-phonological segmentation of regular words into separate morphemes, whereas  
87 temporal lobe structures mediate the meaning access to these morphemes as well as to  
88 unseparable irregular words. Considerable evidence for the involvement of the LIFG in  
89 morphosyntactic information processing stems from neuropsychological studies showing  
90 that patients with lesions in the LIFG had difficulties with regular verbs, while the  
91 processing of irregular verbs remained largely unimpaired (Tyler, deMornay-Davies, et  
92 al., 2002; Tyler, Randall, & Marslen-Wilson, 2002; Ullman et al., 1997; Ullman et al.,  
93 2005). Moreover, in neuroimaging studies greater activation of the LIFG was observed  
94 for the processing of past tense inflection of regular verbs than irregular ones (de Diego  
95 Balaguer et al., 2006; Oh, Tan, Ng, Berne, & Graham, 2011; Sahin, Pinker, & Halgren,  
96 2006; Tyler, Stamatakis, Post, Randall, & Marslen-Wilson, 2005).

97 In contrast, in view of unitary approaches, a single mechanism engaging a  
98 network of neural connections is proposed to be responsible for the processing and

99 representation of both regular and irregular verbs (Joanisse & McClelland, 2015; Joanisse  
100 & Seidenberg, 1999, 2005; Rumelhart & McClelland, 1986). Therein, both types of verbs  
101 are represented as overlapping whole forms sharing certain phonological and semantic  
102 features. The observation of different activation patterns for regular and irregular verbs  
103 (e.g., in the left and right inferior frontal gyrus (IFG)) has been related to differences in  
104 phonological complexity between those verbs engendering enhanced phonological  
105 processing (Joanisse & Seidenberg, 1999, 2005). Due to the addition of affixes (e.g., *-ed*)  
106 for past tense inflection regular verbs are phonologically more complex than irregular  
107 verbs, which, by contrast, consist of stem alternations (e.g., *swim* > *swam*), and overt  
108 (e.g., *catch* > *caught*) or zero suffixation (e.g., *put* > *put*). Neuropsychological studies  
109 showing that phonological impairment primarily causes difficulties with regular verb  
110 inflection rather than deficits in morphological processing has been taken as support for  
111 this approach (Bird, Lambon Ralph, Seidenberg, McClelland, & Patterson, 2003; Joanisse  
112 & Seidenberg, 2005; Penke & Westermann, 2006). Due to confounds of phonological and  
113 morphological aspects in these studies, the functional contribution of the LIFG is still  
114 debated. Examining this issue by means of irregular verbs that were shown to engage  
115 rule-based processes may provide further insights on the functions of this brain region.

116 In linguistic theory analysis of different inflection patterns revealed that irregular  
117 verbs rely on morphological rules (i.e., subregularities), instead of comprising  
118 idiosyncratic and unpredictable tense forms (Wiese, 2008). The occurrence of particular  
119 inflection patterns has been accounted for by morphosyntactic properties (i.e., abstract  
120 inflectional features, such as [past tense] and [finiteness])<sup>1</sup> and morphological rules of

---

<sup>1</sup> While the past tense form appears to be most specific (i.e., carrying the features [+past, +finite]), the past

121 insertion (i.e., principle of specificity)<sup>2</sup>. The insertion of past tense forms occurs  
122 systematically and is functionally defined in a linguistic theory, called underspecification  
123 (Wiese, 2008). Based on those subregularities even irregular verbs involve  
124 morphosyntactic computations, which are presumably mediated by the syntactic  
125 component of the language system. The presence of subregularities underlying irregular  
126 inflection has been recently confirmed for German by measuring event-related brain  
127 potentials (ERPs) in healthy adults during language comprehension (Opitz, Regel,  
128 Müller, & Friederici, 2013; Regel, Opitz, Mueller, & Friederici, 2015), as well as for  
129 language production in healthy and aphasic adults (Penke & Krause, 2002). Investigating  
130 the processing of such irregular verbs in patients with lesions in the LIFG by means of  
131 ERPs should allow a further specification of the neural correlates of morphosyntactic  
132 information processing.

133         In order to investigate human language comprehension, ERPs are most suitable  
134 for differentiating distinct processing mechanisms by providing highly time-sensitive  
135 measures of the neural activity engaged in the stimulus processing. For the processing of  
136 syntactic and morphosyntactic information, a biphasic ERP pattern consisting of LAN  
137 (i.e., a left anterior negativity between 300-500 ms) and P600 (i.e., late centro-parietal  
138 positivity) has often been observed (Coulson, King, & Kutas, 1998; Gunter, Friederici, &  
139 Schriefers, 2000; Münte, Heinze, & Mangun, 1993). The LAN typically shows a left

---

participle form is less specific (i.e., carrying only the feature [+past]), and the present tense form is underspecified (i.e., carrying an empty set of features [ ]).

<sup>2</sup> This principle states that more specific forms take precedence over less specific ones. In case of the ABC pattern, (e.g., *swim*>*swum*>*swam*), gradually specific stem forms exist, allowing a systematic insertion of the differentially altered past tense stem forms. In an ABB inflection pattern (e.g., *buy*>*bought*>*bought*), however, no most specific past tense form exists, so that the next less specific form (i.e., the past participle form) is inserted as past tense. A pattern of ABA, however, in which a more specific form B would take precedence over a less specific one (i.e., A) is precluded.



140 anterior topography, albeit a more widespread scalp distribution is sometimes reported  
141 (e.g., Friederici & Frisch, 2000; Hasting & Kotz, 2008; Jakuszeit, Kotz, & Hasting,  
142 2013). The more broadly distributed negativity commonly preceding the P600 is found,  
143 in particular, for the processing of morphosyntactic violations (e.g., stem formation rules)  
144 of verb stems across different languages (including Italian, Catalan, German) and tasks  
145 (Gross, Say, Kleingers, Clahsen, & Münte, 1998; Regel et al., 2015; Rodriguez-Fornells,  
146 Clahsen, Lleo, Zaake, & Münte, 2001) suggesting a reliable effect. The neural generators  
147 of early syntactic ERP components in response to word category violations have been  
148 localized primarily in Broca's area and adjacent regions (Friederici, 2011; Friederici,  
149 Rüschemeyer, Hahne, & Fiebach, 2003), as well as the anterior superior temporal gyrus  
150 (Friederici & Kotz, 2003). The neural generators for the morphosyntax-related LAN or  
151 negativity preceding the P600 are less well specified. For the processing of lexical-  
152 semantic information, by contrast, most robustly N400 (i.e., a centro-parietal negativity  
153 with a peak latency of around 400 msec post-stimulus) is evoked (for review Kutas &  
154 Federmeier, 2011). The sources of the N400 have been identified in the left temporal lobe  
155 (for review see Lau, Phillips, & Poeppel, 2008).

156 Rule-based processing underlying regular inflection was confirmed in previous  
157 studies for (over)regularization of irregular verbs (e.g., *\*bringed* vs. *brought*) by the  
158 emergence of a LAN-P600 pattern (Gross et al., 1998; Morris & Holcomb, 2005; Penke  
159 et al., 1997; Rodriguez-Fornells et al., 2001). In contrast, for (over)irregularizations of  
160 regular verbs (e.g., *seeped* > *\*sept*) such syntax-related ERP pattern was absent (Morris  
161 & Holcomb, 2005; Penke et al., 1997). Still, for irregular verbs relying on rule-based  
162 stem alternations ERP evidence for subregularities underlying irregular inflection was

163 shown (Regel et al., 2015). In line with underspecification-based approaches (Wiese,  
164 2008), the processing of incorrect irregular real word past tense forms (e.g., *\*sung*  
165 (*sung*)/*\*sing* (*sing*)) lead to a modulation of P600 in the observed negativity-P600 pattern.  
166 For comparable subregularities in pseudowords (e.g., *\*tung*/*\*ting*), a modulation of N400  
167 was found. This indicates that subregularities are processed through syntactic  
168 computations when dealing with real words, and through predictive processing when  
169 dealing with pseudowords.

170 This hypothesis was tested in patients with lesions in the LIFG, but unaffected  
171 temporal cortex in an established ERP paradigm in German that allows a fine grained  
172 analyses of the rule-based processing of irregular verbs (Regel et al., 2015). In the  
173 morphosyntax experiment, behavioral judgments on the grammaticality of past tense  
174 forms, as well as the appropriateness of equivalent pseudowords were gathered to assess  
175 participants' performance. ERPs were recorded for irregular past tense forms containing  
176 different morphosyntactic properties (i.e., most specified (correct), specified (incorrect),  
177 and unspecified (incorrect) ones) with the aim to test the involvement of the LIFG for the  
178 processing of these forms. For the processing of these forms different approaches make  
179 different predictions. Modular-system approaches predict that: If the LIFG is engaged in  
180 morphosyntactic processing, ERPs in response to the incorrect irregular verbs are  
181 expected to differ between patients and healthy controls. For the control group, a syntax-  
182 related ERP pattern consisting of negativity and P600 for systematically varied past tense  
183 forms (i.e., for specified and unspecified forms relative to correct most specified ones)  
184 replicating the findings of Regel et al. (2015). For the pseudoword items, a gradual  
185 modulation of N400 with largest amplitude for unspecified forms, and medium amplitude

186 for specified forms relative to the expectable correct ones is predicted. For the patient  
187 group, in the absence of a syntax-related ERP pattern an N400 might be observed under  
188 the assumption that lexical-semantic processing mechanisms are compensatory engaged.  
189 For the pseudoword items, however, no ERP effects are hypothesized since  
190 subregularities may not be recognized and thus neither syntactic, nor lexical-semantic  
191 compensatory mechanisms should be active. In the behavioral judgments, the controls are  
192 expected to answer adequately and immediately in both tests, whereas patients even when  
193 showing recovery of their language function, may still show more difficulties in both  
194 judgments. The more general dual-system approach that only distinguishes between  
195 regular and irregular inflection (e.g., Pinker & Ullman, 2002) predict for controls and  
196 patients similar ERP responses (i.e., N400) for violation of systematic irregular inflection  
197 patterns by involving lexical redundancy rules operated in temporal cortex .  
198 Connectionist approaches (e.g., Joanisse & McClelland, 2015) which propose a network  
199 of neural connections to mediate the processing of irregular verbs and generalization to  
200 pseudowords predict similar ERP patterns (i.e., N400) for incorrect inflection patterns for  
201 controls and patients as the LIFG should not specifically be engaged.

202

## 203 **2. Methods**

### 204 *2.1 Participants*

205 In the current study, nine patients with left-hemisphere lesions in the inferior frontal  
206 gyrus were selected from the patient databank of the Max Planck Institute for Human  
207 Cognitive and Brain Sciences, Leipzig, Germany. All patients had an intact temporal  
208 cortex, and showed either none, or, at most, residual symptoms of aphasia according to

209 their clinical diagnostic profile. Time since lesion was at least 2 years. Individual  
210 patients' characteristics including demographic data, etiology, description of lesion,  
211 language impairment, and education is displayed in Tab. 1. A lesion overlay is presented  
212 in Fig. 1. Patients (four female, mean age 62.7 (SD 9.96)) had normal or corrected-to-  
213 normal vision, and were paid for their participation. In addition, nine age- and education-  
214 matched right-handed healthy controls (four female, mean age 63.7 (SD 7.82))  
215 participated. Prior to the experiments, all participants gave signed informed consent in  
216 accordance with the declaration of Helsinki. The study was approved by the ethics  
217 committee of the medical department at the University of Leipzig.

218 INSERT TABLE 1 ABOUT HERE

219 INSERT FIGURE 1 ABOUT HERE

220

### 221 *2.2 Pre-experiment: Production test*

222 To control for participants' language competence, and to assess selective impairments in  
223 production of regular and irregular verb inflection, a production test was conducted prior  
224 to the ERP experiments. In this test, participants were asked to state the past tense forms  
225 of eight regular and irregular verbs each presented in sentential contexts. For a full list of  
226 verbs see Appendix A. Both the regular and irregular verbs were mainly two-syllabic  
227 with an average word length of 6.6 letters per word. All items were read aloud by the  
228 experimenter and the participants read along the items on a sheet of paper, on which the  
229 critical verbs that required past tense inflection were underlined.

230

### 231 *2.3 Visual oddball experiment*

232 Immediately prior to the morphosyntax experiment, a visual oddball experiment was  
233 conducted to control for potential attentional deficits in the patients (see e.g., Picton,  
234 1992). In this test, two types of visual stimuli differing in their physical properties (i.e.,  
235 opened (standards) vs. closed (deviants) geometric forms) were presented in a pseudo-  
236 randomized order with a rate of 3 to 1 (i.e., 225 standards, 75 deviants). Stimuli appeared  
237 in a rapid serial visual presentation (1000 msec per item, inter-stimulus-interval (ISI) of  
238 200 msec) in the middle of a monitor. During measurement of the  
239 electroencephalography (EEG), participants were asked to count the deviants as  
240 accurately as possible, and to state the counted total at the end of the experiment. This  
241 task was conducted without pauses and lasted approx. 7 min.

242

## 243 *2.4 Morphosyntax experiment*

### 244 *2.4.1 Stimulus material*

245 The stimuli contained 42 irregular verbs and 42 equivalent pronounceable pseudowords  
246 embedded in minimal syntactic contexts and marked for different tenses (i.e., future<sup>3</sup>, past  
247 perfect, and past tense) (e.g., *er trank* (he drank), *er stahl* (he stole)). All verbs consisted  
248 of stem alternations in the present tense, past participle, and the past tense (e.g., *singen*  
249 (sing) > *gesungen* (sung) > *sang* (sang)) thereby denoting the inflection pattern of ABC  
250 (see Wiese, 2008). The critical past tense form was systematically manipulated, and was  
251 either correct, or incorrect by replacement of the past tense stems with past participle  
252 stems (e.g., *\*er trunk* (he drunken), *\*er stohl* (he stolen)) for the specified condition, and  
253 with present tense stems (e.g., *\*er trink* (he drink), *\*er stehl* (he steal)) for the unspecified

---

<sup>3</sup> In German future is marked by a modal verb in combination the main verb, which includes the present tense stem. Henceforth, present tense stems are referred to.

254 condition. An item contained all three tenses presented in a series, each beginning with  
255 future, followed by past perfect and past tense (e.g., *er wird beginnen* (he will begin), *er*  
256 *hat begonnen* (he begun), *er begann* (he began)). The experimental paradigm for the real  
257 word items is displayed in Tab. 2. In total, 126 inflected verb series with 42 items per  
258 condition, and 14 fillers to match the number correct and incorrect items were included.  
259 The full list of materials is presented in Appendix B. The past tense forms were primarily  
260 monomorphemic (mean number of syllables 1.19 (SD 0.39) with a mean word length of  
261 5.30 (SD 1.25) graphemes, and an average frequency class<sup>4</sup> of 12 (SD 3.11) according to  
262 the *Leipzig vocabulary project* ([www.wortschatz.uni-leipzig.de](http://www.wortschatz.uni-leipzig.de)). To avoid the repetition  
263 of an item within an experimental block, all items were divided onto three lists in a  
264 pseudorandom order with 56 items each (i.e., 42 experimental items, and 14 filler items).  
265 Experimental conditions were counterbalanced across all versions. Participants received  
266 only one list. In each group, equal numbers of participants were presented with each list.  
267 Except for six additional verbs and pseudowords that were included to enhance the  
268 number of items, the stimuli and paradigm were identical to Regel et al. (2015).

269 INSERT TABLE 2 ABOUT HERE

270

271 The pseudoword block consisted of 42 pronounceable pseudowords (e.g.,  
272 *bimmen*, *gezinnen*), as well as 14 pseudoword fillers. For the full list of pseudoword  
273 materials see Appendix C. Equivalent to the real word items, the pseudowords were  
274 presented in tense series consisting of future, past perfect and past tense. In total, 126  
275 pseudoword items, and 14 filler items were included and divided onto three lists (with 56

---

<sup>4</sup> Frequency classes state the related type frequency of words in numeric classes from 0-30. The more frequent the words are, the lower their classification.

276 items each), in a separate pseudorandom order.

277 For experimental presentation, real word and pseudoword items were presented in  
278 separate experimental blocks always beginning with the real word block. In order to  
279 increase the number of trials, both blocks were presented a second time in the same order  
280 (i.e., repeated presentation).

281

#### 282 *2.4.1 Procedure*

283 During the EEG recording, participants were seated in an electrically shielded and sound-  
284 attenuated cabin with a monitor in front of them. A trial sequence started off with the  
285 presentation of a fixation cross for 200 msec in the middle of the monitor (see Fig. 2).  
286 After an ISI of 300 msec, item series were presented visually with 1500 msec for each  
287 item and an inter-stimulus-interval of 500 msec pause in between (a rate that was  
288 comfortable for participants). All elements of an item (i.e., future t, past perfect, and past  
289 tense inflection) appeared as whole utterances consisting of subject and verb on the  
290 monitor. Past tense utterances subtended 2° to 3.5° of horizontal, and 0.9° of vertical  
291 visual angle. After offset of the stimulus presentation and an additional interval of 1500  
292 msec, subjects had to perform the experimental task (response time of maximal 3000  
293 msec). For the real word block, a grammaticality judgment of the past tense forms was  
294 required. For the pseudoword block, participants had to judge whether the pseudoword  
295 past tense form was appropriate for a particular tense series (appropriateness judgment).  
296 Responses (given via button press) were followed by an inter-trial-interval of 1000 msec,  
297 before the next trial started. *Yes* and *no* answers were completely balanced across all  
298 experimental conditions as well as blocks in avoidance of a decision-related expectancy.

299 The whole experiment lasted about 1 hour. Within and after each block, participants were  
300 allowed to pause for as long as needed.

301 The participants' task was to read attentively all tense series and to reply as  
302 accurately as possible to the experimental task (see above). Prior to each experimental  
303 block, participants received an instruction and a short training phase.

304 INSERT FIGURE 2 ABOUT HERE

305

#### 306 *2.4 Data recording and analysis*

307 The continuous EEG was recorded from 52 Ag-AgCl electrodes<sup>5</sup> and referred to the right  
308 mastoid. After recording, the EEG signals were re-referenced to the average of the left  
309 and right mastoids. To control for eye movement artifacts bipolar horizontal and vertical  
310 electrooculograms (EOG) was also recorded. Resistance of all electrodes was kept below  
311 5 k $\Omega$ . EEG and EOG signals were recorded continuously with a sampling rate of 500 Hz.  
312 EEG data were filtered offline using a digital bandpass filter of .5-20 Hz. To remove eye  
313 artifact, a correction procedure was employed, in which for each participant eye  
314 movement artifacts were classified manually as prototypical blinks or moves (i.e., approx.  
315 20 prototypical blinks and moves each). Based on this prototype classification a  
316 propagation factor was calculated, and applied for correction of those trials containing  
317 respective eye movement artifacts (i.e., approx. 46% of all trials). In the ERP analysis,  
318 only artifact-free and corrected trials were included.

319

---

<sup>5</sup> Fp1, Fpz, Fp2, Af7, Af3, AfZ, Af4, Af8, F7, F5, F3, Fz, F4, F6, F8, Ft7, Fc5, Fc3, Fcz, Fc4, Fc6, Ft8, T7, C5, C3, Cz, C4, C6, T8, Tp7, Cp5, Cp3, Cpz, Cp4, Cp6, Tp8, P7, P5, P3, Pz, P4, P6, P8, Po7, Po3, Poz, Po4, Po8, O1, Oz, O1, and right mastoid.



320 *2.4.1 Analysis of the ERP data*

321 For evaluation of the ERPs, epochs of -200 to 1000 msec according to the stimulus onset  
322 were averaged separately for each participant. In the visual oddball and the morphosyntax  
323 experiment, average ERPs were calculated for the critical items (i.e., in the oddball task  
324 the standards and deviants, and in the morphosyntax task the past tense items) for each  
325 electrode position for each condition. Averages were aligned to a 200 msec pre-stimulus  
326 baseline. For the real word items, statistical analysis included only correctly answered  
327 trials. For the pseudoword items, each trial entered the analysis. Due to artifacts, approx.  
328 3% of the trials had to be excluded from the averages in the visual oddball experiment,  
329 and approx. 2% of the trials in the morphosyntax experiment.

330 For distributional ERP analyses, two topographical factors *anterior/posterior* (2)  
331 and *hemisphere* (left (LH)/right (RH)) were defined and completely crossed, yielding  
332 four different ROIs each containing five electrodes: left anterior (Fc3, C5, C3, Cp5, Cp3),  
333 left posterior (P5, P3, Po7, Po3, O1), right anterior (FC4, C4, C6, Cp4, Cp6), and right  
334 posterior (P4, P6, Po4, Po8, O2).

335 For statistical analysis of the P300 response, the time window of *300-600 msec*  
336 was chosen based on visual inspection (see Fig. 3). A repeated measure analysis of  
337 variance (ANOVA) was performed on the mean amplitude values of all dependent  
338 variables. Factors included the between subject factor *group* (patients/controls) and the  
339 within subject factors *condition* (standard/deviant) and the topographical factors  
340 *anterior/posterior* (2) and *hemisphere* (LH/RH).

341 For statistical analysis of the ERP data obtained in the morphosyntax experiment,  
342 three latency windows were employed: *300-500 msec* (negativity), *400-700 msec* (N400),

343 and 600-800 msec (P600) for real word items, 150-300 msec (early positivity) and 800-  
344 950 msec (late positivity) for pseudoword items. These latency windows were determined  
345 to match potential ERP effects that were visually salient in the grandaverage ERPs (see  
346 Fig. 4 and 5), as well as to allow for comparison with previous findings (Regel et al.,  
347 2015). A repeated-measures ANOVA was conducted separately for real word and  
348 pseudoword items on all dependent variables. The between-subject factor *group*  
349 (patients/controls), and the within-subject factors *condition* (correct/incorrect:  
350 specified/incorrect: unspecified), *block* (first/second), *anterior/posterior* (2) and  
351 *hemisphere* (LH/RH) were included. Whenever the main analysis showed interactions  
352 between two or more factors, additional analyses were carried out. Midline electrode  
353 positions (Cz, Cpz, Pz, Poz, Oz) were analyzed separately. To avoid problems concerning  
354 sphericity the Huynh-Feldt correction was applied to all ANOVA calculations including  
355 the within-subject factors. To elucidate main effects of condition, post-hoc t-tests for  
356 pairwise comparison were applied. Main effects and interactions were evaluated as  
357 significant with an alpha level of  $< .05$ , and as marginally significant with an alpha level  
358 of  $< .10$ .

359

#### 360 2.4.2 Analysis of the behavioral data

361 Behavioral data of the morphosyntax experiment were analyzed separately for the real  
362 word and pseudoword items in a repeated-measures analysis of variance (ANOVA) with  
363 the factors *group* (patients/controls) and *item list* (3) as between subject factors, and  
364 *condition* (correct/incorrect: specified/incorrect: unspecified) and *block* (first/second) as  
365 within subject factor. All within-subject factors calculations were corrected by the

366 Huynh-Feldt procedure.

367 For analysis of the behavioral data obtained in the production task prior to the  
368 ERP experiments, a repeated-measures analysis of variance (ANOVA) with the between  
369 subject factor *group* (patients/controls), and the within subject factor *condition*  
370 (regular/irregular verbs) was conducted on the absolute values of the accurate namings.

371

### 372 **3. Results**

#### 373 *3.1 Production task*

374 In stating the correct past tense inflection of regular and irregular verbs both patients and  
375 controls performed excellently (for regular verbs mean accuracy rate of 100% (SD 0.0) in  
376 controls and 86.1% (SD 17.05) in patients; for irregular verbs mean accuracy of 98.6%  
377 (SD 2.08) in controls and 97.2% (SD 5.5) in patients). Still, patients had slightly more  
378 difficulty in performing this task (mean accuracy rate of 92% (SD 1.6)) than healthy  
379 controls (mean accuracy rate of 99% (SD 0.34)) as shown by a significant between-  
380 subjects effect ( $F(1,16) = 7.14, p < .05$ ).

381

#### 382 *3.2 Visual oddball experiment*

383 Counting the deviants was comparable in both patients and controls. On average, controls  
384 deviated from the true counts by 0.11 (SD 0.33), and patients by 3.77 (SD 7.32). An  
385 unpaired two-sided t-test was carried out on the absolute values of deviants from the true  
386 counts and revealed no significant differences between these two groups ( $t(16) = 1.50,$   
387 n.s.).

388 Inspection of the ERPs showed the emergence of P300 for the deviants compared

389 to the standards in both patients and controls (see Fig. 3). Statistical analysis of the 300-  
390 600 msec latency window revealed an effect of group ( $F(1,16) = 13.43, p < .01$ ), and an  
391 interaction between group and condition ( $F(1,16) = 15.15, p < .001$ ). The resolution of  
392 this interaction by group, showed a significant effect of condition in both patients ( $F(1,8)$   
393  $= 15.78, p < .01$ ) and controls ( $F(1,8) = 116.39, p < .0001$ ). Statistical analysis of the  
394 midline electrodes also showed an effect of group ( $F(1,16) = 13.28, p < .01$ ), and an  
395 interaction of group and condition ( $F(1,16) = 14.45, p < .01$ ). In further analysis for each  
396 group separately, effects of condition were significant in both patients ( $F(1,8) = 17.67, p$   
397  $< .01$ ) and controls ( $F(1,8) = 166.57, p < .0001$ ). The findings indicate that in both groups  
398 an oddball P300 was elicited by the deviants. This P300 effect, however, was more  
399 pronounced in controls in comparison to patients.

400 INSERT FIGURE 3 ABOUT HERE

401

### 402 *3.3 Morphosyntax experiment*

#### 403 *3.3.1 Behavioral data*

404 The participants' performance in the grammaticality judgment of the past tense forms  
405 was very good. Statistical analysis still showed an effect of group ( $F(1,16) = 8.97, p <$   
406  $.01$ ) implying that patients had more difficulty (mean accuracy rate of 84.3% (SD 11.54))  
407 than controls (mean accuracy rate of 96.2% (SD 3.02)) in performing this task. Neither  
408 main effects of item list ( $F(2,14) = 0.16, n.s.$ ) nor interactions of item list with block  
409 and/or condition ( $F(4,28) < 0.68, n.s.$ ) were observed implying that presentation lists had  
410 no impact on the stimulus processing.

411 Judging the appropriateness of pseudoword past tense forms was apparently more

412 difficult for patients (mean accuracy rate of 63.4% (SD 5.01) of the expected  
413 appropriateness ratings) than for controls (mean accuracy rate of 81.5% (SD 10.26)),  
414 which was confirmed by a significant effect of group ( $F(1,16) = 24.72, p < .0001$ ). As  
415 seen for the real word items, neither an effect of item list ( $F(2,14) = 0.35, n.s.$ ) nor  
416 interactions of item list with block and/or condition ( $F(4,28) < 0.75, n.s.$ ) were obtained.

417

### 418 3.3.2 ERP data for the real word items

419 ERPs analyzed at the critical items seen in patients and controls are shown in Fig. 4.  
420 Visual inspection of the ERPs suggests differences in the processing of irregular  
421 inflection between both groups of participants. In patients, a centro-parietal negativity  
422 emerging around 400 msec post-stimulus was evoked for both incorrect (i.e., the  
423 specified and unspecified items) past tense forms in comparison to the correct  
424 equivalents. By contrast, in controls a late positivity emerging around 600 msec after  
425 stimulus onset was elicited by the incorrect past tense forms relative to the correct one.  
426 This positivity was broadly distributed and showed a centro-parietal maximum.  
427 Moreover, an earlier negativity seemed to antecede this positivity between 300-500 msec.

428

INSERT FIGURE 4 ABOUT HERE

429

430 Main analysis of the 400-700 msec latency window confirmed processing  
431 differences between patients and controls by the presence of an effect of group ( $F(1,16) =$   
432  $5.90, p < .05$ ). Further, marginally significant interactions of group by condition ( $F(2,32)$   
433  $= 2.45, p < .10$ ), as well as between group, condition and hemisphere ( $F(2,32) = 2.89, p <$   
434  $.10$ ) were observed. Resolving these interactions by group showed a main effect of

435 condition ( $F(2,16) = 3.59, p < .05$ ) in patients, but not so in controls ( $F(2,16) = 0.19, n.s.$ ).  
436 In patients, post-hoc testing of the condition effect revealed significant differences  
437 between the correct and both the specified ( $t(8) = 5.12, p < .05$ ) and the unspecified  
438 condition ( $t(8) = 6.02, p < .05$ ) indicating the emergence of a negativity for incorrect  
439 irregular verbs.

440 The statistical analysis of the midline electrodes revealed an interaction between  
441 group and condition ( $F(2,32) = 3.40, p < .05$ ). Additional analyses for each group  
442 separately showed a main effect of condition ( $F(2,16) = 4.86, p < .05$ ) in patients only.  
443 The results of the post-hoc testing confirm the presence of a negativity for both incorrect  
444 past tense forms in relation to the correct ones (for the specified condition: ( $t(8) = 6.22, p$   
445  $< .05$ ), for the unspecified condition: ( $t(8) = 7.79, p < .05$ )) over the midline electrode  
446 sites.

447 In the statistical analysis of the *600-800 msec* latency window an effect of group  
448 ( $F(1,16) = 9.11, p < .01$ ) was found. Moreover, the main analysis showed a significant  
449 two-way interaction between group and condition ( $F(2,32) = 6.49, p < .01$ ), as well as a  
450 marginally significant four-way interaction between group, condition, anterior/posterior  
451 and hemisphere ( $F(2,32) = 2.47, p < .10$ ). In controls, the resolution of the two-way  
452 interaction by group showed a significant effect of condition ( $F(2,16) = 5.81, p < .05$ ),  
453 whereas no such effect ( $F(2,16) = 1.42, n.s.$ ) was seen in patients. The occurrence of a  
454 late positivity for both incorrect past tense forms in comparison to the correct equivalents  
455 was attested in controls. In the post-hoc testing, marginal significant differences were  
456 observed between the correct specified and the specified condition ( $t(8) = 4.18, p < .10$ ),  
457 and significant differences between the correct and the unspecified condition ( $t(8) =$

458 10.90,  $p < .01$ ).

459 The analysis of the midline electrodes in the *600-800 msec* latency window  
460 showed a significant interaction between group and condition ( $F(2,32) = 9.01$ ,  $p < .001$ ).  
461 In separate analyses of the ERPs in patients and controls, a significant effect of condition  
462 ( $F(2,16) = 6.90$ ,  $p < .05$ ) was only seen in controls. Post-hoc testing confirms the  
463 presence of a positivity in response to the incorrect compared to the correct past tense  
464 forms (for the specified condition:  $t(8) = 5.70$ ,  $p < .05$ ), for the unspecified condition:  
465 ( $t(8) = 11.79$ ,  $p < .01$ )) seen in the control group.

466 In order to examine the emergence of an earlier negativity response as seen by  
467 Regel et al. (2015), an additional latency window of *300-500 msec* was analyzed. In  
468 controls, this analysis revealed a significant interaction of condition with  
469 anterior/posterior ( $F(2,16) = 4.91$ ,  $p < .05$ ). In separate analyses for anterior and posterior  
470 electrode sites a main effect of condition was seen for posterior electrode sites ( $F(2,16) =$   
471  $5.52$ ,  $p < .05$ ). Post-hoc testing confirms a negativity for both incorrect past tense forms  
472 relative to the correct equivalent (for the specified condition:  $t(8) = 7.61$ ,  $p < .05$ ), for the  
473 unspecified condition: ( $t(8) = 6.99$ ,  $p < .01$ )). The analysis of the midline electrodes  
474 showed no effect of condition ( $F(2,16) = 2.18$ , n.s.). In patients, neither a main effect of  
475 condition ( $F(2,16) = 1.39$ , n.s.) nor interactions with condition ( $F(2,16) < 0.32$ , n.s.) were  
476 seen in the overall analysis. Similarly, in the analysis of the midline electrodes an effect  
477 of condition was absent ( $F(2,16) = 1.06$ , n.s.).

478 Statistical analysis of all latency windows reported above showed neither an effect  
479 of block ( $F(1,16) < 0.27$ , n.s.) nor significant interactions of block with group and  
480 condition ( $F(2,32) < 2.06$ , n.s.) suggesting that repetition of items had no impact on the

481 processing of irregular verbs.

482

### 483 3.3.3 ERP data for the pseudoword items

484 A comparison of patients' and controls' ERPs observed for the pseudoword items is  
485 displayed in Fig. 5. Visual inspection of the ERPs suggests that the brain potentials for  
486 pseudoword past tense forms did not differ in patients. In controls, however, an early  
487 positivity emerging around 150 msec followed by a later positivity with a latency onset of  
488 around 800 msec seems to be present for incorrect in relation to correct past tense forms.  
489 Although showing a delayed latency onset, the latter positivity seems to be comparable in  
490 its sensitivity and topographic distribution to the late positivity seen for the real word  
491 items.

492 INSERT FIGURE 5 ABOUT HERE

493

494 Main analysis of the *150-300 msec* latency window revealed an interaction  
495 between group, inflection, and hemisphere ( $F(2,32) = 3.55, p < .05$ ). The resolution of  
496 this interaction by group showed a main effect of inflection ( $F(2,16) = 4.69, p < .05$ ) in  
497 controls only. An early positivity was elicited by the unspecified relative to the correct  
498 condition as obtained in the post-hoc testing ( $t(8) = 14.30, p < .01$ ).

499 Statistical analysis of the midline electrodes showed neither an effect of group  
500 ( $F(1,16) = 1.09, n.s.$ ), nor an interaction between group and condition ( $F(2,32) = 1.96,$   
501  $n.s.$ ).

502 In the statistical analysis of the *800-950 msec* latency window, a marginally  
503 significant two-way interaction between group and inflection ( $F(2,32) = 2.83, p < .10$ )



504 was found. Resolving this effect by group, revealed in controls a main effect of condition  
505 ( $F(2,16) = 7.88, p < .01$ ). The emergence of a late positivity for both incorrect past tense  
506 forms in relation to the correct one was confirmed in the post-hoc testing (for the  
507 specified condition:  $t(8) = 8.69, p < .05$ , for the unspecified condition:  $t(8) = 25.75, p <$   
508  $.001$ )).

509 Analyzing the midline electrode positions in the *800-950 msec* latency window  
510 showed a marginal interaction between group and condition ( $F(2,32) = 3.06, p < .10$ ).  
511 Separate analyses in the patient and control group revealed a significant effect of  
512 condition ( $F(2,16) = 9.41, p < .01$ ) in controls only. Post-hoc testing confirms the  
513 occurrence of a late positivity for both incorrect past tense forms in comparison to their  
514 correct equivalents (for the specified condition:  $t(8) = 10.52, p < .01$ , for the unspecified  
515 condition:  $t(8) = 22.92, p < .001$ )).

516 As seen for the real word items, effects of block ( $F(1,16) < 1.02, n.s.$ ) as well as  
517 significant interactions of block, group, and condition ( $F(2,32) < 2.70, n.s.$ ) were not  
518 found in both the overall and midline analysis ruling out an effect of repetition of items  
519 on the processing of pseudowords.

520

#### 521 **4. Discussion**

522 The present study investigated the contribution of the LIFG to morphosyntactic  
523 processing as a test of current neurocognitive models of language (Friederici, 2012;  
524 Joanisse & McClelland, 2015; Pinker & Ullman, 2002; Ullman, 2001b). ERPs to  
525 irregular verb inflection (i.e., most specified, specified, and unspecified stem forms) of  
526 real word and pseudowords were compared between patients with left inferior frontal

527 lesions, but intact temporal cortex and age-matched healthy controls. The present findings  
528 provide evidence for the involvement of distinct processing mechanisms in the processing  
529 of those verbs in patients and controls. LIFG patients showed a centro-parietal negativity,  
530 resembling an N400 component, elicited by incorrect past tense forms, whereas in  
531 controls a late positivity (i.e., a P600 component) was observed, respectively. In controls  
532 the P600 component was preceded by an earlier negativity emerging around 300 msec  
533 post-stimulus replicating previous findings of a negativity-P600 pattern observed for  
534 irregular verb inflection in young adults (Regel et al., 2015). Despite revealing a  
535 comparable latency onset, the present negativity was less broadly distributed, which may  
536 be best explained by inter-individual or age-related differences as similar paradigms and  
537 stimuli were employed in both studies<sup>6</sup>. For the pseudowords, in controls a late positivity  
538 emerged for both incorrect items as well as an early positivity for the unspecified relative  
539 to the correct items, whereas in patients no differences in the ERPs were seen.  
540 Behaviorally, patients had more difficulties in the grammaticality judgment of the real  
541 words, as well as in the appropriateness judgment of the pseudowords. The patients'  
542 linguistic knowledge on past tense inflection was confirmed in the productive elicitation  
543 task prior to the ERP experiments. As both patients and controls revealed a P300  
544 response in the visual oddball experiment, the observed differences in the ERPs of the  
545 morphosyntax experiment are unlikely related to attentional deficits. The present findings  
546 are discussed with respect to the functional contribution of the LIFG.

---

<sup>6</sup> In contrast to the study by Regel et al. (2015), a bandpass filter was applied to the data to improve the signal-to-noise ratio. Potential filter-based distortions by producing artifactual components, such as P600 being preceded by a negativity, and N400 being preceded by P200 (Tanner, Morgan-Short, & Luck, 2015) are rather unlikely to have occurred. The negativity-P600 pattern in controls was previously seen for unfiltered data (Regel et al., 2015), and earlier effects preceding the N400 in patients were absent.

547

548 *4.1 Unimpaired morphosyntactic processing*

549 The observation of a negativity and P600 for morphosyntactically violated verbs in  
550 controls suggests the presence of a syntax-related ERP pattern. This negativity resembled  
551 negativity effects seen for violations of stem formation rules (Gross et al., 1998; Regel et  
552 al., 2015; Rodriguez-Fornells et al., 2001). Processing morphosyntactic information  
553 enclosed in verb stems seems to recruit an extended neural network involving partially  
554 different mechanisms than indexed by LAN. As the present violation included existing  
555 stem forms that were initially encountered in the preceding tenses, the observed  
556 negativity seems less likely to equate N400 associated with lexical-semantic processing  
557 seen for irregularizations (cf. Penke et al., 1997; Weyerts, Penke, Dohrn, Clahsen, &  
558 Munte, 1997). In case those verbs could not be lexically accessed (i.e., semantic and  
559 syntactic information cannot be activated), merely an N400 would have been emerged,  
560 instead of subsequent P600 indicating further stimulus processing. While this negativity  
561 may rather be sensitive to word-form bound morphosyntactic analysis of the incorrectly  
562 inflected verbs, the subsequent P600 most likely reflects syntactic reanalysis processes  
563 (e.g., Friederici, 2002; Gouvea, Phillips, Kazanina, & Poeppel, 2010). In previous studies,  
564 similar P600 responses, in absence of N400, were seen for irregular verbs comprising  
565 existing stem forms suggesting that whenever verb stems are morphological identifiable  
566 syntactic processes are engaged (Allen, Badecker, & Osterhout, 2003; Newman, Ullman,  
567 Pancheva, Waligura, & Neville, 2007). Most importantly, the present morphosyntactic  
568 violation did not affect the verbs' morphological and phonological complexity, so that the  
569 obtained ERP effects are unlikely associated with such differences (cf. Joannis &

570 Seidenberg, 1999, 2005).

571           When dealing with pseudowords, the presence of an early positivity for  
572 unspecified compared to correct items suggests enhanced phonological and orthographic  
573 processes (Bentin, Mouchetant-Rostaing, Giard, Echallier, & Pernier, 1999; Simon,  
574 Bernard, Largy, Lalonde, & Rebai, 2004) for the violation of morphological principles.  
575 While specified items refer to an existing irregular inflectional pattern (i.e., ABB),  
576 unspecified items are not licensed (i.e., an ABA pattern is non-existent). Moreover, the  
577 finding of a late positivity for incorrect items, rather than N400 (see Regel et al. (2015)),  
578 is surprising. Instead of predictive processing of the morphophonological properties of  
579 potential past tense forms, this positive effect suggests the occurrence of rule association  
580 processes triggered in relation to morphosyntactic properties of real irregular verbs.

581           The present findings imply the engagement of rule-based mechanisms underlying  
582 irregular verb processing (i.e., morphosyntactic analysis followed by reanalysis), and  
583 support underspecification-based accounts proposing that irregular inflection is based on  
584 subregularities (Wiese, 2008). With respect to dual-system approaches (Pinker & Ullman,  
585 2002; Ullman, 2001b), the observation of negativity-P600 asks for an extension of the  
586 proposed procedural memory system. Procedural mechanisms may not only apply to  
587 regular verbs, but at least to those irregular verbs belonging to the inflection pattern tested  
588 here. In absence of a mono-phasic N400 in response to irregular inflection patterns, the  
589 processing of such patterns may have not been operated by lexical redundancy rules  
590 within the mental lexicon. A generalization of those patterns to novel forms based on  
591 lexical rules cannot be support as an N400-like effect in response to pseudowords not  
592 seen. The assumption that all irregular verbs require lexical access as whole forms, thus,

593 cannot be supported. Moreover, with regard to connectionist approaches, no evidence  
594 was found that inflected verbs are represented as overlapping whole forms, and involve  
595 memory-based processing mechanisms (Joanisse & McClelland, 2015; Rumelhart &  
596 McClelland, 1986). If such mechanisms were engaged, an N400 component, instead of a  
597 negativity-P600 pattern, should have been elicited by the incorrect verbs.

598

#### 599 *4.2 The role of the LIFG in mediating morphosyntactic processing*

600 Patients with lesions in the LIFG showed a different pattern of results for both the  
601 processing of real words and pseudowords than controls. The emergence of an N400  
602 response to the morphosyntactic violation, in absence of a syntax-related ERP pattern,  
603 suggests an involvement of memory-based processing mechanisms. Since the incorrect  
604 verbs had no lexical entry as potential past tense forms in the mental lexicon, this may  
605 have resulted in increased lexical access during the retrieval of adequate meanings. Such  
606 an interpretation is in accordance with previous findings showing that the amplitude of  
607 N400 is reliably associated with meaning access (for review see e.g., Kutas &  
608 Federmeier, 2011). This memory-based mechanism is presumably supported by patients'  
609 unaffected temporal cortex (see Marslen-Wilson & Tyler, 2007; Ullman, 2001b; Ullman  
610 et al., 1997). The present data suggest an essential role of the LIFG in mediating  
611 morphosyntax, and confirm its engagement in rule-based processing mechanisms  
612 (Friederici & Kotz, 2003; Friederici, von Cramon, & Kotz, 1999; Marslen-Wilson &  
613 Tyler, 2007; Tyler, Cheung, Devereux, & Clarke, 2013; Ullman, 2001b).

614 Further evidence for this functional contribution of the LIFG stems from the ERPs  
615 in response to pseudowords. When encountering the pseudowords, in patients no

616 differences in the ERPs were seen, whereas controls revealed a late positivity for  
617 incorrect items. While healthy controls may have applied rule-association processes for  
618 the pseudowords, comparable processing mechanisms seemed to be intermitted after  
619 damage to the LIFG. Since the meaning of the pseudowords could not be accessed from  
620 the mental lexicon, compensatory lexical-semantic processing mechanisms as seen for the  
621 real words could not be engaged.

622         The findings accord with dual-system approaches that the frontal cortex, including  
623 Broca's area, crucially supports rule-based (procedural) processes (Friederici, 2012;  
624 Marslen-Wilson & Tyler, 2007; Pinker & Ullman, 2002; Ullman, 2001b), therein being  
625 not restricted to default inflection patterns. As the morphological and phonological  
626 complexity of inflected verbs remained constant, the data allow a clear implication on the  
627 involvement of the LIFG. While the patients suffered only from left-hemispheric frontal  
628 damage, the present data also indicate that this function of the LIFG could not be  
629 undertaken by the remaining intact brain regions including the right hemisphere. If so,  
630 patients would have shown similar ERP patterns as controls for both the real words and  
631 the pseudowords. This observation accords with previous studies showing that the left  
632 and the right inferior frontal gyrus are functionally distinct and not convertible (e.g.,  
633 Papoutsis, Stamatakis, Griffiths, Marslen-Wilson, & Tyler, 2011; Ullman, 2001b).

634

#### 635 *4.3 Implications for the neural bases of human language*

636 With respect to the neural bases of human language the present findings substantiate a  
637 modular system with distinct brain regions specified for particular language functions  
638 (Friederici, 2011; Pinker & Ullman, 2002; Ullman, 2001b). Rule-based mechanisms

639 enabling morphosyntactic processing appear to be mediated by the intact LIFG, in  
640 particular by Broca's area. After damage to these brain regions, respective mechanisms  
641 were permanently intermitted. While patients were still able to produce and judge  
642 inflected verbs, compensatory memory-based mechanisms may have been accessed  
643 presumably supported by patients' intact temporal cortex. The obtained findings are in  
644 favor of neurocognitive models of language comprehension (Friederici, 2002, 2011,  
645 2012), in which syntactic and semantic processes recruit different brain regions (i.e.,  
646 Broca's area supporting syntactic structure building processes, and medial temporal lobe  
647 in support of lexical-semantic processes). As distinct processing mechanisms were seen  
648 in patients and controls, the findings cannot support a unitary language system with brain  
649 regions non-selectively involved in diverse language tasks (Joanisse & McClelland, 2015;  
650 Rumelhart & McClelland, 1986).

651 To conclude, the present data on verb processing in patients with lesions in the  
652 left inferior frontal cortex, and age-matched healthy controls confirm a relevant  
653 contribution of the LIFG, in particular Broca's area, in mediating morphosyntactic  
654 processing. Despite patients' recovered language ability, rule-based processing  
655 mechanisms underlying irregular verbs were absent after damage to these regions.

656

657

658 **ACKNOWLEDGMENTS**

659 We thank Anne-Kathrin Franz for her assistance with the recruitment of the participants,  
660 and Ina Koch for her support with the acquisition of the EEG data. We also thank Anika  
661 Stockert for her help with compiling lesion information of the patients. Furthermore, we  
662 are grateful to all the participants for their willingness and commitment to our research.

663 This research was supported by the German Science Foundation Grant (FR 519/19-1) to  
664 Angela D. Friederici and Gereon Müller.

665

666 **FIGURE LEGENDS**

667

668 **Fig. 1.** Lesion overlay of patients' lesions. Lesions overlap maximally in the LIFG

669 (BA44: MNI (Montreal Neurological Institute and Hospital) coordinates -31 19 29, and

670 BA45: MNI coordinates -43, 19, 14), as shown by the red area. Temporal cortex is

671 unaffected.

672

673 **Fig. 2.** Schematic illustration of trial structure. The chronological sequence is illustrated  
674 by the arrow at the left. The time intervals show the duration of each phase. The textual  
675 sequence is depicted in the screenshots.

676

677 **Fig. 3.** Grand average ERPs seen for the oddball experiment in patients (column A) and  
678 controls (column B). For the deviants (dotted line) relative to the standards (solid line) a  
679 P300 was evoked in both groups of participants. The topographic maps display the scalp  
680 distribution of the P300 effects.

681



682 **Fig. 4.** Grand average ERPs elicited by the real words in patients (column A) and controls  
683 (column B). In patients, for incorrect verbs (i.e., specified (dashed line) and unspecified  
684 (dotted line)) an N400 is seen in comparison to correct verbs (solid line). In controls, by  
685 contrast, for equivalent incorrect verbs a negativity followed by P600 was found relative  
686 to correct verbs. The zoom of the CPZ electrode below of each column illustrates the  
687 observed ERP effects.

688

689 **Fig. 5.** Grand average ERPs evoked by the pseudowords in patients (column A) and  
690 controls (column B). While for controls a late positivity emerged for incorrect items (i.e.,  
691 specified (dashed line) and unspecified (dotted line)) in relation to correct ones (solid  
692 line), for patients no differences in the ERPs were seen. The zoom of the CPZ electrode  
693 below of each column demonstrates these findings.

694 **References**

- 695
- 696 Allen, M., Badecker, W., & Osterhout, L. (2003). Morphological analysis in sentence processing:  
697 An ERP study. *Language and Cognitive Processes*, 18(4), 405-430.
- 698 Bentin, S., Mouchetant-Rostaing, Y., Giard, M. H., Echallier, J. F., & Pernier, J. (1999). ERP  
699 manifestations of processing printed words at different psycholinguistic levels: time  
700 course and scalp distribution. *Journal of Cognitive Neuroscience*, 11(3), 235–260.
- 701 Bird, H., Lambon Ralph, M. A., Seidenberg, M. S., McClelland, J. L., & Patterson, K. (2003).  
702 Deficits in phonology and past-tense morphology: what's the connection? *Journal of*  
703 *Memory and Language*, 48, 502-526.
- 704 Bybee, J. (1995). Regular morphology and the lexicon. *Language and Cognitive Processes*, 10,  
705 425-455.
- 706 Clahsen, H. (1999). Lexical entries and rules of language: A multidisciplinary study of German  
707 inflection. *Behavioral and Brain Sciences*, 22, 991–1060.
- 708 Coulson, S., King, J. W., & Kutas, M. (1998). Expect the unexpected: Event-related brain  
709 response to morphosyntactic violations. *Language and Cognitive Processes*, 13, 21.
- 710 de Diego Balaguer, R., Rodriguez-Fornells, A., Rotte, M., Bahlmann, J., Heinze, H.-J., & Münte,  
711 T. F. (2006). Neural circuits subserving the retrieval of stems and grammatical features in  
712 regular and irregular verbs. *Human Brain Mapping*, 27, 874-888.
- 713 Friederici, A. D. (2002). Towards a neural basis of auditory sentence processing. *Trends in*  
714 *Cognitive Sciences*, 6, 78-84.
- 715 Friederici, A. D. (2011). The brain basis of language processing: From structure to function.  
716 *Physiological Reviews*, 91, 1357-1392.
- 717 Friederici, A. D. (2012). The cortical language circuit: from auditory perception to sentence  
718 comprehension. *Trends in Cognitive Sciences*, 16(5), 262-268.
- 719 Friederici, A. D., & Frisch, S. (2000). Verb argument structure processing: The role of verb-  
720 specific and argument-specific information. *Journal of Memory and Language*, 43, 476-  
721 507.
- 722 Friederici, A. D., & Kotz, S. A. (2003). The brain basis of syntactic processes: functional imaging  
723 and lesion studies. *NeuroImage*, 20, 8-17.
- 724 Friederici, A. D., Rüschemeyer, S.-A., Hahne, A., & Fiebach, C. J. (2003). The Role of Left  
725 Inferior Frontal and Superior Temporal Cortex in Sentence Comprehension: Localizing  
726 Syntactic and Semantic Processes. *Cerebral Cortex*, 13(2), 170-177.
- 727 Friederici, A. D., von Cramon, D. Y., & Kotz, S. A. (1999). Language related brain potentials in  
728 patients with cortical and subcortical left hemisphere lesions. *Brain*, 1999(122), 1033-  
729 1047.
- 730 Gouvea, A. C., Phillips, C., Kazanina, N., & Poeppel, D. (2010). The linguistic processes  
731 underlying the P600. *Language and Cognitive Processes*, 25, 149-188.
- 732 Grodzinsky, Y. (2000). The neurology of syntax: Language use without Broca's area. *Behavioral*  
733 *and Brain Sciences*, 23, 1-71.
- 734 Gross, M., Say, T., Kleingens, M., Clahsen, H., & Münte, T. F. (1998). Human brain potentials to  
735 violations in morphologically complex Italian words. *Neuroscience Letters*, 241(2-3), 83-  
736 86.
- 737 Gunter, T. C., Friederici, A. D., & Schriefers, H. (2000). Syntactic gender and semantic  
738 expectancy: ERPs reveal early autonomy and late interaction. *Journal of Cognitive*  
739 *Neuroscience*, 12, 556-568.
- 740 Hasting, A. S., & Kotz, S. A. (2008). Speeding up syntax: On the relative timing and automaticity  
741 of local phrase structure and morphosyntactic processing as reflected in event-related  
742 brain potentials. *Journal of Cognitive Neuroscience*, 20(7), 1207-1219.
- 743 Jakuszeit, M., Kotz, S. A., & Hasting, A. S. (2013). Generating predictions: Lesion evidence on

- 744 the role of left inferior frontal cortex in rapid syntactic analysis. *Cortex*, 49(10), 2861–  
745 2874.
- 746 Joanisse, M. F., & McClelland, J. L. (2015). Connectionist perspectives on language learning,  
747 representation and processing. *Cognitive Science*, 6(3), 235-247.
- 748 Joanisse, M. F., & Seidenberg, M. S. (1999). Impairments in verb morphology after brain injury:  
749 a connectionist model. *Proceedings of the National Academy of Sciences of the United*  
750 *States of America*, 96, 7592-7597.
- 751 Joanisse, M. F., & Seidenberg, M. S. (2005). Imaging the past: Neural activation in frontal and  
752 temporal regions during regular and irregular past-tense processing. *Cognitive, Affective,*  
753 *& Behavioral Neuroscience*, 5(3), 282-296.
- 754 Kutas, M., & Federmeier, K. D. (2011). Thirty Years and Counting: Finding Meaning in the  
755 N400 Component of the Event-Related Brain Potential (ERP). *Annual Review of*  
756 *Psychophysiology*, 62, 621-647.
- 757 Lau, E. F., Phillips, C., & Poeppel, D. (2008). A cortical network for semantics: (de)constructing  
758 the N400. *Nature Reviews Neuroscience*, 9(12), 920-933.
- 759 Marslen-Wilson, W. D., & Tyler, L. K. (1998). Rules, representations, and the English past tense.  
760 *Trends in Cognitive Sciences*, 2(11), 428-435.
- 761 Marslen-Wilson, W. D., & Tyler, L. K. (2007). Morphology, language and the brain: the  
762 decompositional substrate for language comprehension. *Philosophical Transactions of*  
763 *the Royal Society: Biological Sciences*, 362(1481), 823-836.
- 764 McClelland, J. L., & Patterson, K. (2002). Rules or connections in past-tense inflections: What  
765 does the evidence rule out? *Trends in Cognitive Sciences*, 6, 465-472.
- 766 Morris, J., & Holcomb, P. J. (2005). Event-related potentials to violations of inflectional verb  
767 morphology in English. *Cognitive Brain Research*, 25, 963 – 981.
- 768 Münte, T. F., Heinze, H. J., & Mangun, G. R. (1993). Dissociation of brain activity related to  
769 syntactic and semantic aspects of language. *Journal of Cognitive Neuroscience*, 5, 335-  
770 344.
- 771 Newman, A. J., Ullman, M. T., Pancheva, R., Waligura, D. L., & Neville, H. J. (2007). An ERP  
772 study of regular and irregular English past tense inflection. *Neuroimage*, 34(1), 435-445.  
773 doi:10.1016/j.neuroimage.2006.09.007
- 774 Oh, T. M., Tan, K. L., Ng, P., Berne, Y. I., & Graham, S. (2011). The past tense debate: Is  
775 phonological complexity the key to the puzzle? *NeuroImage*, 57, 271-280.
- 776 Opitz, A., Regel, S., Müller, G., & Friederici, A. D. (2013). Neurophysiological evidence for  
777 morphological underspecification in German strong adjective inflection. *Language*,  
778 89(2), 231-264.
- 779 Papoutsis, M., Stamatakis, E. A., Griffiths, J. D., Marslen-Wilson, W. D., & Tyler, L. K. (2011). Is  
780 left fronto-temporal connectivity essential for syntax? Effective connectivity,  
781 tractography and performance in left-hemisphere damaged patients. *NeuroImage*, 58,  
782 656–664.
- 783 Penke, M., & Krause, M. (2002). German Noun Plurals: A Challenge to the Dual-Mechanism  
784 Model. *Brain and Language*, 81, 303-311.
- 785 Penke, M., & Westermann, G. (2006). Broca's area and inflectional morphology: Evidence from  
786 Broca's aphasia and computer modeling. *Cortex*, 42, 563-576.
- 787 Penke, M., Weyerts, H., Gross, M., Zander, E., Münte, T. F., & Clahsen, H. (1997). How the  
788 brain processes complex words: an event-related potential study of German verb  
789 inflections. *Cognitive Brain Research*, 6(1), 37-52.
- 790 Picton, T. W. (1992). The P300 wave of the human event-related potential. *Journal of Clinical*  
791 *Neurophysiology*, 9, 456-479.
- 792 Pinker, S. (1999). *Words and Rules: The Ingredients of Language*. New York: HarperCollins.
- 793 Pinker, S., & Prince, A. (1988). On language and connectionism: analysis of a parallel distributed

- 794 processing model of language acquisition. *Cognition*, 28, 73-193.
- 795 Pinker, S., & Ullman, M. T. (2002). The past and future of the past tense. *Trends in Cognitive*  
796 *Sciences*, 6(11), 456-463.
- 797 Regel, S., Opitz, A., Mueller, G., & Friederici, A. D. (2015). The Past Tense Debate Revisited:  
798 Electrophysiological Evidence for Subregularities of Irregular Verb Inflection. *Journal of*  
799 *Cognitive Neuroscience*, 27(9), 1870-1885.
- 800 Rodriguez-Fornells, A., Clahsen, H., Lleo, C., Zaake, W., & Münte, T. F. (2001). Event-related  
801 brain responses to morphological violations in Catalan. *Cognitive Brain Research*, 11,  
802 47-58.
- 803 Rumelhart, D., & McClelland, J. L. (1986). *On learning the past tenses of English verbs. Parallel*  
804 *distributed processing: explorations in the microstructure of cognition*. Cambridge: MIT  
805 Press.
- 806 Sahin, N. T., Pinker, S., & Halgren, E. (2006). Abstract grammatical processing of nouns and  
807 verbs in Broca's area: Evidence from fMRI. *Cortex*, 42, 540-562.
- 808 Simon, G. G., Bernard, C., Largy, P., Lalonde, R., & Rebai, M. (2004). Chronometry of visual  
809 word recognition during passive and lexical decision tasks: An ERP investigation.  
810 *International Journal of Neuroscience*, 114(11), 1401-1432.
- 811 Tanner, D., Morgan-Short, K., & Luck, S. J. (2015). How inappropriate high-pass filters can  
812 produce artifactual effects and incorrect conclusions in ERP studies of language and  
813 cognition. *Psychophysiology*, 52(8), 997-1009. doi:10.1111/psyp.12437
- 814 Tyler, L. K., Cheung, T. L. P., Devereux, B. J., & Clarke, A. (2013). Syntactic computations in  
815 the language network: characterizing dynamic network properties using representational  
816 similarity analysis. *Frontiers in Psychology*, 4, 1-19.
- 817 Tyler, L. K., deMornay-Davies, P., Anokhina, R., Longworth, C., Randall, B., & Marslen-Wilson,  
818 W. D. (2002). Dissociations in Processing Past Tense Morphology: Neuropathology and  
819 Behavioral Studies. *Journal of Cognitive Neuroscience*, 14(1), 79-94.
- 820 Tyler, L. K., Randall, B., & Marslen-Wilson, W. D. (2002). Phonology and neuropsychology of  
821 the English past tense. *Neuropsychologia*, 40, 1154-1166.
- 822 Tyler, L. K., Stamatakis, E. A., Post, B., Randall, B., & Marslen-Wilson, W. D. (2005). Temporal  
823 and frontal systems in speech comprehension: An fMRI study of past tense processing.  
824 *Neuropsychologia*, 43, 1963-1974.
- 825 Ullman, M. T. (2001a). The declarative/procedural model of lexicon and grammar. *Journal of*  
826 *Psycholinguistic Research*, 30, 37-69.
- 827 Ullman, M. T. (2001b). A neurocognitive perspective on language: The declarative/procedural  
828 model. *Nature Reviews Neuroscience*, 2, 717-726.
- 829 Ullman, M. T., Corkin, S., Coppola, M., Hickok, G., Growdon, J. H., Koroshetz, W. J., & Pinker,  
830 S. (1997). A neural dissociation within language: Evidence the the mental dictionary is  
831 part of declarative memory, and that grammatical rules are processed by the procedural  
832 system. *Journal of Cognitive Neuroscience*, 9(2), 266-276.  
833 doi:10.1162/jocn.1997.9.2.266
- 834 Ullman, M. T., Pancheva, R., Love, T., Yee, E., Swinney, D., & Hickok, G. (2005). Neural  
835 correlates of lexicon and grammar: Evidence from the production, reading, and judgment  
836 of inflection in aphasia. *Brain and Language*, 185-238.
- 837 Weyerts, H., Penke, M., Dohrn, U., Clahsen, H., & Munte, T. F. (1997). Brain potentials indicate  
838 differences between regular and irregular German plurals. *Neuroreport*, 8(4), 957-962.
- 839 Wiese, B. (2008). Form and function of verbal ablaut in contemporary standard German. In R.  
840 Sackmann (Ed.), *Explorations in Integrational Linguistics. Four essays on German,*  
841 *French, and Guarani*. (pp. 97-151). Amsterdam; Philadelphia: John Benjamins.
- 842

**APPENDIX A**

List of regular and irregular German verbs in present and past tense inflection with approximate English translation applied in the pre-experiment production task.

<b>Regular verbs</b>			<b>Irregular verbs</b>		
<b>Present</b>	<b>Past tense</b>		<b>Present</b>	<b>Past tense</b>	
fegen	fegte	(to sweep)	fahren	fuhr	(to drive)
üben	übte	(to practice)	bestehen	bestand	(to exist)
baden	badete	(to bath)	singen	sang	(to sing)
musizieren	musizierte	(to make music)	fallen	fiel	(to fall)
kochen	kochte	(to cook)	schlafen	schlief	(to sleep)
rauchen	rauchte	(to smoke)	kommen	kam	(to come)
beantworten	beantwortete	(to respond)	waschen	wusch	(to wash)
taufen	taufte	(to baptize)	rufen	rief	(to call)

**APPENDIX B**

List of real irregular German verbs and filler verbs used in each condition with approximate English translation. Incorrect past tense forms are indicated by an asterisk.

Present tense		Past Participle	correct	Past tense incorrect: specified	incorrect: unspecified
binden	(to bind)	gebunden	band	*bund	*bind
dringen	(to urge)	gedrungen	drang	*drung	*dring
finden	(to find)	gefunden	fand	*fund	*find
gelingen	(to succeed)	gelungen	gelang	*gelung	*geling
klingen	(to sound)	geklungen	klang	*klung	*kling
mißlingen	(to fail)	mißlungen	mißlang	*mißlung	*mißling
ringen	(to struggle)	gerungen	rang	*rung	*ring
schlingen	(to bolt)	geschlungen	schlang	*schlung	*schling
schwinden	(to fade)	geschwunden	schwand	*schwund	*schwind
schwingen	(to swing)	geschwungen	schwang	*schwung	*schwing
singen	(to sing)	gesungen	sang	*sung	*sing
sinken	(to sink)	gesunken	sank	*sunk	*sink
springen	(to jump)	gesprungen	sprang	*sprung	*spring
stinken	(to stink)	gestunken	stank	*stunk	*stink
trinken	(to drink)	getrunken	trank	*trunk	*trink
winden	(to wind)	gewunden	wand	*wund	*wind
wringen	(to wring)	gewrungen	wrang	*wrung	*wring
zwingen	(to force)	gezwungen	zwang	*zwung	*zwing
bergen	(to recover)	geborgen	barg	*borg	*berg
bersten	(to burst)	geborsten	barst	*borst	*berst
brechen	(to break)	gebrochen	brach	*broch	*brech
gelten	(to pertain)	gegolten	galt	*golt	*gelt
helfen	(to help)	geholfen	half	*holf	*helf
schelten	(to chide)	gescholten	schalt	*scholt	*schelt
erschrecken	(to startle)	erschrocken	erschrak	*erschrock	*erschreck
sprechen	(to speak)	gesprochen	sprach	*sproch	*sprech
stechen	(to sting)	gestochen	stach	*stoch	*stech
sterben	(to die)	gestorben	starb	*storb	*sterb
treffen	(to hit)	getroffen	traf	*trof	*treff
verderben	(to spoil)	verdorben	verdarb	*verdorbt	*verderbt
werben	(to advertise)	geworben	warb	*worb	*werb
werfen	(to throw)	geworfen	warf	*worf	*werf
stehlen	(to steal)	gestohlen	stahl	*stohl	*stehl
befehlen	(to order)	befohlen	befahl	*befohl	*befehl
empfehlen	(to recommend)	empfohlen	empfahl	*empfohl	*empfehl
nehmen	(to take)	genommen	nahm	*nohm	*nehm
beginnen	(to begin)	begonnen	begann	*begonn	*beginn
gewinnen	(to win)	gewonnen	gewann	*gewonn	*gewinn
rinnen	(to flow)	geronnen	rann	*ronn	*rinn
schwimmen	(to swim)	geschwommen	schwamm	*schwomm	*schwimm
sinnen	(to think)	gesonnen	sann	*sonn	*sinn
<b>FILLER VERBS</b>					
beißen	(to bite)	gebissen	biß	-	-
gleiten	(to slide)	geglitten	glitt	-	-
kneifen	(to pinch)	gekniffen	kniff	-	-

leiden	(to suffer)	gelitten	litt	-	-
pfeifen	(to whistle)	gepiffen	pfiff	-	-
reißen	(to tear)	gerissen	riss	-	-
reiten	(to ride)	geritten	ritt	-	-
schleichen	(to creep)	geschlichen	schlich	-	-
schleifen	(to whet)	geschliffen	schliff	-	-
schneiden	(to cut)	geschnitten	schnitt	-	-
streichen	(to paint)	gestrichen	strich	-	-
streiten	(to argue)	gestritten	stritt	-	-
steigen	(to rise)	gestiegen	stieg	-	-
weisen	(to show)	gewiesen	wies	-	-

## APPENDIX C

List of pseudoword verbs and pseudoword filler verbs used in each condition. Incorrect past tense forms are indicated by an asterisk.

Present tense	Past Participle	Past tense		
		correct	incorrect: specified	incorrect: unspecified
ginden	gedunden	gand	*gund	*gind
mingen	gemungen	mang	*mung	*ming
kringen	gekrungen	krang	*krung	*kring
pinden	gepunden	pand	*pund	*pind
gewingen	gewungen	gewang	*gewung	*gewing
blingen	geblungen	blang	*blung	*bling
dißtingen	dißtungen	dißtang	*dißtung	*dißting
zingen	gezungen	zang	*zung	*zing
schmingen	geschmungen	schmang	*schmung	*schming
schringen	geschrungen	schrang	*schrung	*schring
tingen	getungen	tang	*tung	*ting
rinken	gerunken	rang	*runk	*rink
splingen	gesplungen	splang	*splung	*spling
stinzen	gestunzen	stanz	*stunz	*stinz
prinken	geprunken	prang	*prunk	*prink
schninden	geschnunden	schnang	*schnund	*schnind
wrinden	gewrunden	wrang	*wrund	*wrind
zwinden	gezunden	zang	*zund	*zwind
zergen	gezorgen	zang	*zorg	*zerg
wersten	geworsten	warst	*worst	*werst
klechen	geklochen	klach	*kloch	*klech
delten	gedolten	dalt	*dolt	*delt
stelfen	gestolfen	stalf	*stolf	*stelf
relten	gerolten	ralt	*rolt	*relt
erschletten	erschlotten	erschlatt	*erschlott	*erschlett
gechen	gegochen	gach	*goch	*gech
pfuchen	gepfuchen	pfach	*pfoch	*pfuch
zermen	gezormen	zarm	*zorm	*zerm
beffen	geboffen	baf	*bof	*beff
vermerlen	vermorlen	vermarl	*vermorl	*vermerl
werzen	geworzen	warz	*worz	*werz
sterfen	gestorfen	starf	*storf	*sterf
schwehen	geschwohen	schwah	*schwoh	*schweh
berehlen	berohlen	berahl	*berohl	*berehl
entwehmen	entwommen	entwam	*entwomm	*entwehm
tehen	getonnen	tahn	*tonn	*tehn
belinnen	belonnen	belann	*belonn	*belinn
gezinnen	gezonnen	gezann	*gezonn	*gezinn
pfinnen	gepfonnen	pfann	*pfonn	*pfinn
bimmen	gebommen	bamm	*bomm	*bimm
stinnen	gestonnen	stann	*stonn	*stinn
splinnen	gesplonnen	splann	*splonn	*splinn
<b>PSEUDOWORD FILLER VERBS</b>				
feißen	gefissen	fiss	-	-
gleifen	gegliffen	gliff	-	-
kneiten	geknitten	knitt	-	-
pleifen	gepliffen	pliff	-	-
kleißen	geklissen	kliss	-	-
geiten	gegitten	gitt	-	-
schmeichen	geschmichen	schmich	-	-
schleiten	geschlitten	schlitt	-	-



wreischen	gewrischen	wrisch	-	-
schneießen	geschnissen	schniss	-	-
spleiten	gesplitten	splitt	-	-
preiten	gepritten	pritt	-	-
steipen	gestiepen	stiep	-	-
weifen	gewiefen	wief	-	-


ACCEPTED MANUSCRIPT

Tab. 1. Description of the patients' characteristics.											
Patient	Sex	Age	Time since lesion	Handedness	Aetiology	Lesion Site	Lesion Location	Lesion volume	Brodmann areas (BA)	Language Impairment	Education
01	F	71	8	R	MCA ischemia	L	IFG (op, tri, orb), MFG, PrC, OP, INS, STR	67,7	44, 45, 46, 43, insula	no aphasia	h.e.
02	F	61	5	R	Tumor	L	IFG (op, tri)	1,3	44, 45	no aphasia	s.e.
03	M	62	11	R	MCA ischemia	L	IFG (op, tri), PrC, PoC, INS	74,3	44, 45, 6, 43, insula	residual aphasia	l.s.e.
04	M	73	6	R	MCA ischemia	L	IFG (op, tri, orb), PrC, OP, INS	61,9	44, 45, 47, 6, 43, insula	residual aphasia	h.e.
05	M	64	5	L	MCA ischemia	L	IFG (op, tri, orb), MFG, PrC, OP, INS	56,4	44, 45, 46, 6, 43, 9, insula	amnesic aphasia	s.e.
06	F	76	5	R	MCA ischemia	L	IFG (op, tri), MFG, PrC, INS	19,8	44, 6, 43, insula	no aphasia	l.s.e.
07	F	61	2	R	MCA ischemia	L	IFG (op, tri), MFG, PrC, OP, INS, CE	45,4	44, 45, 46, 6, insula, cerebellum	residual aphasia	h.e.
08	M	49	2	R	MCA ischemia	L	IFG (op, tri, orb), MFG, PrC, OP, INS, IPL, AG, SMG, STG	90,0	44, 45, 46, 6, 40,7	residual aphasia	s.e.
09	M	47	3	R	MCA/ACA ischemia	L	IFG (tri, orb), MFG, SFG, SMA, CG, INS	99,7	45, 46, 10	residual aphasia	s.e.


Abbreviations: M = male; F = female; Age (years); Time since lesion (years); R = right; L = left; MCA = middle cerebral artery; ACA = anterior cerebral artery; Lesion locations: inferior frontal gyrus (IFG), pars opercularis (op), triangularis (tri), and orbitalis (orb), middle frontal gyrus (MFG), superior frontal gyrus (SFG), cingulate gyrus (CG), precentral gyrus (PrC), postcentral gyrus (PoC), **fronto-temporal operculum (OP)**, insula (INS); inferior parietal lobule (IPL), angular gyrus (AG); superior temporal gyrus (STG), supramarginal gyrus (SMG), Striatum (STR), cerebellum (CE); h.e. = general certificate of higher education; s.e. = general certificate of secondary education; l.s.e. = general certificate of lower secondary education


**Tab. 2.** Systematic manipulation of irregular past tense forms according to the morphological analysis of Wiese (2008), exemplarily shown for the verb *sprechen* (speak). Present tense and past participle stems are underlined.


Condition	Present	Past participle	Past tense	Morphosyntactic properties
correct	<i>er wird <u>sprechen</u></i> (he will speak)	<i>er hat <u>gesprochen</u></i> (he has spoken)	<i>er sprach</i> (he spoke)	[+past, +finite]
incorrect: specified	<i>er wird <u>sprechen</u></i> (he will speak)	<i>er hat <u>gesprochen</u></i> (he has spoken)	* <i>er sproch</i> (he spoken)	[+past]
incorrect: unspecified	<i>er wird <u>sprechen</u></i> (he will speak)	<i>er hat <u>gesprochen</u></i> (he has spoken)	* <i>er sprech</i> (he speak)	[ ]



ACCEPTED MANUSCRIPT







ACCEPTED MANUSCRIPT

