

## Understanding Neurodevelopmental Disorders: The Promise of Regulatory Variation in the 3'UTRome

### *Supplemental Information*

#### SUPPLEMENTARY DATA

##### Systematic review of literature

In order to identify NDD associated variants in 3'UTRs we performed a literature search with a combination of following Mesh Terms. In general, it was attempted to combine terms describing individual NDDs (ADHD, SZ, ASD, ID) with terms for next-generation sequencing (RNA-seq, WES, WGS) or GWAS and 3'UTRS. For a general search of variants in NDDs, the terms 'Non-coding RNA', 'Neurodevelopmental Disorder', '3'UTR' and 'Brain' were combined. The following paragraph shows all used combinations.

In total, 824 articles were obtained from the search. 41 of them were used to identify disease associated variants in 3'UTRs. The search was conducted on 08-08-2016 (specific disorders), 25-04-2016 (3'UTRs in general) and 01-11-2016 (disease + 3'UTR) using PubMed.

Variants that are located to 3'UTRs and that were correlated to a disorder were considered candidates for Table 1. The variation in study design, sample size and statistical method prevented a common statistical test for the variants. We therefore took every variant into account that was considered 'associated', 'linked' or 'correlated' by its corresponding study. The list was complemented with variants that were identified by studies in our own lab (ARHGEF39, BTN2A1, CENPJ, MTMR3) and variants that were found using the miRdSNP database. We extracted those SNPs from miRdSNP that were located in 20 bp distance of a MBS and also associated to ADHD, SZ or ASD. 11 variants in 10 genes were found this way.

*For ADHD:*

Search from **01-11-16:**

[ADHD] AND [3'UTRs]

Found 125 articles

Search from **08-08-16:**

[ADHD] AND [Next Generation Sequencing] AND [3'UTR]

[ADHD] AND [GWAS] AND [3'UTR].

Found 12 articles

*For ASD:*

Search from **01-11-16:**

[ASD] AND [3'UTRs]

Found 66 articles

Search from **08-08-16:**

[ASD] AND [Next Generation Sequencing] AND [3'UTR]

[ASD] AND [GWAS] AND [3'UTR].

Found 8 articles

Search from **01-11-16**:

[ID] AND [3'UTRs]

Found 180 articles

Search from **08-08-16**:

[ID] AND [Next Generation Sequencing] AND [3'UTR]

[ID] AND [GWAS] AND [3'UTR].

Found 18 articles

*For SZ:*

Search from **01-11-16**:

[Schizophrenia] AND [3'UTRs]

Found 152 articles

[Schizophrenia] AND [Next Generation Sequencing] AND [3'UTR]

[Schizophrenia] AND [GWAS] AND [3'UTR].

Found 14 articles

For 3'UTRs in general:

Search from 25-04-16:

[Non-coding RNA] AND [Neurodevelopmental Disorder]

[3UTR AND Brain AND Mutation]

Found 249 articles

### Supplementary Table S1: All 3'UTR variants identified via systematic review

Disorder	Gene	Variant	Genomic Coordinates (hg38)	RBPMap		Predicted MBS (miRSNP)	Reference	Known Candidate gene?	Functionally Validated?
				Input Coordinates for RBPMap	Outcome RBPs				
ADHD	SLC6A3 (DAT1)	rs28363170	chr5:1393747	chr5:1393737-1393757:-	ENOX, MBNL1, SRSF1, SRSF5	No prediction <sup>1</sup>	(1, 2)	Yes	Yes (3)
	CLOCK	rs1801260	chr4:55435202	chr4:55435192-55435212:--	DAZAP1, TRA2B	NA <sup>3</sup>	(4, 5)	Yes	Yes
	SNAP-25	rs3746544	chr20:10306436	chr20:10306426-10306446:-	FXR1, PABPC, RBM46, SNRNP70, SRSF1, SRSF5, SRSF7, TRA2B, YBX1	hsa-miR-3617, hsa-miR-3913-3p, hsa-miR-641	(6)	Yes	
		rs1051312	chr20:10306440	chr20:10306430-10306450:+	HuR, MATR3, PTBP1, SRSF1, SRSF3, SRSF5, TRA2B	hsa-miR-3646, hsa-miR-3664-3p, hsa-miR-510	(6-8)	Yes	
	MECP2	*c.1558insA	chrX:154028729	chrX:154028719-154028739:-	SRSF5	NA <sup>2</sup>	(9)	Yes	
	SLC9A9	rs1046706	chr3:143266258	chr3:143266248-143266268:+	DAZAP1, MSI1, PCBP3	NA <sup>3</sup>	(10)	Yes	
	DBH	rs129882	chr9:133658547	chr9:133658537-133658557:+	MBNL1, SRSF5, SRSF7	NA <sup>3</sup>	(11)	Yes	Yes
		rs1611115	chr9:133635393	chr9:133635383-	FMR1, HNRNPH1,	NA <sup>3</sup>	(11)	Yes	Yes

				133635403:+	HNRNPH2,LIN28A, SRSF1,SRSF10, SRSF2,SRSF5, TARDBP				
	<i>MTHFR</i>	rs4846049	chr1:11790308	chr1:11790298- 11790318:+	SRSF2, TRA2B	NA <sup>3</sup>	(12)	Yes	Yes (13)
Schizophrenia	<i>PTPRA</i>	174620_174623 het_dupTGAT	No coordinates available	NA	NA	NA <sup>2</sup>	(14)	Yes	
	<i>GZF1</i>	rs7988	chr20:23372048	chr20:23372038- 23372058:+	HNRNPL, HNRPLL, IGF2BP2, IGFBP3, KHDRBS2, KHDRBS3, PABPC1, PABPC4, PUM2, QKI, RBM46, RBMS3, SART3, SRSF3, SRSF5, ZCRB1	hsa-miR-3686	(7, 15)	No	
	<i>CPLX2</i>	rs3822674	chr5:175880253	chr5:175880243- 175880263:-	CPEB2, CPEB4, HNRNPC, HNRNPCL1, MBNL1, MSI1, PTBP1, SRSF1, SRSF3, SRSF5, TUT1	hsa-miR-4287, hsa-miR-4685-3p, a-miR-498	(7, 16)	Yes	Yes
		rs56934064	chr5:175880290	chr5:175880280- 175880300:+	HNRNPA1, HNRNPA1L2, HNRNPA2B1, HNRNPF, HNRNPH2	NA <sup>3</sup>	(16)	Yes	
	<i>EFNB2</i>	rs9520087	chr13:106491972	chr13:106491962- 106491982:+	BRUNOL4, BRUNOL5, MBNL1, PTBP1, SRSF3, TARDBP	hsa-miR-155-3p, hsa-miR-4999-5p	(7, 17)	Yes	
		rs550067317	chr13:106491980	chr13:106491970- 106491990:+	BRUNOL5, PTBP1, SRSF2, SRSF3, TARDBP	NA <sup>3</sup>	(18)	Yes	Yes
	<i>DISC1/ DISC2</i>	rs6675281	chr1:231818355	chr1:231818345- 231818365:+	NOVA1, PABPC3, SRF3, SRSF5	hsa-miR-1294, hsa-miR-4710	(7, 19)	Yes	
	<i>DISC1</i>	rs821616	chr1:232008852	chr1:232008842- 232008862:-	CUG-BP, MBNL1, SRSF1, SRSF5	hsa-miR-1243, hsa-miR-4423-3p	(7, 20)	Yes	
		rs3737597	Chr1:232037092	chr1:232037082- 232037102:-	FXR1, HNRNPH1, PABPC3, PABPC5, PCBP1, PCBP3, RBM45, SRSF3, SRSF7, TRA2B	NA <sup>3</sup>	(21)	Yes	
	<i>OLIG2</i>	rs1059004	chr21:33028155	chr21:33028145- 33028165:+	HNRNPK, PCBP1, SRSF2, SRSF3, SRSF5	hsa-miR-323a-5p, hsa-miR-3689d	(7, 22)	Yes	
		rs13046814	chr21:33029069	chr21:33029059- 33029079:+	FUS, PCBP2, SRSF3, SRSF5	hsa-miR-2277-5p, hsa-miR-4639-3p, hsa-miR-744-5p	(7, 22)	Yes	
	<i>AMACR</i>	rs2278008	chr5:33989413	chr5:33989403- 33989423:+	HNRPLL, MATR3, MBNL1, PTBP1, SRSF3, SRSF5	hsa-miR-942	(7, 23)	Yes	
	<i>NFKBIA</i>	rs8904	chr14:35402011	chr14:35402001- 35402021:-	SRSF9, TARDBP, ZC3H10	hsa-miR-3121-5p	(7, 15)	Yes	
	<i>LIF</i>	rs737812	chr22:30243121	chr22:30243111-	CNOT4, PABPN1, PCBP1,	hsa-miR-373-5p,	(7, 24)	Yes	

				30243131:+	PCBP2, PTBP1, RBM6, SRSF3	hsa-miR-499b-5p, hsa-miR-616-5p, hsa-miR-617			
		rs929271	chr22:30242237	chr22:30242227-30242247:-	BRUNOL6,CUG-BP,HNRNPF, HNRNPU,MBNL1, PTBP1,SRSF2, SRSF5,TARDBP	NA <sup>3</sup>	(24)	Yes	
	<i>DCLK1</i>	rs9545297	chr13:35767531	chr13:35767521-35767541:+	BRUNOL6, CUG-BP, HNRNPU, HNRPLL, MBNL1, RBM41, SRSF3, TARDBP, TRA2B	NA <sup>3</sup>	(7, 25)	Yes	
	<i>PLA2G12A</i>	rs3087494	chr4:109710465	chr4:109710455-109710475:+	CPEB2, CPEB4, HNRNPA1L2, HNRNPCL1, HuR, MATR3, PTBP1, RALY, SRSF3, TIA1, TRA2B, U2AF2, ZC3H14	NA <sup>3</sup>	(26)	Yes	
	<i>RGS4</i>	rs10759	chr1:163076561	chr1:163076551-163076571:-	IGF2BP2, SRSF3	NA <sup>3</sup>	(27)	Yes	Yes
	<i>COMT</i>	rs165599	chr22:19969008	chr22:19968998-19969018:+	A1CF, KHDRBS2, KHDRBS3, MSI1, PABPC5, PUM2, RBM42, RBM46, RBMS3, ZCRB1	NA <sup>3</sup>	(28)	Yes	
	<i>CTLA4</i>	rs3087243	chr2:203874196	chr2:203874186-203874206:+	KHDRBS1, QKI, RBMS1, RBMS3, SRSF3	NA <sup>3</sup>	(29)	Yes	
Specific Language Disorder (SLI)	<i>ARHGEF39</i>	rs72727021	chr9:35661946	chr9:35661936-35661956:+	SRSF3, SRSF5	NA <sup>3</sup>	(30)	No	Yes
	<i>BTN2A1</i>	c.277 G>C	chr6:26468826	chr6:26468816-26468836:+	CUG-BP, PABPC5, PAPN1, RBM24, TARDBP, TRA2B	NA <sup>2</sup>	(30)	No	
	<i>CENPJ</i>	c.16G>T	chr13:24883161	chr13:24883151-24883171:-	QKI, SRSF1, SRSF3, TRA2B	NA <sup>2</sup>	(30)	No	
	<i>MTMR3</i>	c.70C>T	chr22:30025871	chr22:30025861-30025881:+	CNOT4, ENOX1	NA <sup>2</sup>	(30)	No	
Language and reading impairments	<i>CCDC136</i>	rs59197085	chr7:128820702	chr7:128820692-128820712:+	PTBP1, SRSF3, SRSF5	No prediction <sup>1</sup>	(31)	No	
	<i>DYX1C1</i>	rs57809907	chr15:55430684	chr15:55430674-55430694:+	A1CF, HuR, MBNL1, PTBP1, SRSF3, ZC3H14, ZCRB1, ZNF638	No prediction <sup>1</sup>	(32)	Yes	
Tourette's Syndrome	<i>SLITRK1</i>	Var321 (mutation)	chr13:83878728	chr13:83878718-83878738:+	SRSF3	NA <sup>2</sup>	(33)	Yes	Yes
Autism Spectrum Disorder (ASD)	<i>HLA-G</i>	14 bp indel	Chr6:1093208	chr6:1093198-1093218:+	SRSF5	NA <sup>2</sup>	(34)	Yes	
	<i>AFF2</i>	ChrX:148.076.068[C>T ]	chrX:148994538	chrX:148994528-148994548:+	HNRNPA1, HNRNPA1L2, HNRNPA2B1, MBNL1, SRSF3, SRSF5,	NA <sup>2</sup>	(35)	Yes	Yes

		ChrX:148075200[T>C]	chrX:148993670	chrX:148993660-148993680:+	ZCRB1 HNRNPL, HNRPLL, RBM41, RBMS1, RBMS3, SRSF3, SRSF5, TUT1	NA <sup>2</sup>	(35)	Yes	
	<i>STX1A</i>	rs867500	chr7:73700110	chr7:73700100-73700120:+	HNRNPH2, RBM5, SRSF1, SRSF9, TARDBP	hsa-miR-1204	(36)	Yes	Yes
	<i>APC</i>	rs1804197	chr5:112844212	chr5:112844202-112844222:+	A1CF, FXR1, KHDRBS1, KHDRBS2, KHDRBS3, PABPC1, PABPC3, PABPC4, PABPC5, PABPN1, SART3, ZCRB1	hsa-miR-335-3p, hsa-miR-4282	(7, 37)	No	
	<i>NLGN4X</i>	chrX:5818136	chrX:5890095	chrX:5890085-5890105:-	CNOT4, KHDRBS1, KHDRBS2, KHDRBS3, PUM2, RBMS1, RBMS3, SRSF3	NA <sup>2</sup>	(38)	Yes	
		chrX:5820149-50	chrX:5892108	chrX:5892098-5892118:-	CPEB4, MBNL1, SRSF2, TIA1, TRA2B, U2AF2	NA <sup>2</sup>	(38)	Yes	
	<i>SLC6A4</i>	HTT-3'UTR-SNP 1461*139 G->A	No coordinates available chrX:154030343	NA chrX:154030333-154030353:-	NA HNRNPK, HNRPLL, IGF2BP2, PABPC3, RBM46, SNRPA, YBX1	NA <sup>2</sup>	(39)	Yes	
	<i>MECP2</i>	c.1832G>C	chrX:154030065	chrX:154030055-154030075:-	CUG-BP, FMR1, FXR2, HNRPLL, MBNL1, SRSF2, SRSF7	NA <sup>2</sup>	(41)	Yes	Yes
		c.2015G>A	chrX:154029882	chrX:154029872-154029892:-	CNOT4, ENOX1, HNRNPA1, HNRNPH1, HNRNPH2, PABPN1, RBM24, SRSF10, SRSF2, TARDBP, TRA2A	NA <sup>2</sup>	(41)	Yes	Yes
		c.4017T>A	chrX:154027880	chrX:154027870-154027890:-	HNRNPK, HNRPLL, RBM42, RBM46, SRSF2, SRSF3	NA <sup>2</sup>	(41)	Yes	Yes
		c.4417G>A	chrX:154027480	chrX:154027470-154027490:-	NOVA1, SRSF5, SRSF7	NA <sup>2</sup>	(41)	Yes	Yes
		c.1655G>A	chrX:154030242	chrX:154030232-154030252:-	CPEB2, CPEB4, HNRNPC, HNRNPCL1, HuR, KHDRBS2, KHDRBS3, MBNL1, PABPC3, PTBP1, RALY, RBM41, SRSF3, SRSF5, TIA1, U2AF2, ZC3H14	NA <sup>2</sup>	(41)	Yes	
		c.2322T>G	chrX:154029575	chrX:154029565-154029749:-	DAZAP1, ENOX1, ESRP2, FMR1, FXR1, G3BP2, HNRNPA1, HNRNPA2B1,	NA <sup>2</sup>	(41)	Yes	

				HNRNPF, HNRNPH1, HNRNPH2, MBNL1, PTBP1, RBM28, RBM42, RBM5, SAMD4A, SRSF1, SRSF2, SRSF3, SRSF5, SRSF7, SRSF9, TARDBP				
c.2829C>A	chrX:154029068	chrX:154029058-154029078:-	MBNL1, PCBP1, PCBP2, PTBP1, SRSF2, SRSF3, SRSF5	NA <sup>2</sup>	(41)	Yes		
c.3198G>A	chrX:154028699	chrX:154028852-154028872:-	MBNL1, PCBP1, PCBP3, PTBP1, SRSF3, SRSF5	NA <sup>2</sup>	(41)	Yes		
c.6037A>C	chrX:154025860	chrX:154025850-154025870:-	HNRNPA1L2, HNRNPA2B, MBNL1, PCBP2, SRSF5	NA <sup>2</sup>	(41)	Yes		
c.6948ins(AT)	chrX:154024949	chrX:154024939:-154024959:-	A1CF, CPEB2, CPEB4, CUG-BP, DAZAP1, HNRNPC, HNRNPCL1, HuR, MBNL1, PCBP3, RALY, RBM41, SFPO, SRSF2, SRSF3, TIA1, TRA2B, U2AF2, ZC3H14	NA <sup>2</sup>	(41)	Yes		
c.9209C>T	chrX:154022688	chrX: 154022678-154022698:-	CUG-BP, HNRNPF, PTBP1, RBM38, SRSF1, SRSF5, TARDBP, TRA2B	NA <sup>2</sup>	(41)	Yes		
c.9317A>C	chrX:154022580	chrX: 154022570-154022590:-	HNRNPK, PCBP1, PCBP2, PCBP3, PTBP1, SRSF3	NA <sup>2</sup>	(41)	Yes		
T>C c.6809	chrX:154025007	chrX:154024997-154025017:-	MBNL1, SRSF3, TARDBP	NA <sup>2</sup>	(9)	Yes		
G>C c.1638	chrX:154028649	chrX:154028639-154028659:-	CUG-BP, HNRNPA1, HNRNPA1L2, MBNL1, RBM28, ZC3H10	NA <sup>2</sup>	(9)	Yes		
c.1470G > A	chrX:154030427	chrX:154030417-154030437:-	HNRNPK, HNRNPL, SRSF7, YBX1	NA <sup>2</sup>	(41)	Yes		
c.2005G > A	chrX:154029892	chrX:154029882-154029902:-	CNOT4, ENOX1, FMR1, FXR2, HNRNPA1, HNRNPA2B1, HNRNPH2, RBM24, SRSF2, TARDBP	NA <sup>2</sup>	(41)	Yes		



		c.2228G > T	chrX:154029669	chrX:154029659-154029679:-	ENOX1, FMR1, FXR1, SRSF3, SRSF7	NA <sup>2</sup>	(41)	Yes	
		c.4118G > A	chrX:154027779	chrX:154027769-154027789:-	ESRP2, HNRNPA1, HNRNPA2B1, HNRNPF, HNRNPH1, HNRNPH2, PABPN1, SRSF2, TRA2A	NA <sup>2</sup>	(41)	Yes	
		c.4167G > A	chrX:154027730	chrX:154027720-154027740:-	CUG-BP, MBNL1, PTBP1, SRSF2, SRSF3	NA <sup>2</sup>	(41)	Yes	
		c.5119C > T	chrX:154026778	chrX:154026768-154026788:-	CUG-BP, HNRNPA1, MBNL1, SRSF2, SRSF5	NA <sup>2</sup>	(41)	Yes	
		c.5339G > C	chrX:154026558	chrX:154026548-154026568:-	SNRPA	NA <sup>2</sup>	(41)	Yes	
	OXTR	rs7632287	chr3:8749760	chr3:8749750-8749770:+	RBM41, SNRPA, SRSF3, SRSF7	NA <sup>3</sup>	(42)	Yes	
		rs237884	chr3:8751899	chr3:8751889-8751909:+	KHDRBS3, MBNL1, PUM2, SRSF5	NA <sup>3</sup>	(42)	Yes	
Intellectual Disability	CDK5RI	c.1005G>A	Chr17:32488404	chr17:32488394-32488414:+	MBNL1, PTBP1, SRSF2, SRSF5	NA <sup>2</sup>	(43)	Yes	
		c.1043G>A	Chr17:32488442	chr17:32488432-32488452:+	CUG-BP, MBNL1, SRSF2, TUT1	NA <sup>2</sup>	(43)	Yes	
		c.2160C>T	chr17:32489559	chr17:32489549-32489569:+	HuR, KHDRBS3, PTBP1, PUM2, RBMS1, SRSF3, TRA2B	NA <sup>2</sup>	(43)	Yes	
		c.2254C>G	chr17:32489653	chr17:32489643-32489663:+	CUG-BP, MBNL1, SRSF1, SRSF2	NA <sup>2</sup>	(43)	Yes	
		c.3452G>A	chr17:32490851	chr17: 32490841-32490861:+	CPEB2, CPEB4, HNRNPC, HNRNPCL1, HuR, MATR3, MBNL1, PTBP1, RALY, SRSF3, SRSF5, TIA1, U2AF2, ZC3H14, ZNF638	NA <sup>2</sup>	(43)	Yes	
		c.*71 G>A	chr17:32488916	chr17:32488906-32488926:+	CUG-BP,HNRNPA1, HNRNPA1L2, HNRNPA2B1, HNRNPF, SRSF2, SRSF5, TARDBP, TIA1	NA <sup>2</sup>	(44)	Yes	
		rs8192474	chr17:32488663	chr17:32488653-32488673:+	NOVA1, PCBP1, PCBP2, PCBP3, PTBP1, SRSF3, SRSF5	hsa-miR-1915-3p, hsa-miR-4441, hsa-miR-548ac	(44)	Yes	
		rs138054348	chr17:32490069	chr17:32490059-32490079:+	CUG-BP, HNRNPF, SRSF1, SRSF9	hsa-miR-4691-3p, hsa-miR-766-3p	(44)	Yes	
		rs735555	chr17:32490432	chr17:32490422-32490442:+	BRUNOL4, BRUNOL5, CPEB4, HuR, MBNL1, PTBP1, RBM38, RBM6, SRSF2, SRSF3, TARDBP,	NA <sup>2</sup>	(44)	Yes	

		rs115744590	chr17:32490719	chr17:32490709-32490729:+	ZC3H14 CPEB4, CUG-BP, MATR3, MBNL1, PTBP1, RBM41, SRSF1, SRSF2, SRSF3, SRSF5, TIA1, TRA2B, U2AF2, ZC3H14	hsa-miR-338-5p, hsa-miR-3680-3p	(44)	Yes	
		c.*397C>G	Chr17:32489242	chr17:32489232-32489252:+	A1CF, CUG-BP, HNRNPM, HuR, MBNL1, PTBP1, SFPO	NA <sup>3</sup>	(44)	Yes	Yes
		c.*649_*659del	Chr17:32489494	chr17:32489484-32489504:+	CUG-BP, MBNL1, SRSF2, SRSF3	NA <sup>3</sup>	(44)	Yes	
		c.*1904_*1905del	Chr17:32490749	chr17:32490739-32490759:+	BRUNOL4, BRUNOL5, CPEB4, HNRNPC, HNRNPCL1, MATR3, PTBP1, RALY, RBM24, RBM38, SRSF1, SRSF9, TARDBP, TIA1	NA <sup>3</sup>	(44)	Yes	Yes
		c.*2099_*2101del	Chr17:32490944	chr17:32490934-32490954:+	KHDRBS1, KHDRBS2, KHDRBS3, NOVA1, PABPC1, PABPC4, PABPC5, PABPN1, SART3, TRA2B	NA <sup>3</sup>	(44)	Yes	Yes
	<i>CDK5</i>	rs9278	chr7:151053893	chr7:151053883-151053903:-	BRUNOL6, HNRNPF, HNRNPH2, MBNL1, SFPO	hsa-miR-3064-5p, hsa-miR-3620, hsa-miR-3944-3p, hsa-miR-4269	(44)	Yes	
	<i>FMR1</i>	c.*746T>C	chrX:147949590	chrX:147949580-147949600:+	BRUNOL4, BRUNOL5, BRUNOL6, CPEB2, CPEB4, HNRNPC, HNRNPCL1, HNRNPM, HNRNPU, HuR, MBNL1, RALY, SRSF2, TIA1, TRA2B, U2AF2, ZC3H14, ZNF638	NA <sup>2</sup>	(45, 46)	Yes	Yes
		c.*1867G>A	chrX:147950711	chrX:147950701-147950721:+	DAZAP1, KHDRBS1, KHDRBS3, MSI1, PABPC1, PABPC5, RBMS1, RBMS3, SART3, SRSF2, TRA2B	NA <sup>2</sup>	(45)	Yes	
		c.*23T>C	chrX:147948867	chrX:147948857-147948877:+	A1CF, PCBP3, PTBP1, RBM41, RBMS1, RBMS3, SRSF3, TUT1, U2AF2	NA <sup>2</sup>	(47)	Yes	
		c.*2035C>T	chrX:147950879	chrX:147950869-147950889:+	CUG-BP, MBNL1, PTBP1, RBM42, SRSF3	NA <sup>2</sup>	(47)	Yes	
		10 unnamed variants	No coordinates available	NA	NA	NA	(47)	Yes	
	<i>MECP2</i>	1461*93G > A	chrX:154030436	chrX:154030426-	HNRNPK, SRSF3, YBX1	NA <sup>2</sup>	(48)	Yes	

				154030446:-					
Rett-Syndrome	<i>MECP2</i>	c.1461+98insA	chrX:154030436	chrX:154030426-154030446:-	HNRNPK,SRSF3, YBX1	NA <sup>2</sup>	(49, 50)	Yes	
		c.9961C>G	chrX:154021936	chrX: 154021926-154021946:-	A1CF, HNRNPC, HNRNPCL1, KHDRBS3, PABPC5, QKI, RBMS3, ZC3H14, ZCRB1	NA <sup>2</sup>	(49)	Yes	
		c.9964delC	chrX:154021933	chrX:154021923-154021943:-	A1CF, HNRNPC, HNRNPCL1, KHDRBS3, PABPC5, QKI, RBMS3, ZC3H14, ZCRB1	NA <sup>2</sup>	(49)	Yes	
		c.1461+9G>A	chrX:154030436	chrX:154030426-154030446:-	HNRNPK,SRSF3, YBX1	NA <sup>2</sup>	(49)	Yes	
		c.2595G>A	chrX:154029302	chrX: 154029292-154029312:-	SRSF1, SRSF5	NA <sup>2</sup>	(49)	Yes	
		c.1461+92C>G	chrX:154030436	chrX:154030426-154030446:-	HNRNPK,SRSF3, YBX1	NA <sup>2</sup>	(50)	Yes	
Anxiety and Depression	<i>MAP2K5</i>	rs41305272	chr15:67807105	chr15:67807095-67807115:+	CUG-BP, HNRNPA1, MBNL1, QKI, TARDBP, TRA2B, ZCRB1	NA <sup>3</sup>	(51, 52)	Yes	
	<i>P2RX7</i>	rs1653625	chr12:121185082	chr12:121185072-121185092:+	IGF2BP2, IGF2BP3, KHDRBS1, KHDRBS2, KHDRBS3, PABPC1, PABPC3, PABPC4, PABPC5, PABPN1, SART3	NA <sup>3</sup>	(53)	Yes	

<sup>1</sup>The SNP was not predicted to affect an existing MBS

<sup>2</sup>The variant was not reported as SNP with rs-identifier. As such it was not usable in the miRSNP program

<sup>3</sup>Not possible as MiRSNP webpage unavailable

**Supplementary Table S2. Online tools to examine functional motifs in 3'UTRs**

<b>MBS</b>	<p><b>ALGORITHMS TO PREDICT MBSs IN ANNOTATED 3'UTRs</b></p> <p>Prone to false positive/negative predictions. Combination of different algorithms can increase the accuracy.</p> <p>Targetscan (<a href="http://www.targetscan.org/vert_71/">http://www.targetscan.org/vert_71/</a>)</p> <p>PITA (<a href="https://genie.weizmann.ac.il/pubs/mir07/mir07_data.html">https://genie.weizmann.ac.il/pubs/mir07/mir07_data.html</a>)</p> <p>DIANA-microT4 (<a href="http://diana.imis.athena-innovation.gr/DianaTools/index.php?r=microtv4/index">http://diana.imis.athena-innovation.gr/DianaTools/index.php?r=microtv4/index</a>)</p> <p>mirMap (<a href="http://mirmap.ezlab.org/">http://mirmap.ezlab.org/</a>)</p> <p>RNA22 (<a href="https://cm.jefferson.edu/rna22/Interactive/">https://cm.jefferson.edu/rna22/Interactive/</a>)</p> <p>miRANDA (<a href="http://www.microrna.org/microrna/home.do">http://www.microrna.org/microrna/home.do</a>)</p> <p>microRNAmap (<a href="http://mirnamap.mbc.nctu.edu.tw/">http://mirnamap.mbc.nctu.edu.tw/</a>)</p> <p>RNAhybrid (<a href="https://bibiserv2.cebitec.unibielefeld.de/rnahybrid?id=rnahybrid_view_submission">https://bibiserv2.cebitec.unibielefeld.de/rnahybrid?id=rnahybrid_view_submission</a>)</p> <p>MiRBridge (<a href="http://mirsystem.cgm.ntu.edu.tw/">http://mirsystem.cgm.ntu.edu.tw/</a>)</p> <p>PICTAR (<a href="http://pictar.mdc-berlin.de/">http://pictar.mdc-berlin.de/</a>)</p> <p>miRtarget (Access via miRWalk), microTar (<a href="http://tiger.dbs.nus.edu.sg/microtar/">http://tiger.dbs.nus.edu.sg/microtar/</a>)</p>
	<p><b>ONLINE DATABASES OF PREDICTED MBSs IN ANNOTATED 3'UTRs</b></p> <p>Allows the combination of different algorithms in the prediction. Curated so may not always include the latest versions of the algorithms.</p> <p>miRDB (<a href="http://www.mirdb.org/miRDB/">http://www.mirdb.org/miRDB/</a>)</p> <p>miRWalk (<a href="http://zmf.umm.uni-heidelberg.de/apps/zmf/mirwalk2/">http://zmf.umm.uni-heidelberg.de/apps/zmf/mirwalk2/</a>)</p> <p>miRGate (<a href="http://mirgate.bioinfo.cnio.es/miRGate/">http://mirgate.bioinfo.cnio.es/miRGate/</a>)</p> <p>miRANDA (<a href="http://www.microrna.org/microrna/home.do">http://www.microrna.org/microrna/home.do</a>)</p>
	<p><b>ALGORITHMS THAT COMBINE EMPIRICAL AND THEORETICAL MBS DATA</b></p> <p>The interaction between mRNA and miRNA can vary between tissue and cell types and might be affected by experimental setup.</p> <p>TarPmiR (<a href="http://hulab.ucf.edu/research/projects/miRNA/TarPmiR/">http://hulab.ucf.edu/research/projects/miRNA/TarPmiR/</a>)</p> <p>MEME-DREME (<a href="http://meme-suite.org/index.html">http://meme-suite.org/index.html</a>)</p>
	<p><b>ONLINE DATABASES OF EXPERIMENTALLY VALIDATED mRNA-miRNA INTERACTIONS</b></p> <p>The interaction between mRNA and miRNA can vary between tissue and cell types and might be affected by experimental setup</p> <p>miRDB (<a href="http://www.mirdb.org/miRDB/">http://www.mirdb.org/miRDB/</a>)</p> <p>miRGate (<a href="http://mirgate.bioinfo.cnio.es/miRGate/">http://mirgate.bioinfo.cnio.es/miRGate/</a>)</p> <p>miRANDA (<a href="http://www.microrna.org/microrna/home.do">http://www.microrna.org/microrna/home.do</a>)</p>

	<p><b><u>ONLINE DATABASES PREDICTING EFFECTS OF MBS VARIANTS</u></b>          Requires established SNPs with rs-numbers as input. Therefore rare mutations or rare variants may not be applicable.          miRSNP (<a href="http://bioinfo.bjmu.edu.cn/mirsnp/search/">http://bioinfo.bjmu.edu.cn/mirsnp/search/</a>)          miRVaS (<a href="http://mirvas.bioinf.be/index.html">http://mirvas.bioinf.be/index.html</a>)          STARmiR (<a href="http://sfold.wadsworth.org/cgi-bin/starmir.pl">http://sfold.wadsworth.org/cgi-bin/starmir.pl</a>)</p> <p><b><u>ONLINE DATABASES OF DISEASE ASSOCIATED SNPs IN OR NEAR MBSs</u></b>          Requires established SNPs with rs-numbers as input. Therefore rare mutations or rare variants may not be applicable.          miRSNP (<a href="http://bioinfo.bjmu.edu.cn/mirsnp/search/">http://bioinfo.bjmu.edu.cn/mirsnp/search/</a>)          miRdSNP (<a href="http://mirdsnp.ccr.buffalo.edu/">http://mirdsnp.ccr.buffalo.edu/</a>)</p> <p><b><u>ONLINE DATABASES OF miRNA EXPRESSION PATTERNS</u></b>          Show the expression of miRNAs at a given time in different tissues. The miRNA expression pattern might differ during development.          miRANDA (<a href="http://www.microrna.org/microrna/home.do">http://www.microrna.org/microrna/home.do</a>)          miRGator (<a href="http://mirgator.kobic.re.kr/">http://mirgator.kobic.re.kr/</a>)          miRWalk (<a href="http://zmf.umm.uni-heidelberg.de/apps/zmf/mirwalk2/">http://zmf.umm.uni-heidelberg.de/apps/zmf/mirwalk2/</a>)</p>
RBP	<p><b><u>ALGORITHMS TO PREDICT RBP BINDING SITES</u></b>          RBP binding sites are often very short motifs and depend on the secondary structure of the RNA. As such, they are difficult to predict based on sequence alone. Empirical data can be included to increase the accuracy but there may be biases based on cell type or experimental setup.          RBPMAP (<a href="http://rbpmap.technion.ac.il/">http://rbpmap.technion.ac.il/</a>)          RBPDB (<a href="http://rbpdb.ccb.utoronto.ca/">http://rbpdb.ccb.utoronto.ca/</a>)          driMUST (<a href="http://drimust.technion.ac.il/index.html">http://drimust.technion.ac.il/index.html</a>)          MEMERIS (<a href="http://www.bioinf.uni-freiburg.de/~hiller/MEMERIS/">http://www.bioinf.uni-freiburg.de/~hiller/MEMERIS/</a>)          CIS-BP-RNA (<a href="http://cisbp-rna.ccb.utoronto.ca/index.php">http://cisbp-rna.ccb.utoronto.ca/index.php</a>)          RBPmotif (<a href="http://www.rnamotif.org/">http://www.rnamotif.org/</a>)          catRAPID (<a href="http://s.tartagliolab.com/page/catrapid_omics_group">http://s.tartagliolab.com/page/catrapid_omics_group</a>)          ATTRACT (<a href="https://attract.cnic.es/">https://attract.cnic.es/</a>)          rMAPS (<a href="http://rmaps.cecsresearch.org">http://rmaps.cecsresearch.org</a>)          POSTAR (<a href="http://lulab.life.tsinghua.edu.cn/postar/">http://lulab.life.tsinghua.edu.cn/postar/</a>)</p>

	<p><b><u>ONLINE DATABASES OF EXPERIMENTALLY VALIDATED mRNA-RBP INTERACTIONS</u></b></p> <p>The interaction between mRNA and RBP can vary between tissue and cell types and might be affected by experimental setup</p> <p>RBPDB (<a href="http://rbpdb.cabr.utoronto.ca/">http://rbpdb.cabr.utoronto.ca/</a>)</p> <p>doRiNA (<a href="http://dorina.mdc-berlin.de/">http://dorina.mdc-berlin.de/</a>)</p> <p>CIS-BP-RNA (<a href="http://cisbp-rna.cabr.utoronto.ca/index.php">http://cisbp-rna.cabr.utoronto.ca/index.php</a>)</p> <p>RBP-Var (<a href="http://www.rbp-var.biols.ac.cn/">http://www.rbp-var.biols.ac.cn/</a>)</p> <p>RAID (<a href="http://www.rna-society.org/raid/">http://www.rna-society.org/raid/</a>)</p> <p>CLIPdb (<a href="http://lulab.life.tsinghua.edu.cn/clipdb/">http://lulab.life.tsinghua.edu.cn/clipdb/</a>)</p> <p>POSTAR (<a href="http://lulab.life.tsinghua.edu.cn/postar/">http://lulab.life.tsinghua.edu.cn/postar/</a>)</p>
	<p><b><u>CURATED DATABASES OF RNA BINDING PROTEINS</u></b></p> <p>As a curated database, it is very reliable but might not always be completely up to date.</p> <p>READDB (<a href="http://darwin.soic.iupui.edu/">http://darwin.soic.iupui.edu/</a>)</p>
PolyA	<p><b><u>ALGORITHMS TO PREDICT POLY-A SITES FROM USER PROVIDED SEQUENCES</u></b></p> <p>Accurate for the prediction of different polyA sites, but should be complemented with experimental evidence to confirm the presence of different 3'UTRs.</p> <p>polyApred (<a href="http://www.imtech.res.in/raghava/polyapred/">http://www.imtech.res.in/raghava/polyapred/</a>)</p> <p>poly(A) Signal (<a href="http://dnafsmineer.bic.nus.edu.sg/PolyA.html">http://dnafsmineer.bic.nus.edu.sg/PolyA.html</a>)</p> <p>Dragon PolyA Spotter (DPS) (<a href="http://www.cbrc.kaust.edu.sa/dps/">http://www.cbrc.kaust.edu.sa/dps/</a>)</p>
	<p><b><u>ONLINE DATABASES OF EXPERIMENTALLY DETERMINED POLY-A AND APA EVENTS</u></b></p> <p>As curated databases, they are very reliable but might not always be completely up to date.</p> <p>APADB (<a href="http://tools.genxpro.net/apadb/">http://tools.genxpro.net/apadb/</a>)</p> <p>PACDB (<a href="http://harlequin.jax.org/pacdb/">http://harlequin.jax.org/pacdb/</a>)</p> <p>PolyAsite (<a href="http://polyasite.unibas.ch/">http://polyasite.unibas.ch/</a>)</p>
3'UTRs	<p><b><u>CURATED DATABASE OF MULTIPLE MOTIF TYPES IN UTR SEQUENCES</u></b></p> <p>As a curated database, it is very reliable but might not always be completely up to date.</p> <p>UTRdb (<a href="http://utrdb.ba.itb.cnr.it/">http://utrdb.ba.itb.cnr.it/</a>)</p> <p>AURA (<a href="http://aura.science.unitn.it/">http://aura.science.unitn.it/</a>)</p>

## Supplementary References

1. Ettinger U, Merten N, Kambeitz J (2016): Meta-analysis of the association of the SLC6A3 3'-UTR VNTR with cognition. *Neuroscience and biobehavioral reviews*. 60:72-81.
2. Sano A, Kondoh K, Kakimoto Y, Kondo I (1993): A 40-nucleotide repeat polymorphism in the human dopamine transporter gene. *Human genetics*. 91:405-406.
3. VanNess SH, Owens MJ, Kilts CD (2005): The variable number of tandem repeats element in DAT1 regulates in vitro dopamine transporter density. *BMC genetics*. 6:55.
4. Xu X, Breen G, Chen CK, Huang YS, Wu YY, Asherson P (2010): Association study between a polymorphism at the 3'-untranslated region of CLOCK gene and attention deficit hyperactivity disorder. *Behavioral and brain functions : BBF*. 6:48.
5. Kissling C, Retz W, Wiemann S, Coogan AN, Clement RM, Hunnerkopf R, et al. (2008): A polymorphism at the 3'-untranslated region of the CLOCK gene is associated with adult attention-deficit hyperactivity disorder. *American journal of medical genetics Part B, Neuropsychiatric genetics : the official publication of the International Society of Psychiatric Genetics*. 147:333-338.
6. Forero DA, Arboleda GH, Vasquez R, Arboleda H (2009): Candidate genes involved in neural plasticity and the risk for attention-deficit hyperactivity disorder: a meta-analysis of 8 common variants. *Journal of psychiatry & neuroscience : JPN*. 34:361-366.
7. Bruno AE, Li L, Kalabus JL, Pan Y, Yu A, Hu Z (2012): miRdSNP: a database of disease-associated SNPs and microRNA target sites on 3'UTRs of human genes. *BMC genomics*. 13:44.
8. Kim JW, Biederman J, Arbeitman L, Fagerness J, Doyle AE, Petty C, et al. (2007): Investigation of variation in SNAP-25 and ADHD and relationship to comorbid major depressive disorder. *American journal of medical genetics Part B, Neuropsychiatric genetics : the official publication of the International Society of Psychiatric Genetics*. 144B:781-790.
9. Shibayama A, Cook EH, Jr., Feng J, Glanzmann C, Yan J, Craddock N, et al. (2004): MECP2 structural and 3'-UTR variants in schizophrenia, autism and other psychiatric diseases: a possible association with autism. *American journal of medical genetics Part B, Neuropsychiatric genetics : the official publication of the International Society of Psychiatric Genetics*. 128B:50-53.
10. Markunas CA, Quinn KS, Collins AL, Garrett ME, Lachiewicz AM, Sommer JL, et al. (2010): Genetic variants in SLC9A9 are associated with measures of attention-deficit/hyperactivity disorder symptoms in families. *Psychiatric genetics*. 20:73-81.
11. Tong J, McKinley LA, Cummins TD, Johnson B, Matthews N, Vance A, et al. (2015): Identification and functional characterisation of a novel dopamine beta hydroxylase gene variant associated with attention deficit hyperactivity disorder. *The world journal of biological psychiatry : the official journal of the World Federation of Societies of Biological Psychiatry*. 16:610-618.

12. Spellacy CJ, Northrup H, Fletcher JM, Cirino PT, Dennis M, Morrison AC, et al. (2012): Folate metabolism gene 5,10-methylenetetrahydrofolate reductase (MTHFR) is associated with ADHD in myelomeningocele patients. *PLoS one*. 7:e51330.
13. Wu C, Gong Y, Sun A, Zhang Y, Zhang C, Zhang W, et al. (2013): The human MTHFR rs4846049 polymorphism increases coronary heart disease risk through modifying miRNA binding. *Nutrition, metabolism, and cardiovascular diseases : NMCD*. 23:693-698.
14. Xing J, Wang C, Kimura H, Takasaki Y, Kunimoto S, Yoshimi A, et al. (2014): Resequencing and association analysis of PTPRA, a possible susceptibility gene for schizophrenia and autism spectrum disorders. *PLoS one*. 9:e112531.
15. Arinami T, Ohtsuki T, Ishiguro H, Ujike H, Tanaka Y, Morita Y, et al. (2005): Genomewide high-density SNP linkage analysis of 236 Japanese families supports the existence of schizophrenia susceptibility loci on chromosomes 1p, 14q, and 20p. *American journal of human genetics*. 77:937-944.
16. Begemann M, Grube S, Papiol S, Malzahn D, Krampe H, Ribbe K, et al. (2010): Modification of cognitive performance in schizophrenia by complexin 2 gene polymorphisms. *Archives of general psychiatry*. 67:879-888.
17. Zhang R, Zhong NN, Liu XG, Yan H, Qiu C, Han Y, et al. (2010): Is the EFNB2 locus associated with schizophrenia? Single nucleotide polymorphisms and haplotypes analysis. *Psychiatry research*. 180:5-9.
18. Wu S, Zhang R, Nie F, Wang X, Jiang C, Liu M, et al. (2016): MicroRNA-137 Inhibits EFNB2 Expression Affected by a Genetic Variant and Is Expressed Aberrantly in Peripheral Blood of Schizophrenia Patients. *EBioMedicine*. 12:133-142.
19. Hodgkinson CA, Goldman D, Jaeger J, Persaud S, Kane JM, Lipsky RH, et al. (2004): Disrupted in schizophrenia 1 (DISC1): association with schizophrenia, schizoaffective disorder, and bipolar disorder. *American journal of human genetics*. 75:862-872.
20. Callicott JH, Straub RE, Pezawas L, Egan MF, Mattay VS, Hariri AR, et al. (2005): Variation in DISC1 affects hippocampal structure and function and increases risk for schizophrenia. *Proceedings of the National Academy of Sciences of the United States of America*. 102:8627-8632.
21. Saetre P, Agartz I, De Franciscis A, Lundmark P, Djurovic S, Kahler A, et al. (2008): Association between a disrupted-in-schizophrenia 1 (DISC1) single nucleotide polymorphism and schizophrenia in a combined Scandinavian case-control sample. *Schizophrenia research*. 106:237-241.
22. Georgieva L, Moskvina V, Peirce T, Norton N, Bray NJ, Jones L, et al. (2006): Convergent evidence that oligodendrocyte lineage transcription factor 2 (OLIG2) and interacting genes influence susceptibility to schizophrenia. *Proceedings of the National Academy of Sciences of the United States of America*. 103:12469-12474.
23. Beshpalova IN, Durner M, Ritter BP, Angelo GW, Rossy-Fullana E, Carrion-Baralt J, et al. (2010): Non-synonymous variants in the AMACR gene are associated with schizophrenia. *Schizophrenia research*. 124:208-215.
24. Okahisa Y, Ujike H, Kunugi H, Ishihara T, Kodama M, Takaki M, et al. (2010): Leukemia inhibitory factor gene is associated with schizophrenia and working memory function. *Progress in neuro-psychopharmacology & biological psychiatry*. 34:172-176.



25. Havik B, Degenhardt FA, Johansson S, Fernandes CP, Hinney A, Scherag A, et al. (2012): DCLK1 variants are associated across schizophrenia and attention deficit/hyperactivity disorder. *PLoS one*. 7:e35424.
26. Yang G, Xu H, Zhang H, Yu Q, Wu Y, Shi J, et al. (2016): Association between PLA2G12A Polymorphisms and Schizophrenia in a Han Chinese Population from Northeast China. *PLoS one*. 11:e0159584.
27. Gong Y, Wu CN, Xu J, Feng G, Xing QH, Fu W, et al. (2013): Polymorphisms in microRNA target sites influence susceptibility to schizophrenia by altering the binding of miRNAs to their targets. *European neuropsychopharmacology : the journal of the European College of Neuropsychopharmacology*. 23:1182-1189.
28. Chien YL, Liu CM, Fann CS, Liu YL, Hwu HG (2009): Association of the 3' region of COMT with schizophrenia in Taiwan. *Journal of the Formosan Medical Association = Taiwan yi zhi*. 108:301-309.
29. Jones AL, Holliday EG, Mowry BJ, McLean DE, McGrath JJ, Pender MP, et al. (2009): CTLA-4 single-nucleotide polymorphisms in a Caucasian population with schizophrenia. *Brain, behavior, and immunity*. 23:347-350.
30. Devanna P, Chen XS, Ho J, Gajewski D, Smith SD, Gialluisi A, et al. (2017): Next-gen sequencing identifies non-coding variation disrupting miRNA-binding sites in neurological disorders. *Molecular psychiatry*. [published online ahead of print Mar 14; doi: 10.1038/mp.2017.30]
31. Gialluisi A, Newbury DF, Wilcutt EG, Olson RK, DeFries JC, Brandler WM, et al. (2014): Genome-wide screening for DNA variants associated with reading and language traits. *Genes, brain, and behavior*. 13:686-701.
32. Newbury DF, Paracchini S, Scerri TS, Winchester L, Addis L, Richardson AJ, et al. (2011): Investigation of dyslexia and SLI risk variants in reading- and language-impaired subjects. *Behavior genetics*. 41:90-104.
33. Abelson JF, Kwan KY, O'Roak BJ, Baek DY, Stillman AA, Morgan TM, et al. (2005): Sequence variants in SLITRK1 are associated with Tourette's syndrome. *Science*. 310:317-320.
34. Guerini FR, Bolognesi E, Chiappedi M, Ghezzi A, Canevini MP, Mensi MM, et al. (2015): An HLA-G( \*)14bp insertion/deletion polymorphism associates with the development of autistic spectrum disorders. *Brain, behavior, and immunity*. 44:207-212.
35. Mondal K, Ramachandran D, Patel VC, Hagen KR, Bose P, Cutler DJ, et al. (2012): Excess variants in AFF2 detected by massively parallel sequencing of males with autism spectrum disorder. *Human molecular genetics*. 21:4356-4364.
36. Nakamura K, Anitha A, Yamada K, Tsujii M, Iwayama Y, Hattori E, et al. (2008): Genetic and expression analyses reveal elevated expression of syntaxin 1A ( STX1A) in high functioning autism. *The international journal of neuropsychopharmacology / official scientific journal of the Collegium Internationale Neuropsychopharmacologicum*. 11:1073-1084.

37. Zhou XL, Giacobini M, Anderlid BM, Anckarsater H, Omrani D, Gillberg C, et al. (2007): Association of adenomatous polyposis coli (APC) gene polymorphisms with autism spectrum disorder (ASD). *American journal of medical genetics Part B, Neuropsychiatric genetics : the official publication of the International Society of Psychiatric Genetics*. 144B:351-354.
38. Steinberg KM, Ramachandran D, Patel VC, Shetty AC, Cutler DJ, Zwick ME (2012): Identification of rare X-linked neurologin variants by massively parallel sequencing in males with autism spectrum disorder. *Molecular autism*. 3:8.
39. Guhathakurta S, Sinha S, Ghosh S, Chatterjee A, Ahmed S, Gangopadhyay PK, et al. (2008): Population-based association study and contrasting linkage disequilibrium pattern reveal genetic association of SLC6A4 with autism in the Indian population from West Bengal. *Brain research*. 1240:12-21.
40. Xi CY, Ma HW, Lu Y, Zhao YJ, Hua TY, Zhao Y, et al. (2007): MeCP2 gene mutation analysis in autistic boys with developmental regression. *Psychiatric genetics*. 17:113-116.
41. Coutinho AM, Oliveira G, Katz C, Feng J, Yan J, Yang C, et al. (2007): MECP2 coding sequence and 3'UTR variation in 172 unrelated autistic patients. *American journal of medical genetics Part B, Neuropsychiatric genetics : the official publication of the International Society of Psychiatric Genetics*. 144B:475-483.
42. Harrison AJ, Gamsiz ED, Berkowitz IC, Nagpal S, Jerskey BA (2015): Genetic variation in the oxytocin receptor gene is associated with a social phenotype in autism spectrum disorders. *American journal of medical genetics Part B, Neuropsychiatric genetics : the official publication of the International Society of Psychiatric Genetics*. 168:720-729.
43. Venturin M, Moncini S, Villa V, Russo S, Bonati MT, Larizza L, et al. (2006): Mutations and novel polymorphisms in coding regions and UTRs of CDK5R1 and OMG genes in patients with non-syndromic mental retardation. *Neurogenetics*. 7:59-66.
44. Moncini S, Castronovo P, Murgia A, Russo S, Bedeschi MF, Lunghi M, et al. (2016): Functional characterization of CDK5 and CDK5R1 mutations identified in patients with non-syndromic intellectual disability. *Journal of human genetics*. 61:283-293.
45. Collins SC, Bray SM, Suhl JA, Cutler DJ, Coffee B, Zwick ME, et al. (2010): Identification of novel FMR1 variants by massively parallel sequencing in developmentally delayed males. *American journal of medical genetics Part A*. 152A:2512-2520.
46. Suhl JA, Muddashetty RS, Anderson BR, Ifrim MF, Visootsak J, Bassell GJ, et al. (2015): A 3' untranslated region variant in FMR1 eliminates neuronal activity-dependent translation of FMRP by disrupting binding of the RNA-binding protein HuR. *Proceedings of the National Academy of Sciences of the United States of America*. 112:E6553-6561.
47. Handt M, Epplen A, Hoffjan S, Mese K, Epplen JT, Dekomien G (2014): Point mutation frequency in the FMR1 gene as revealed by fragile X syndrome screening. *Molecular and cellular probes*. 28:279-283.
48. Ylisaukko-Oja T, Rehnstrom K, Vanhala R, Kempas E, von Koskull H, Tengstrom C, et al. (2005): MECP2 mutation analysis in patients with mental retardation. *American journal of medical genetics Part A*. 132A:121-124.

49. Santos M, Yan J, Temudo T, Oliveira G, Vieira JP, Fen J, et al. (2008): Analysis of highly conserved regions of the 3'UTR of MECP2 gene in patients with clinical diagnosis of Rett syndrome and other disorders associated with mental retardation. *Disease markers*. 24:319-324.
50. Fendri-Kriaa N, Mkaouar-Rebai E, Moalla D, Belguith N, Louhichi N, Zemni R, et al. (2010): Mutational analysis of the MECP2 gene in Tunisian patients with Rett syndrome: a novel double mutation. *Journal of child neurology*. 25:1042-1046.
51. Jensen KP, Kranzler HR, Stein MB, Gelernter J (2014): The effects of a MAP2K5 microRNA target site SNP on risk for anxiety and depressive disorders. *American journal of medical genetics Part B, Neuropsychiatric genetics : the official publication of the International Society of Psychiatric Genetics*. 165B:175-183.
52. Jensen KP, Covault J, Conner TS, Tennen H, Kranzler HR, Furneaux HM (2009): A common polymorphism in serotonin receptor 1B mRNA moderates regulation by miR-96 and associates with aggressive human behaviors. *Molecular psychiatry*. 14:381-389.
53. Rahman OA, Sasvari-Szekely M, Szekely A, Faludi G, Guttman A, Némoda Z (2010): Analysis of a polymorphic microRNA target site in the purinergic receptor P2RX7 gene. *Electrophoresis*. 31:1790-1795.