

Supplement of Atmos. Chem. Phys., 19, 1221–1240, 2019
<https://doi.org/10.5194/acp-19-1221-2019-supplement>
© Author(s) 2019. This work is distributed under
the Creative Commons Attribution 4.0 License.



Supplement of

Single-particle characterization of aerosols collected at a remote site in the Amazonian rainforest and an urban site in Manaus, Brazil

Li Wu et al.

Correspondence to: Chul-Un Ro (curo@inha.ac.kr)

The copyright of individual parts of the supplement might differ from the CC BY 4.0 License.

Figure S2. Typical SEM images of aerosol particles for stage 1 (PM_{0.25-0.5}), stage 2 (PM_{0.5-1.0}), and stage 3 (PM_{1.0-2.0}) samples of SA2 collected on Apr. 16, 2012 at the ATTO site.




Figure S3. Typical SEM images of aerosol particles for stage 1 (PM_{0.25-0.5}), stage 2 (PM_{0.5-1.0}), and stage 3 (PM_{1.0-2.0}) samples of SA3 collected on Apr. 17, 2012 at the ATTO site.




Figure S5. Typical SEM images of aerosol particles for stage 1 ($PM_{0.25-0.5}$), stage 2 ($PM_{0.5-1.0}$), and stage 3 ($PM_{1.0-2.0}$) samples of SM1 collected on May. 1, 2012 at the Manaus site.

