



Published in final edited form as:

Cancer Cell. 2019 February 11; 35(2): 330–332. doi:10.1016/j.ccell.2019.01.012.

KDM5 Histone Demethylase Activity Links Cellular Transcriptomic Heterogeneity to Therapeutic Resistance

Kunihiko Hinohara, Hua-Jun Wu, Sébastien Vigneau, Thomas O. McDonald, Kyomi J. Igarashi, Kimiyo N. Yamamoto, Thomas Madsen, Anne Fassl, Shawn B. Egri, Malvina Papanastasiou, Lina Ding, Guillermo Peluffo, Ofir Cohen, Stephen C. Kales, Madhu Lal-Nag, Ganesha Rai, David J. Maloney, Ajit Jadhav, Anton Simeonov, Nikhil Wagle, Myles Brown, Alexander Meissner, Piotr Sicinski, Jacob D. Jaffe, Rinath Jeselsohn, Alexander A. Gimelbrant, Franziska Michor*, and Kornelia Polyak*

In the originally published version of this article, the legend for Figure 6G was accidentally mixed up, and the purple and gray section of the pie chart was incorrectly marked. The correct Figure 6G is now shown here and in the online version of the paper. The authors apologize for any confusion this error may have caused.

*Correspondence: michor@jimmy.harvard.edu (F.M.), kornelia_polyak@dfci.harvard.edu (K.P.).




Figure 6.
Resistance to Anti-estrogens and KDM5i in MCF7 Cells (corrected)




Figure 6.
Resistance to Anti-estrogens and KDM5i in MCF7 Cells (original)