



Supplement of

An open-source database for the synthesis of soil radiocarbon data: International Soil Radiocarbon Database (ISRaD) version 1.0

Corey R. Lawrence et al.

Correspondence to: Corey R. Lawrence (clawrence@usgs.gov)

The copyright of individual parts of the supplement might differ from the CC BY 4.0 License.

Studies within ISRaD version 1.0

Currently, there are 195 entries in ISRaD, which are from the following publications:

- Agnelli, A., Trumbore, S. E., Corti, G., & Ugolini, F. C. (2002). The dynamics of organic matter in rock fragments in soil investigated by ^{14}C dating and measurements of ^{13}C . *European Journal of Soil Science*, 53(1), 147–159. doi:10.1046/j.1365-2389.2002.00432.x
- Atarashi-Andoh, M., Koarashi, J., Ishizuka, S., & Hirai, K. (2012). Seasonal patterns and control factors of CO_2 effluxes from surface litter, soil organic carbon, and root-derived carbon estimated using radiocarbon signatures. *Agricultural and Forest Meteorology*, 152, 149–158. doi:10.1016/j.agrformet.2011.09.015
- Baisden, W. T., Amundson, R., Cook, A. C., & Brenner, D. L. (2002). Turnover and storage of C and N in five density fractions from California annual grassland surface soils. *Global Biogeochemical Cycles*, 16(4), 64–1–64–16. doi:10.1029/2001gb001822
- Baisden, W. T., & Parfitt, R. L. (2007). Bomb ^{14}C enrichment indicates decadal C pool in deep soil? *Biogeochemistry*, 85(1), 59–68. doi:10.1007/s10533-007-9101-7
- Baisden, W. T., Parfitt, R. L., Ross, C., Schipper, L. A., & Canessa, S. (2011). Evaluating 50 years of time-series soil radiocarbon data: towards routine calculation of robust C residence times. *Biogeochemistry*, 112(1-3), 129–137. doi:10.1007/s10533-011-9675-y
- Basile-Doelsch, I., Amundson, R., Stone, W. E. E., Masiello, C. A., Bottero, J. Y., Colin, F., ... Meunier, J. D. (2005). Mineralogical control of organic carbon dynamics in a volcanic ash soil on La Reunion. *European Journal of Soil Science*, 0(0), 050912034650042. doi:10.1111/j.1365-2389.2005.00703.x
- Bauters, M., Vercleyen, O., Vanlauwe, B., Six, J., Bonyoma, B., Badjoko, H., ... Boeckx, P. (2019). Long-term recovery of the functional community assembly and carbon pools in an African tropical forest succession. *Biotropica*, 51(3), 319–329. doi:10.1111/btp.12647
- Becker-Heidmann, P., & Scharpenseel, H.-W. (1986). Thin Layer $\delta^{13}\text{C}$ and $\Delta^{14}\text{C}$ Monitoring of “Lessive” Soil Profiles. *Radiocarbon*, 28(2A), 383–390. doi:10.1017/s0033822200007499
- Becker-Heidmann, P., & Scharpenseel, H.-W. (1989). Carbon Isotope Dynamics in Some Tropical Soils. *Radiocarbon*, 31(03), 672–679. doi:10.1017/s0033822200012273
- Becker-Heidmann, P., Andresen, O., Kalmar, D., Scharpenseel, H.-W., & Yaalon, D. H. (2002). Carbon Dynamics in Vertisols as Revealed by High-Resolution Sampling. *Radiocarbon*, 44(1), 63–73. doi:10.1017/s0033822200064687
- Berg, B., & Gerstberger, P. (2004). Element Fluxes with Litterfall in Mature Stands of Norway Spruce and European Beech in Bavaria, South Germany. *Biogeochemistry of Forested Catchments in a Changing Environment*, 271–278. doi:10.1007/978-3-662-06073-5_16

Please visit soilradiocarbon.org for the most up-to-date list.

- Berhe, A. A., Harden, J. W., Torn, M. S., Kleber, M., Burton, S. D., & Harte, J. (2012). Persistence of soil organic matter in eroding versus depositional landform positions. *Journal of Geophysical Research: Biogeosciences*, 117(G2), n/a–n/a. doi:10.1029/2011jg001790
- Biedenbender, S. H., McClaran, M. P., Quade, J., & Weltz, M. A. (2004). Landscape patterns of vegetation change indicated by soil carbon isotope composition. *Geoderma*, 119(1-2), 69–83. doi:10.1016/s0016-7061(03)00234-9
- Binkley, D., & Resh, S. C. (1999). Rapid Changes in Soils Following Eucalyptus Afforestation in Hawaii. *Soil Science Society of America Journal*, 63(1), 222. doi:10.2136/sssaj1999.03615995006300010032x
- Bird, M., Santruckova, H., Lloyd, J., & Lawson, E. (2002). The isotopic composition of soil organic carbon on a north-south transect in western Canada. *European Journal of Soil Science*, 53(3), 393–403. doi:10.1046/j.1365-2389.2002.00444.x
- Bol, R., HUANG, Y., MERIDITH, J. A., EGLINTON, G., HARKNESS, D. D., & INESON, P. (1996). The ^{14}C age and residence time of organic matter and its lipid constituents in a stagnohumic gley soil. *European Journal of Soil Science*, 47(2), 215–222. doi:10.1111/j.1365-2389.1996.tb01392.x
- Bol, R., Bolger, T., Cully, R., & Little, D. (2003). Recalcitrant soil organic materials mineralize more efficiently at higher temperatures. *Journal of Plant Nutrition and Soil Science*, 166(3), 300–307. doi:10.1002/jpln.200390047
- Butman, D., Raymond, P., Oh, N.-H., & Mull, K. (2007). Quantity, ^{14}C age and lability of desorbed soil organic carbon in fresh water and seawater. *Organic Geochemistry*, 38(9), 1547–1557. doi:10.1016/j.orggeochem.2007.05.011
- Butnor, J. R., Samuelson, L. J., Johnsen, K. H., Anderson, P. H., González Benecke, C. A., Boot, C. M., ... Zarnoch, S. J. (2017). Vertical distribution and persistence of soil organic carbon in fire-adapted longleaf pine forests. *Forest Ecology and Management*, 390, 15–26. doi:10.1016/j.foreco.2017.01.014
- Caner, L., Toutain, F., Bourgeon, G., & Herbillon, A.-J. (2003). Occurrence of sombric-like subsurface A horizons in some andic soils of the Nilgiri Hills (Southern India) and their palaeoecological significance. *Geoderma*, 117(3-4), 251–265. doi:10.1016/s0016-7061(03)00127-7
- Carbone, M. S., Winston, G. C., & Trumbore, S. E. (2008). Soil respiration in perennial grass and shrub ecosystems: Linking environmental controls with plant and microbial sources on seasonal and diel timescales. *Journal of Geophysical Research: Biogeosciences*, 113(G2), n/a–n/a. doi:10.1029/2007jg000611
- Carbone, M. S., Still, C. J., Ambrose, A. R., Dawson, T. E., Williams, A. P., Boot, C. M., ... Schimel, J. P. (2011). Seasonal and episodic moisture controls on plant and microbial contributions to soil respiration. *Oecologia*, 167(1), 265–278. doi:10.1007/s00442-011-1975-3
- Carbone, M. S., Richardson, A. D., Chen, M., Davidson, E. A., Hughes, H., Savage, K. E., & Hollinger, D. Y. (2016). Constrained partitioning of autotrophic and heterotrophic

Please visit soilradiocarbon.org for the most up-to-date list.

respiration reduces model uncertainties of forest ecosystem carbon fluxes but not stocks. *Journal of Geophysical Research: Biogeosciences*, 121(9), 2476–2492. doi:10.1002/2016jg003386

- Castanha, C., Trumbore, S. E., & Amundso, R. (2012). Mineral and Organic Matter Characterization of Density Fractions of Basalt- and Granite-Derived Soils in Montane California. *An Introduction to the Study of Mineralogy*. doi:10.5772/36735
- Chabbi, A., Kögel-Knabner, I., & Rumpel, C. (2009). Stabilised carbon in subsoil horizons is located in spatially distinct parts of the soil profile. *Soil Biology and Biochemistry*, 41(2), 256–261. doi:10.1016/j.soilbio.2008.10.033
- Chen, Q., Sun, Y., Shen, C., Peng, S., Yi, W., Li, Z., & Jiang, M. (2002). Organic matter turnover rates and CO₂ flux from organic matter decomposition of mountain soil profiles in the subtropical area, south China. *CATENA*, 49(3), 217–229. doi:10.1016/s0341-8162(02)00044-9
- Cherkinsky, A. E. (1996). 14C Dating and Soil Organic Matter Dynamics in Arctic and Subarctic Ecosystems. *Radiocarbon*, 38(2), 241–245. doi:10.1017/s0033822200017616
- Chiti, T., Neubert, R. E. M., Janssens, I. A., Certini, G., Curiel Yuste, J., & Sirignano, C. (2009). Radiocarbon dating reveals different past managements of adjacent forest soils in the Campine region, Belgium. *Geoderma*, 149(1-2), 137–142. doi:10.1016/j.geoderma.2008.11.030
- Chiti, T., Certini, G., Grieco, E., & Valentini, R. (2010). The role of soil in storing carbon in tropical rainforests: the case of Ankasa Park, Ghana. *Plant and Soil*, 331(1-2), 453–461. doi:10.1007/s11104-009-0265-x
- Chiti, T., Certini, G., Forte, C., Papale, D., & Valentini, R. (2015). Radiocarbon-Based Assessment of Heterotrophic Soil Respiration in Two Mediterranean Forests. *Ecosystems*, 19(1), 62–72. doi:10.1007/s10021-015-9915-4
- Chiti, T., Rey, A., Jeffery, K., Lauteri, M., Mihindou, V., Malhi, Y., ... Valentini, R. (2018). Contribution and stability of forest-derived soil organic carbon during woody encroachment in a tropical savanna. A case study in Gabon. *Biology and Fertility of Soils*, 54(8), 897–907. doi:10.1007/s00374-018-1313-6
- Chiti, T., Díaz-Pinés, E., Butterbach-Bahl, K., Marzaioli, F., & Valentini, R. (2017). Soil organic carbon changes following degradation and conversion to cypress and tea plantations in a tropical mountain forest in Kenya. *Plant and Soil*, 422(1-2), 527–539. doi:10.1007/s11104-017-3489-1
- Chorover, J., Amistadi, M. K., & Chadwick, O. A. (2004). Surface charge evolution of mineral-organic complexes during pedogenesis in Hawaiian basalt. *Geochimica et Cosmochimica Acta*, 68(23), 4859–4876. doi:10.1016/j.gca.2004.06.005
- Conen, F., Zimmermann, M., Leifeld, J., Seth, B., & Alewell, C. (2008). Relative stability of soil carbon revealed by shifts in δ¹⁵N and C:N ratio. *Biogeosciences*, 5(1), 123–128. doi:10.5194/bg-5-123-2008
- Crews, T. E., Kitayama, K., Fownes, J. H., Riley, R. H., Herbert, D. A., Mueller-Dombois, D., & Vitousek, P. M. (1995). Changes in Soil Phosphorus Fractions and Ecosystem Dynamics

Please visit soilradiocarbon.org for the most up-to-date list.

across a Long Chronosequence in Hawaii. *Ecology*, 76(5), 1407–1424.
doi:10.2307/1938144

- Crow, S. E., Reeves, M., Schubert, O. S., & Sierra, C. A. (2014). Optimization of method to quantify soil organic matter dynamics and carbon sequestration potential in volcanic ash soils. *Biogeochemistry*, 123(1-2), 27–47. doi:10.1007/s10533-014-0051-6
- CUSACK, D. F., TORN, M. S., McDOWELL, W. H., & SILVER, W. L. (2010). The response of heterotrophic activity and carbon cycling to nitrogen additions and warming in two tropical soils. *Global Change Biology*. doi:10.1111/j.1365-2486.2009.02131.x
- Cusack, D. F., Chadwick, O. A., Hockaday, W. C., & Vitousek, P. M. (2012). Mineralogical controls on soil black carbon preservation. *Global Biogeochemical Cycles*, 26(2), n/a–n/a. doi:10.1029/2011gb004109
- Cusack, D. F., Chadwick, O. A., Ladefoged, T., & Vitousek, P. M. (2012). Long-term effects of agriculture on soil carbon pools and carbon chemistry along a Hawaiian environmental gradient. *Biogeochemistry*, 112(1-3), 229–243. doi:10.1007/s10533-012-9718-z
- Czimczik, C. I., Schmidt, M. W. I., & Schulze, E.-D. (2005). Effects of increasing fire frequency on black carbon and organic matter in Podzols of Siberian Scots pine forests. *European Journal of Soil Science*, 56(3), 417–428. doi:10.1111/j.1365-2389.2004.00665.x
- Czimczik, C. I., & Trumbore, S. E. (2007). Short-term controls on the age of microbial carbon sources in boreal forest soils. *Journal of Geophysical Research: Biogeosciences*, 112(G3), n/a–n/a. doi:10.1029/2006jg000389
- Czimczik, C. I., & Welker, J. M. (2010). Radiocarbon Content of CO₂ Respired from High Arctic Tundra in Northwest Greenland. *Arctic, Antarctic, and Alpine Research*, 42(3), 342–350. doi:10.1657/1938-4246-42.3.342
- De Freitas, H. A., Pessenda, L. C. R., Aravena, R., Gouveia, S. E. M., de Souza Ribeiro, A., & Boulet, R. (2001). Late Quaternary Vegetation Dynamics in the Southern Amazon Basin Inferred from Carbon Isotopes in Soil Organic Matter. *Quaternary Research*, 55(1), 39–46. doi:10.1006/qres.2000.2192
- Desjardins, T., Andreux, F., Volkoff, B., & Cerri, C. C. (1994). Organic carbon and ¹³C contents in soils and soil size-fractions, and their changes due to deforestation and pasture installation in eastern Amazonia. *Geoderma*, 61(1-2), 103–118. doi:10.1016/0016-7061(94)90013-2
- Doetterl, S., Six, J., Van Wesemael, B., & Van Oost, K. (2012). Carbon cycling in eroding landscapes: geomorphic controls on soil organic C pool composition and C stabilization. *Global Change Biology*, 18(7), 2218–2232. doi:10.1111/j.1365-2486.2012.02680.x
- Doetterl, S., Stevens, A., Six, J., Merckx, R., Van Oost, K., Casanova Pinto, M., ... Boeckx, P. (2015). Soil carbon storage controlled by interactions between geochemistry and climate. *Nature Geoscience*, 8(10), 780–783. doi:10.1038/ngeo2516
- Dörr, H., & Münnich, K. O. (1980). Carbon-14 and Carbon-13 in Soil Co₂. *Radiocarbon*, 22(3), 909–918. doi:10.1017/s003382200010316

Please visit soilradiocarbon.org for the most up-to-date list.

- Dörr, H., & Münnich, K. O. (1986). Annual Variations of the ^{14}C Content of Soil CO₂. *Radiocarbon*, 28(2A), 338–345. doi:10.1017/s0033822200007438
- Dörr, H., & Münnich, K. O. (1989). Downward Movement of Soil Organic Matter and Its Influence on Trace-Element Transport (^{210}Pb , ^{137}Cs) in the Soil. *Radiocarbon*, 31(03), 655–663. doi:10.1017/s003382220001225x
- Dümgig, A., Schad, P., Rumpel, C., Dignac, M.-F., & Kögel-Knabner, I. (2008). Araucaria forest expansion on grassland in the southern Brazilian highlands as revealed by ^{14}C and $\delta^{13}\text{C}$ studies. *Geoderma*, 145(1-2), 143–157. doi:10.1016/j.geoderma.2007.06.005
- DUTTA, K., SCHUUR, E. A. G., NEFF, J. C., & ZIMOV, S. A. (2006). Potential carbon release from permafrost soils of Northeastern Siberia. *Global Change Biology*, 12(12), 2336–2351. doi:10.1111/j.1365-2486.2006.01259.x
- Elzein, A., & Balesdent, J. (1995). Mechanistic Simulation of Vertical Distribution of Carbon Concentrations and Residence Times in Soils. *Soil Science Society of America Journal*, 59(5), 1328. doi:10.2136/sssaj1995.03615995005900050019x
- Ewing, S. A., Sanderman, J., Baisden, W. T., Wang, Y., & Amundson, R. (2006). Role of large-scale soil structure in organic carbon turnover: Evidence from California grassland soils. *Journal of Geophysical Research*, 111(G3). doi:10.1029/2006jg000174
- Fernandez, I. J., Rustad, L. E., & Lawrence, G. B. (1993). Estimating total soil mass, nutrient content, and trace metals in soils under a low elevation spruce-fir forest. *Canadian Journal of Soil Science*, 73(3), 317–328. doi:10.4141/cjss93-034
- Fierer, N., Chadwick, O. A., & Trumbore, S. E. (2005). Production of CO₂ in Soil Profiles of a California Annual Grassland. *Ecosystems*, 8(4), 412–429. doi:10.1007/s10021-003-0151-y
- Fontaine, S., Barot, S., Barré, P., Bdioui, N., Mary, B., & Rumpel, C. (2007). Stability of organic carbon in deep soil layers controlled by fresh carbon supply. *Nature*, 450(7167), 277–280. doi:10.1038/nature06275
- Gaudinski, J. B., Trumbore, S. E., Davidson, E. A., & Zheng, S. (2000). *Biogeochemistry*, 51(1), 33–69. doi:10.1023/a:1006301010014
- Gentsch, N., Wild, B., Mikutta, R., Čapek, P., Diáková, K., Schrumpf, M., ... Guggenberger, G. (2018). Temperature response of permafrost soil carbon is attenuated by mineral protection. *Global Change Biology*, 24(8), 3401–3415. doi:10.1111/gcb.14316
- Gillson, L. (2004). Testing non-equilibrium theories in savannas: 1400 years of vegetation change in Tsavo National Park, Kenya. *Ecological Complexity*, 1(4), 281–298. doi:10.1016/j.ecocom.2004.06.001
- Heckman, K., Lawrence, C. R., & Harden, J. W. (2018). A sequential selective dissolution method to quantify storage and stability of organic carbon associated with Al and Fe hydroxide phases. *Geoderma*, 312, 24–35. doi:10.1016/j.geoderma.2017.09.043
- GOH, K. M., STOUT, J. D., & RAPTER, T. A. (1977). RADIOCARBON ENRICHMENT OF SOIL ORGANIC MATTER FRACTIONS IN NEW ZEALAND SOILS. *Soil Science*, 123(6), 385–391. doi:10.1097/00010694-197706000-00007

- Guillet, B., Faivre, P., Mariotti, A., & Khobzi, J. (1988). The ^{14}C dates and $^{13}\text{C}/^{12}\text{C}$ ratios of soil organic matter as a means of studying the past vegetation in intertropical regions: Examples from Colombia (South America). *Palaeogeography, Palaeoclimatology, Palaeoecology*, 65(1-2), 51–58. doi:10.1016/0031-0182(88)90111-3
- GUILLET, B., ACHOUNDONG, G., HAPPI, J. Y., BEYALA, V. K. K., BONVALLOT, J., RIERA, B., ... SCHWARTZ, D. (2001). Agreement between floristic and soil organic carbon isotope ($^{13}\text{C}/^{12}\text{C}$, ^{14}C) indicators of forest invasion of savannas during the last century in Cameroon. *Journal of Tropical Ecology*, 17(6), 809–832. doi:10.1017/s0266467401001614
- Hall, S. J., McNicol, G., Natake, T., & Silver, W. L. (2015). Large fluxes and rapid turnover of mineral-associated carbon across topographic gradients in a humid tropical forest: insights from paired ^{14}C analysis. *Biogeosciences Discussions*, 12(2), 891–932. doi:10.5194/bgd-12-891-2015
- Harden, J. W., Fries, T. L., & Pavich, M. J. (2002). *Biogeochemistry*, 60(3), 317–336. doi:10.1023/a:1020308729553
- Hardie, S. M. L., Garnett, M. H., Fallick, A. E., Ostle, N. J., & Rowland, A. P. (2009). Bomb- ^{14}C analysis of ecosystem respiration reveals that peatland vegetation facilitates release of old carbon. *Geoderma*, 153(3-4), 393–401. doi:10.1016/j.geoderma.2009.09.002
- Hardie, S. M. L., Garnett, M. H., Fallick, A. E., Rowland, A. P., Ostle, N. J., & Flowers, T. H. (2011). Abiotic drivers and their interactive effect on the flux and carbon isotope (^{14}C and $\delta^{13}\text{C}$) composition of peat-respired CO₂. *Soil Biology and Biochemistry*, 43(12), 2432–2440. doi:10.1016/j.soilbio.2011.08.010
- Harkness, D. D., Harrison, A. F., & Bacon, P. J. (1986). The Temporal Distribution of “Bomb” ^{14}C in a Forest Soil. *Radiocarbon*, 28(2A), 328–337. doi:10.1017/s0033822200007426
- Hatton, P.-J., Kleber, M., Zeller, B., Moni, C., Plante, A. F., Townsend, K., ... Derrien, D. (2012). Transfer of litter-derived N to soil mineral–organic associations: Evidence from decadal ^{15}N tracer experiments. *Organic Geochemistry*, 42(12), 1489–1501. doi:10.1016/j.orggeochem.2011.05.002
- Heckman, K. A. (2010). Pedogenesis & Carbon Dynamics Across A Lithosequence Under Ponderosa Pine. *Zenodo*. <https://doi.org/10.5281/zenodo.1486081>
- Hicks Pries, C. E., Schuur, E. A. G., & Crummer, K. G. (2011). Holocene Carbon Stocks and Carbon Accumulation Rates Altered in Soils Undergoing Permafrost Thaw. *Ecosystems*, 15(1), 162–173. doi:10.1007/s10021-011-9500-4
- Hicks Pries, C. E., Schuur, E. A. G., & Crummer, K. G. (2012). Thawing permafrost increases old soil and autotrophic respiration in tundra: Partitioning ecosystem respiration using $\delta^{13}\text{C}$ and $\Delta^{14}\text{C}$. *Global Change Biology*, 19(2), 649–661. doi:10.1111/gcb.12058
- Hicks Pries, C. E., van Logtestijn, R. S. P., Schuur, E. A. G., Natali, S. M., Cornelissen, J. H. C., Aerts, R., & Dorrepaal, E. (2015). Decadal warming causes a consistent and persistent

Please visit soilradiocarbon.org for the most up-to-date list.

- shift from heterotrophic to autotrophic respiration in contrasting permafrost ecosystems. *Global Change Biology*, 21(12), 4508–4519. doi:10.1111/gcb.13032
- Hicks Pries, C. E., Schuur, E. A. G., Natali, S. M., & Crummer, K. G. (2015). Old soil carbon losses increase with ecosystem respiration in experimentally thawed tundra. *Nature Climate Change*, 6(2), 214–218. doi:10.1038/nclimate2830
 - Hicks Pries, C. E., Castanha, C., Porras, R. C., & Torn, M. S. (2017). The whole-soil carbon flux in response to warming. *Science*, 355(6332), 1420–1423. doi:10.1126/science.aal1319
 - Hicks Pries, C. E., Bird, J. A., Castanha, C., Hatton, P.-J., & Torn, M. S. (2017). Long term decomposition: the influence of litter type and soil horizon on retention of plant carbon and nitrogen in soils. *Biogeochemistry*, 134(1-2), 5–16. doi:10.1007/s10533-017-0345-6
 - Horwath, J. L., Sletten, R. S., Hagedorn, B., & Hallet, B. (2008). Spatial and temporal distribution of soil organic carbon in nonsorted striped patterned ground of the High Arctic. *Journal of Geophysical Research*, 113(G3). doi:10.1029/2007jg000511
 - Hsieh, Y.-P. (1996). Soil Organic Carbon Pools of Two Tropical Soils Inferred by Carbon Signatures. *Soil Science Society of America Journal*, 60(4), 1117. doi:10.2136/sssaj1996.03615995006000040022x
 - Huang, Y., Bol, R., Harkness, D. D., Ineson, P., & Eglinton, G. (1996). Post-glacial variations in distributions, ¹³C and ¹⁴C contents of aliphatic hydrocarbons and bulk organic matter in three types of British acid upland soils. *Organic Geochemistry*, 24(3), 273–287. doi:10.1016/0146-6380(96)00039-3
 - Huang, Y., Li, B., Bryant, C., Bol, R., & Eglinton, G. (1999). Radiocarbon Dating of Aliphatic Hydrocarbons A New Approach for Dating Passive-Fraction Carbon in Soil Horizons. *Soil Science Society of America Journal*, 63(5), 1181. doi:10.2136/sssaj1999.6351181x
 - Kaiser, C., Meyer, H., Biasi, C., Rusalimova, O., Barsukov, P., & Richter, A. (2007). Conservation of soil organic matter through cryoturbation in arctic soils in Siberia. *Journal of Geophysical Research*, 112(G2). doi:10.1029/2006jg000258
 - Karhu, K., Fritze, H., Hämäläinen, K., Vanhala, P., Jungner, H., Oinonen, M., ... Liski, J. (2010). Temperature sensitivity of soil carbon fractions in boreal forest soil. *Ecology*, 91(2), 370–376. doi:10.1890/09-0478.1
 - Katsuno, K., Miyairi, Y., Tamura, K., Matsuzaki, H., & Fukuda, K. (2010). A study of the carbon dynamics of Japanese grassland and forest using ¹⁴C and ¹³C. *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms*, 268(7-8), 1106–1109. doi:10.1016/j.nimb.2009.10.110
 - Khomo, L., Trumbore, S., Bern, C. R., & Chadwick, O. A. (2017). Timescales of carbon turnover in soils with mixed crystalline mineralogies. *SOIL*, 3(1), 17–30. doi:10.5194/soil-3-17-2017
 - Kleber, M., Mikutta, R., Torn, M. S., & Jahn, R. (2005). Poorly crystalline mineral phases protect organic matter in acid subsoil horizons. *European Journal of Soil Science*, 0(0), 050912034650054. doi:10.1111/j.1365-2389.2005.00706.x

- KLEBER, M., NICO, P. S., PLANTE, A., FILLEY, T., KRAMER, M., SWANSTON, C., & SOLLINS, P. (2011). Old and stable soil organic matter is not necessarily chemically recalcitrant: implications for modeling concepts and temperature sensitivity. *Global Change Biology*, 17(2), 1097–1107. doi:10.1111/j.1365-2486.2010.02278.x
- Koarashi, J., Iida, T., & Asano, T. (2005). Radiocarbon and stable carbon isotope compositions of chemically fractionated soil organic matter in a temperate-zone forest. *Journal of Environmental Radioactivity*, 79(2), 137–156. doi:10.1016/j.jenvrad.2004.06.002
- KOARASHI, J., ATARASHI-ANDOH, M., ISHIZUKA, S., MIURA, S., SAITO, T., & HIRAI, K. (2009). Quantitative aspects of heterogeneity in soil organic matter dynamics in a cool-temperate Japanese beech forest: a radiocarbon-based approach. *Global Change Biology*, 15(3), 631–642. doi:10.1111/j.1365-2486.2008.01745.x
- Kögel-Knabner, I., Guggenberger, G., Kleber, M., Kandeler, E., Kalbitz, K., Scheu, S., ... Leinweber, P. (2008). Organo-mineral associations in temperate soils: Integrating biology, mineralogy, and organic matter chemistry. *Journal of Plant Nutrition and Soil Science*, 171(1), 61–82. doi:10.1002/jpln.200700048
- Kondo, M., Uchida, M., & Shibata, Y. (2010). Radiocarbon-based residence time estimates of soil organic carbon in a temperate forest: Case study for the density fractionation for Japanese volcanic ash soil. *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms*, 268(7-8), 1073–1076. doi:10.1016/j.nimb.2009.10.101
- Kramer, M. G., & Chadwick, O. A. (2016). Controls on carbon storage and weathering in volcanic soils across a high-elevation climate gradient on Mauna Kea, Hawaii. *Ecology*, 97(9), 2384–2395. doi:10.1002/ecy.1467
- Krull, E. S., & Skjemstad, J. O. (2003). $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ profiles in 14C-dated Oxisol and Vertisols as a function of soil chemistry and mineralogy. *Geoderma*, 112(1-2), 1–29. doi:10.1016/s0016-7061(02)00291-4
- Krull, E. S., Skjemstad, J. O., Burrows, W. H., Bray, S. G., Wynn, J. G., Bol, R., ... Harms, B. (2005). Recent vegetation changes in central Queensland, Australia: Evidence from $\delta^{13}\text{C}$ and 14C analyses of soil organic matter. *Geoderma*, 126(3-4), 241–259. doi:10.1016/j.geoderma.2004.09.012
- Krull, E. S., Bestland, E. A., Skjemstad, J. O., & Parr, J. F. (2006). Geochemistry ($\delta^{13}\text{C}$, $\delta^{15}\text{N}$, 13C NMR) and residence times (14C and OSL) of soil organic matter from red-brown earths of South Australia: Implications for soil genesis. *Geoderma*, 132(3-4), 344–360. doi:10.1016/j.geoderma.2005.06.001
- Ladyman, S. J., & Harkness, D. D. (1980). Carbon Isotope Measurement as An Index of Soil Development. *Radiocarbon*, 22(3), 885–891. doi:10.1017/s0033822200010286
- Laskar, A. H., Yadava, M. G., & Ramesh, R. (2012). Radiocarbon and Stable Carbon Isotopes in Two Soil Profiles from Northeast India. *Radiocarbon*, 54(1), 81–89. doi:10.2458/azu_js_rc.v54i1.15840

- Lassey, K. R., Tate, K. R., Sparks, R. J., & Claydon, J. J. (1996). Historic Measurements of Radiocarbon in New Zealand Soils. *Radiocarbon*, 38(2), 253–270. doi:10.1017/s003382220001763x
- Lavoie, M., Mack, M. C., & Schuur, E. A. G. (2011). Effects of elevated nitrogen and temperature on carbon and nitrogen dynamics in Alaskan arctic and boreal soils. *Journal of Geophysical Research*, 116(G3). doi:10.1029/2010jg001629
- Lawrence, C. R., Harden, J. W., Xu, X., Schulz, M. S., & Trumbore, S. E. (2015). Long-term controls on soil organic carbon with depth and time: A case study from the Cowlitz River Chronosequence, WA USA. *Geoderma*, 247-248, 73–87. doi:10.1016/j.geoderma.2015.02.005
- Leavitt, S. W., Follett, R. F., Kimble, J. M., & Pruessner, E. G. (2007). Radiocarbon and $\delta^{13}\text{C}$ depth profiles of soil organic carbon in the U.S. Great Plains: A possible spatial record of paleoenvironment and paleovegetation. *Quaternary International*, 162-163, 21–34. doi:10.1016/j.quaint.2006.10.033
- Lee, H., Schuur, E. A. G., Inglett, K. S., Lavoie, M., & Chanton, J. P. (2011). The rate of permafrost carbon release under aerobic and anaerobic conditions and its potential effects on climate. *Global Change Biology*, 18(2), 515–527. doi:10.1111/j.1365-2486.2011.02519.x
- LEIFELD, J., ZIMMERMANN, M., FUHRER, J., & CONEN, F. (2009). Storage and turnover of carbon in grassland soils along an elevation gradient in the Swiss Alps. *Global Change Biology*, 15(3), 668–679. doi:10.1111/j.1365-2486.2008.01782.x
- Leith, F. I., Garnett, M. H., Dinsmore, K. J., Billett, M. F., & Heal, K. V. (2014). Source and age of dissolved and gaseous carbon in a peatland–riparian–stream continuum: a dual isotope (^{14}C and $\delta^{13}\text{C}$) analysis. *Biogeochemistry*, 119(1-3), 415–433. doi:10.1007/s10533-014-9977-y
- Li, Y., & Mathews, B. W. (2010). Effect of conversion of sugarcane plantation to forest and pasture on soil carbon in Hawaii. *Plant and Soil*, 335(1-2), 245–253. doi:10.1007/s11104-010-0412-4
- Liu, W., Moriizumi, J., Yamazawa, H., & Iida, T. (2006). Depth profiles of radiocarbon and carbon isotopic compositions of organic matter and CO₂ in a forest soil. *Journal of Environmental Radioactivity*, 90(3), 210–223. doi:10.1016/j.jenvrad.2006.07.003
- Lupascu, M., Czimczik, C. I., Welker, M. C., Ziolkowski, L. A., Cooper, E. J., & Welker, J. M. (2018). Winter Ecosystem Respiration and Sources of CO₂ From the High Arctic Tundra of Svalbard: Response to a Deeper Snow Experiment. *Journal of Geophysical Research: Biogeosciences*, 123(8), 2627–2642. doi:10.1029/2018jg004396
- Lybrand, R. A., Heckman, K., & Rasmussen, C. (2017). Soil organic carbon partitioning and $\Delta^{14}\text{C}$ variation in desert and conifer ecosystems of southern Arizona. *Biogeochemistry*, 134(3), 261–277. doi:10.1007/s10533-017-0360-7
- Marín-Spiotta, E., Swanston, C. W., Torn, M. S., Silver, W. L., & Burton, S. D. (2008). Chemical and mineral control of soil carbon turnover in abandoned tropical pastures. *Geoderma*, 143(1-2), 49–62. doi:10.1016/j.geoderma.2007.10.001

Please visit soilradiocarbon.org for the most up-to-date list.

- Marin-Spiotta, E., Chadwick, O. A., Kramer, M., & Carbone, M. S. (2011). Carbon delivery to deep mineral horizons in Hawaiian rain forest soils. *Journal of Geophysical Research*, 116(G3). doi:10.1029/2010jg001587
- Mariotti, A., & Peterschmitt, E. (1994). Forest savanna ecotone dynamics in India as revealed by carbon isotope ratios of soil organic matter. *Oecologia*, 97(4), 475–480. doi:10.1007/bf00325885
- Martel, Y. A., & Paul, E. A. (1974). The Use of Radiocarbon Dating of Organic Matter in the Study of Soil Genesis1. *Soil Science Society of America Journal*, 38(3), 501. doi:10.2136/sssaj1974.03615995003800030033x
- Masiello, C. A., Chadwick, O. A., Southon, J., Torn, M. S., & Harden, J. W. (2004). Weathering controls on mechanisms of carbon storage in grassland soils. *Global Biogeochemical Cycles*, 18(4), n/a–n/a. doi:10.1029/2004gb002219
- McClaran, M. P., & Umlauf, M. (2000). Desert grassland dynamics estimated from carbon isotopes in grass phytoliths and soil organic matter. *Journal of Vegetation Science*, 11(1), 71–76. doi:10.2307/3236777
- De Tapia, E. M., Rubio, I. D., Castro, J. G., Solleiro, E., & Sedov, S. (2005). Radiocarbon Dates from Soil Profiles in the Teotihuacán Valley, Mexico: Indicators of Geomorphological Processes. *Radiocarbon*, 47(1), 159–175. doi:10.1017/s0033822200052279
- McFarlane, K. J., Torn, M. S., Hanson, P. J., Porras, R. C., Swanston, C. W., Callaham, M. A., & Guilderson, T. P. (2012). Comparison of soil organic matter dynamics at five temperate deciduous forests with physical fractionation and radiocarbon measurements. *Biogeochemistry*, 112(1-3), 457–476. doi:10.1007/s10533-012-9740-1
- Porras, R. C., Hicks Pries, C. E., McFarlane, K. J., Hanson, P. J., & Torn, M. S. (2017). Association with pedogenic iron and aluminum: effects on soil organic carbon storage and stability in four temperate forest soils. *Biogeochemistry*, 133(3), 333–345. doi:10.1007/s10533-017-0337-6
- Meyer, S., Leifeld, J., Bahn, M., & Fuhrer, J. (2012). Free and protected soil organic carbon dynamics respond differently to abandonment of mountain grassland. *Biogeosciences*, 9(2), 853–865. doi:10.5194/bg-9-853-2012
- Mikutta, R., Schaumann, G. E., Gildemeister, D., Bonneville, S., Kramer, M. G., Chorover, J., ... Guggenberger, G. (2009). Biogeochemistry of mineral–organic associations across a long-term mineralogical soil gradient (0.3–4100kyr), Hawaiian Islands. *Geochimica et Cosmochimica Acta*, 73(7), 2034–2060. doi:10.1016/j.gca.2008.12.028
- Milton, G. M., & Kramer, S. J. (1997). Using ^{14}C as a Tracer of Carbon Accumulation and Turnover in Soils. *Radiocarbon*, 40(2), 999–1011. doi:10.1017/s003382220001897x
- Monreal, C. M., Schulten, H.-R., & Kodama, H. (1997). Age, turnover and molecular diversity of soil organic matter in aggregates of a Gleysol. *Canadian Journal of Soil Science*, 77(3), 379–388. doi:10.4141/s95-064
- Mueller, C. W., Gutsch, M., Kothieringer, K., Leifeld, J., Rethemeyer, J., Brueggemann, N., & Kögel-Knabner, I. (2014). Bioavailability and isotopic composition of CO₂ released

Please visit soilradiocarbon.org for the most up-to-date list.

from incubated soil organic matter fractions. *Soil Biology and Biochemistry*, 69, 168–178. doi:10.1016/j.soilbio.2013.11.006

- Muhr, J., & Borken, W. (2009). Delayed recovery of soil respiration after wetting of dry soil further reduces C losses from a Norway spruce forest soil. *Journal of Geophysical Research*, 114(G4). doi:10.1029/2009jg000998
- Nagy, R. C., Porder, S., Brando, P., Davidson, E. A., Figueira, A. M. e S., Neill, C., ... Trumbore, S. (2018). Soil Carbon Dynamics in Soybean Cropland and Forests in Mato Grosso, Brazil. *Journal of Geophysical Research: Biogeosciences*, 123(1), 18–31. doi:10.1002/2017jg004269
- Nave, L. E., Drevnick, P. E., Heckman, K. A., Hofmeister, K. L., Veverica, T. J., & Swanston, C. W. (2017). Soil hydrology, physical and chemical properties and the distribution of carbon and mercury in a postglacial lake-plain wetland. *Geoderma*, 305, 40–52. doi:10.1016/j.geoderma.2017.05.035
- Nowinski, N. S., Trumbore, S. E., Jimenez, G., & Fenn, M. E. (2009). Alteration of belowground carbon dynamics by nitrogen addition in southern California mixed conifer forests. *Journal of Geophysical Research: Biogeosciences*, 114(G2), n/a–n/a. doi:10.1029/2008jg000801
- Nowinski, N. S., Taneva, L., Trumbore, S. E., & Welker, J. M. (2010). Decomposition of old organic matter as a result of deeper active layers in a snow depth manipulation experiment. *Oecologia*, 163(3), 785–792. doi:10.1007/s00442-009-1556-x
- O'DONNELL, J. A., HARDEN, J. W., McGuIRE, A. D., KANEVSKIY, M. Z., JORGENSEN, M. T., & XU, X. (2010). The effect of fire and permafrost interactions on soil carbon accumulation in an upland black spruce ecosystem of interior Alaska: implications for post-thaw carbon loss. *Global Change Biology*, 17(3), 1461–1474. doi:10.1111/j.1365-2486.2010.02358.x
- O'Brien, B. J. (1986). The Use of Natural and Anthropogenic ¹⁴C to Investigate the Dynamics of Soil Organic Carbon. *Radiocarbon*, 28(2A), 358–362. doi:10.1017/s0033822200007463
- Ohno, T., Heckman, K. A., Plante, A. F., Fernandez, I. J., & Parr, T. B. (2017). ¹⁴C mean residence time and its relationship with thermal stability and molecular composition of soil organic matter: A case study of deciduous and coniferous forest types. *Geoderma*, 308, 1–8. doi:10.1016/j.geoderma.2017.08.023
- Paul, E. A., Follett, R. F., Leavitt, S. W., Halvorson, A., Peterson, G. A., & Lyon, D. J. (1997). Radiocarbon Dating for Determination of Soil Organic Matter Pool Sizes and Dynamics. *Soil Science Society of America Journal*, 61(4), 1058. doi:10.2136/sssaj1997.03615995006100040011x
- NULL
- Pessenda, L. C. R., Valencia, E. P. E., Camargo, P. B., Telles, E. C. C., Martinelli, L. A., Cerri, C. C., ... Rozanski, K. (1996). Natural Radiocarbon Measurements in Brazilian Soils Developed on Basic Rocks. *Radiocarbon*, 38(2), 203–208. doi:10.1017/s0033822200017574

- Pessenda, L. C. R., Gouveia, S. E. M., & Aravena, R. (2001). Radiocarbon Dating of Total Soil Organic Matter and Humin Fraction and Its Comparison with ^{14}C Ages of Fossil Charcoal. *Radiocarbon*, 43(2B), 595–601. doi:10.1017/s0033822200041242
- Phillips, C. L., McFarlane, K. J., Risk, D., & Desai, A. R. (2013). Biological and physical influences on soil $<\sup>14</sup>\text{CO}<\sub>2</sub>$ seasonal dynamics in a temperate hardwood forest. *Biogeosciences*, 10(12), 7999–8012. doi:10.5194/bg-10-7999-2013
- Posada, J. M., & Schuur, E. A. G. (2011). Relationships among precipitation regime, nutrient availability, and carbon turnover in tropical rain forests. *Oecologia*, 165(3), 783–795. doi:10.1007/s00442-010-1881-0
- Quideau, S. A., Chadwick, O. A., Trumbore, S. E., Johnson-Maynard, J. L., Graham, R. C., & Anderson, M. A. (2001). Vegetation control on soil organic matter dynamics. *Organic Geochemistry*, 32(2), 247–252. doi:10.1016/s0146-6380(00)00171-6
- Rabbi, S. M. F., Hua, Q., Daniel, H., Lockwood, P. V., Wilson, B. R., & Young, I. M. (2013). Mean Residence Time of Soil Organic Carbon in Aggregates Under Contrasting Land Uses Based on Radiocarbon Measurements. *Radiocarbon*, 55(1), 127–139. doi:10.2458/azu_js_rc.v55i1.16179
- Rasmussen, C., Torn, M. S., & Southard, R. J. (2005). Mineral Assemblage and Aggregates Control Carbon Dynamics in a California Conifer Forest. *Soil Science Society of America Journal*, 69(6), 1711. doi:10.2136/sssaj2005.0040
- Rasmussen, C., & White, D. A. (2010). Vegetation Effects on Soil Organic Carbon Quality in an Arid Hyperthermic Ecosystem. *Soil Science*, 175(9), 438–446. doi:10.1097/ss.0b013e3181f38400
- Rasmussen, C., Throckmorton, H., Liles, G., Heckman, K., Meding, S., & Horwath, W. (2018). Controls on Soil Organic Carbon Partitioning and Stabilization in the California Sierra Nevada. *Soil Systems*, 2(3), 41. doi:10.3390/soilsystems2030041
- Resh, S. C., Binkley, D., & Parrotta, J. A. (2002). Greater Soil Carbon Sequestration under Nitrogen-fixing Trees Compared with Eucalyptus Species. *Ecosystems*, 5(3), 217–231. doi:10.1007/s10021-001-0067-3
- Rethemeyer, J., Kramer, C., Gleixner, G., John, B., Yamashita, T., Flessa, H., ... Grootes, P. M. (2005). Transformation of organic matter in agricultural soils: radiocarbon concentration versus soil depth. *Geoderma*, 128(1-2), 94–105. doi:10.1016/j.geoderma.2004.12.017
- Richter, D. D., Markewitz, D., Trumbore, S. E., & Wells, C. G. (1999). Rapid accumulation and turnover of soil carbon in a re-establishing forest. *Nature*, 400(6739), 56–58. doi:10.1038/21867
- Rogers, B. M., Veraverbeke, S., Azzari, G., Czimczik, C. I., Holden, S. R., Mouteva, G. O., ... Randerson, J. T. (2014). Quantifying fire-wide carbon emissions in interior Alaska using field measurements and Landsat imagery. *Journal of Geophysical Research: Biogeosciences*, 119(8), 1608–1629. doi:10.1002/2014jg002657

- Rumpel, C., Kögel-Knabner, I., & Bruhn, F. (2002). Vertical distribution, age, and chemical composition of organic carbon in two forest soils of different pedogenesis. *Organic Geochemistry*, 33(10), 1131–1142. doi:10.1016/s0146-6380(02)00088-8
- Rumpel, C., Chaplot, V., Chabbi, A., Largeau, C., & Valentini, C. (2008). Stabilisation of HF soluble and HCl resistant organic matter in sloping tropical soils under slash and burn agriculture. *Geoderma*, 145(3-4), 347–354. doi:10.1016/j.geoderma.2008.04.001
- Saiz, G., Bird, M., Wurster, C., Quesada, C. A., Ascough, P., Domingues, T., ... Lloyd, J. (2015). The influence of C₃ and C₄ vegetation on soil organic matter dynamics in contrasting semi-natural tropical ecosystems. *Biogeosciences*, 12(16), 5041–5059. doi:10.5194/bg-12-5041-2015
- Sanderman, J., Creamer, C., Baisden, W. T., Farrell, M., & Fallon, S. (2017). Greater soil carbon stocks and faster turnover rates with increasing agricultural productivity. *SOIL*, 3(1), 1–16. doi:10.5194/soil-3-1-2017
- Scharpenseel, H. W., & Pietig, F. (1973). University of Bonn Natural Radiocarbon Measurements V. *Radiocarbon*, 15(1), 13–41. doi:10.1017/s0033822200058586
- Schimel, J. P., Wetterstedt, J. Å. M., Holden, P. A., & Trumbore, S. E. (2011). Drying/rewetting cycles mobilize old C from deep soils from a California annual grassland. *Soil Biology and Biochemistry*, 43(5), 1101–1103. doi:10.1016/j.soilbio.2011.01.008
- Schöning, I., & Kögel-Knabner, I. (2006). Chemical composition of young and old carbon pools throughout Cambisol and Luvisol profiles under forests. *Soil Biology and Biochemistry*, 38(8), 2411–2424. doi:10.1016/j.soilbio.2006.03.005
- Schulze, K., Borken, W., Muhr, J., & Matzner, E. (2009). Stock, turnover time and accumulation of organic matter in bulk and density fractions of a Podzol soil. *European Journal of Soil Science*, 60(4), 567–577. doi:10.1111/j.1365-2389.2009.01134.x
- Schulze, K., Borken, W., & Matzner, E. (2010). Dynamics of dissolved organic 14C in throughfall and soil solution of a Norway spruce forest. *Biogeochemistry*, 106(3), 461–473. doi:10.1007/s10533-010-9526-2
- NULL
- Schuur, E. A. G., & Trumbore, S. E. (2006). Partitioning sources of soil respiration in boreal black spruce forest using radiocarbon. *Global Change Biology*, 12(2), 165–176. doi:10.1111/j.1365-2486.2005.01066.x
- Schwartz, D., de Foresta, H., Mariotti, A., Balesdent, J., Massimba, J. P., & Girardin, C. (1996). Present dynamics of the savanna-forest boundary in the Congolese Mayombe: a pedological, botanical and isotopic (13C and 14C) study. *Oecologia*, 106(4), 516–524. doi:10.1007/bf00329710
- Shaw, D., Franklin, J., Bible, K., Klopatek, J., Freeman, E., Greene, S., & Parker, G. (2004). Ecological Setting of the Wind River Old-growth Forest. *Ecosystems*, 7(5). doi:10.1007/s10021-004-0135-6

- Shen, C., Yi, W., Sun, Y., Xing, C., Yang, Y., Yuan, C., ... Liu, T. (2001). Distribution of ^{14}C and ^{13}C in Forest Soils of the Dinghushan Biosphere Reserve. *Radiocarbon*, 43(2B), 671–678. doi:10.1017/s0033822200041321
- Sierra, C. A., Trumbore, S. E., Davidson, E. A., Frey, S. D., Savage, K. E., & Hopkins, F. M. (2012). Predicting decadal trends and transient responses of radiocarbon storage and fluxes in a temperate forest soil. *Biogeosciences*, 9(8), 3013–3028. doi:10.5194/bg-9-3013-2012
- Sollins, P., Swanston, C., Kleber, M., Filley, T., Kramer, M., Crow, S., ... Bowden, R. (2006). Organic C and N stabilization in a forest soil: Evidence from sequential density fractionation. *Soil Biology and Biochemistry*, 38(11), 3313–3324. doi:10.1016/j.soilbio.2006.04.014
- Sollins, P., Kramer, M. G., Swanston, C., Lajtha, K., Filley, T., Aufdenkampe, A. K., ... Bowden, R. D. (2009). Sequential density fractionation across soils of contrasting mineralogy: evidence for both microbial- and mineral-controlled soil organic matter stabilization. *Biogeochemistry*, 96(1-3), 209–231. doi:10.1007/s10533-009-9359-z
- Stephan, S., Berrier, J., De Petre, A. A., Jeanson, C., Kooistra, M. J., Scharpenseel, H. W., & Schiffmann, H. (1983). Characterization of in situ organic matter constituents in vertisols from Argentina, using submicroscopic and cytochemical methods — first report. *Geoderma*, 30(1-4), 21–34. doi:10.1016/0016-7061(83)90054-x
- Stout, J. D., & Goh, K. M. (1980). The Use of Radiocarbon to Measure the Effects of Earthworms On Soil Development. *Radiocarbon*, 22(3), 892–896. doi:10.1017/s0033822200010298
- Swanston, C. W., Torn, M. S., Hanson, P. J., Sounthor, J. R., Garten, C. T., Hanlon, E. M., & Ganio, L. (2005). Initial characterization of processes of soil carbon stabilization using forest stand-level radiocarbon enrichment. *Geoderma*, 128(1-2), 52–62. doi:10.1016/j.geoderma.2004.12.015
- Szymanski, L. M., Sanford, G. R., Heckman, K. A., Jackson, R. D., & Marín-Spiotta, E. (2019). Conversion to bioenergy crops alters the amount and age of microbially-respired soil carbon. *Soil Biology and Biochemistry*, 128, 35–44. doi:10.1016/j.soilbio.2018.08.025
- Tan, W., Zhou, L., & Liu, K. (2013). Soil aggregate fraction-based ^{14}C analysis and its application in the study of soil organic carbon turnover under forests of different ages. *Chinese Science Bulletin*, 58(16), 1936–1947. doi:10.1007/s11434-012-5660-7
- Taylor, A. J., Lai, C.-T., Hopkins, F. M., Wharton, S., Bible, K., Xu, X., ... Ehleringer, J. R. (2015). Radiocarbon-Based Partitioning of Soil Respiration in an Old-Growth Coniferous Forest. *Ecosystems*, 18(3), 459–470. doi:10.1007/s10021-014-9839-4
- Tefs, C., & Gleixner, G. (2012). Importance of root derived carbon for soil organic matter storage in a temperate old-growth beech forest – Evidence from C, N and ^{14}C content. *Forest Ecology and Management*, 263, 131–137. doi:10.1016/j.foreco.2011.09.010

- Tegen, I., & Dörr, H. (1996). *14C Measurements of Soil Organic Matter, Soil CO₂ and Dissolved Organic Carbon (1987–1992)*. Radiocarbon, 38(2), 247–251. doi:10.1017/s0033822200017628
- Martinelli, I. A., Pessenda, L. C. R., Espinoza, E., Camargo, P. B., Telles, F. C., Cerri, C. C., ... Trumbore, S. (1996). Carbon-13 variation with depth in soils of Brazil and climate change during the Quaternary. *Oecologia*, 106(3), 376–381. doi:10.1007/bf00334565
- Tifafi, M., Camino-Serrano, M., Hatté, C., Morras, H., Moretti, L., Barbaro, S., ... Guenet, B. (2018). The use of radiocarbon ¹⁴C to constrain carbon dynamics in the soil module of the land surface model ORCHIDEE (SVN r5165). *Geoscientific Model Development*, 11(12), 4711–4726. doi:10.5194/gmd-11-4711-2018
- Tonneijck, F. H., van der Plicht, J., Jansen, B., Verstraten, J. M., & Hooghiemstra, H. (2006). Radiocarbon Dating of Soil Organic Matter Fractions in Andosols in Northern Ecuador. *Radiocarbon*, 48(3), 337–353. doi:10.1017/s0033822200038790
- Torn, M. S., Trumbore, S. E., Chadwick, O. A., Vitousek, P. M., & Hendricks, D. M. (1997). Mineral control of soil organic carbon storage and turnover. *Nature*, 389(6647), 170–173. doi:10.1038/38260
- Torn, M. S., Lapen, A. G., Timofeev, A., Fischer, M. L., Babikov, B. V., & Harden, J. W. (2002). Organic carbon and carbon isotopes in modern and 100-year-old-soil archives of the Russian steppe. *Global Change Biology*, 8(10), 941–953. doi:10.1046/j.1365-2486.2002.00477.x
- Torn, M. S., Vitousek, P. M., & Trumbore, S. E. (2005). The Influence of Nutrient Availability on Soil Organic Matter Turnover Estimated by Incubations and Radiocarbon Modeling. *Ecosystems*, 8(4), 352–372. doi:10.1007/s10021-004-0259-8
- Trumbore, S. E. (1993). Comparison of carbon dynamics in tropical and temperate soils using radiocarbon measurements. *Global Biogeochemical Cycles*, 7(2), 275–290. doi:10.1029/93gb00468
- Trumbore, S. E., Davidson, E. A., Barbosa de Camargo, P., Nepstad, D. C., & Martinelli, L. A. (1995). Belowground cycling of carbon in forests and pastures of eastern Amazonia. *Global Biogeochemical Cycles*, 9(4), 515–528. doi:10.1029/95gb02148
- De Camargo, P. B., Trumbore, S. E., Martinelli, L. A., Davidson, E. A., Nepstad, D. C., & Victoria, R. L. (1999). Soil carbon dynamics in regrowing forest of eastern Amazonia. *Global Change Biology*, 5(6), 693–702. doi:10.1046/j.1365-2486.1999.00259.x
- TELLES, E. D. C., DE CAMARGO, P. B., MARTINELLI, L. A., TRUMBORE, S. E., DA COSTA, E. S., SANTOS, J., ... MARKEWITZ, D. (2011). LBA-ECO CD-08 Carbon Isotopes in Belowground Carbon Pools, Amazonas and Para, Brazil. ORNL Distributed Active Archive Center. <https://doi.org/10.3334/ornldaac/1025>
- Trumbore, S. E., Chadwick, O. A., & Amundson, R. (1996). Rapid Exchange Between Soil Carbon and Atmospheric Carbon Dioxide Driven by Temperature Change. *Science*, 272(5260), 393–396. doi:10.1126/science.272.5260.393

- Koarashi, J., Hockaday, W. C., Masiello, C. A., & Trumbore, S. E. (2012). Dynamics of decadally cycling carbon in subsurface soils. *Journal of Geophysical Research: Biogeosciences*, 117(G3), n/a–n/a. doi:10.1029/2012jg002034
- Marzaioli, F., Lubritto, C., Galdo, I. D., D'Onofrio, A., Cotrufo, M. F., & Terrasi, F. (2010). Comparison of different soil organic matter fractionation methodologies: Evidences from ultrasensitive ^{14}C measurements. *Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms*, 268(7-8), 1062–1066. doi:10.1016/j.nimb.2009.10.098
- Trumbore, S. E., & Harden, J. W. (1997). Accumulation and turnover of carbon in organic and mineral soils of the BOREAS northern study area. *Journal of Geophysical Research: Atmospheres*, 102(D24), 28817–28830. doi:10.1029/97jd02231
- Trumbore, S. E., Bubier, J. L., Harden, J. W., & Crill, P. M. (1999). Carbon cycling in boreal wetlands: A comparison of three approaches. *Journal of Geophysical Research: Atmospheres*, 104(D22), 27673–27682. doi:10.1029/1999jd900433
- Van Dam, D., van Breemen, N., & Veldkamp, E. (1997). *Biogeochemistry*, 39(3), 343–375. doi:10.1023/a:1005880031579
- Van der Voort, T. S., Hagedorn, F., McIntyre, C., Zell, C., Walther, L., Schleppi, P., ... Eglinton, T. I. (2016). Variability in $<\sup>14</sup>\text{C}$ contents of soil organic matter at the plot and regional scale across climatic and geologic gradients. *Biogeosciences*, 13(11), 3427–3439. doi:10.5194/bg-13-3427-2016
- Van Mourik, J. M., Nierop, K. G. J., & Vandenberghe, D. A. G. (2010). Radiocarbon and optically stimulated luminescence dating based chronology of a polycyclic driftsand sequence at Weerterbergen (SE Netherlands). *CATENA*, 80(3), 170–181. doi:10.1016/j.catena.2009.11.004
- Vaughn, L., Torn, M., Porras, R., Curtis, B., & Chafe, O. (2018). *Radiocarbon in Ecosystem Respiration and Soil Pore-Space CO₂ with Surface Gas Flux, Air Temperature, and Soil Temperature and Moisture, Barrow, Alaska, 2012-2014 [Data set]*. Next Generation Ecosystems Experiment - Arctic, Oak Ridge National Laboratory (ORNL), Oak Ridge, TN (US); <https://doi.org/10.5440/1364062>
- Wagai, R., Kajiura, M., Asano, M., & Hiradate, S. (2015). Nature of soil organo-mineral assemblage examined by sequential density fractionation with and without sonication: Is allophanic soil different? *Geoderma*, 241-242, 295–305. doi:10.1016/j.geoderma.2014.11.028
- Waldrop, M. P., Harden, J. W., Turetsky, M. R., Petersen, D. G., McGuire, A. D., Briones, M. J. I., ... Pruett, L. E. (2012). Bacterial and enchytraeid abundance accelerate soil carbon turnover along a lowland vegetation gradient in interior Alaska. *Soil Biology and Biochemistry*, 50, 188–198. doi:10.1016/j.soilbio.2012.02.032
- Wang, Y., Amundson, R., & Trumbore, S. (1996). Radiocarbon Dating of Soil Organic Matter. *Quaternary Research*, 45(3), 282–288. doi:10.1006/qres.1996.0029

- Wang, Y., Amundson, R., & Trumbore, S. (1999). The impact of land use change on C turnover in soils. *Global Biogeochemical Cycles*, 13(1), 47–57. doi:10.1029/1998gb900005
- Wang, Y., Amundson, R., & Niu, X.-F. (2000). Seasonal and altitudinal variation in decomposition of soil organic matter inferred from radiocarbon measurements of soil CO₂flux. *Global Biogeochemical Cycles*, 14(1), 199–211. doi:10.1029/1999gb900074
- WANG, L., OUYANG, H., ZHOU, C.-P., ZHANG, F., SONG, M.-H., & TIAN, Y.-Q. (2005). Soil Organic Matter Dynamics Along a Vertical Vegetation Gradient in the Gongga Mountain on the Tibetan Plateau. *Journal of Integrative Plant Biology*, 47(4), 411–420. doi:10.1111/j.1744-7909.2005.00085.x
- Wunderlich, S., & Borken, W. (2012). Partitioning of soil CO₂ efflux in un-manipulated and experimentally flooded plots of a temperate fen. *Biogeosciences*, 9(8), 3477–3489. doi:10.5194/bg-9-3477-2012