

Chapter 10

JETDLAG Publications 1989–1995

1989

Baldacchini, G., G. Buffa, O. Tarrini; Diode laser application for measurements of foreign-gas broadening of ν_2 band in NH_3 , in: R. Grisar, G. Schmidtke, M. Tacke, G. Restelli (eds), *Monitoring of Gaseous Pollutants by Tunable Diode Lasers*, Kluwer Academic Publ., Dordrecht 1989, pp. 240-245.

Baldacchini, G., A. Bellatreccia, L. Nencini; Applicazioni e prospettive della spettroscopia molecolare con diodi laser accordabili, *Report ENEA RT/TIB/89/29*, 1989.

Baldacchini, G., A. Bizzarri, L. Nencini, G. Buffa, O. Tarrini; New measurements of self broadening and shift of ammonia lines, *J. Quantitative Spectros. Radiative Transfer* **42** (1989) 423-428.

Bicanic, D., F. Harren, E. Woltering, J. Reuss; Trace detection in agriculture and biology, in: P. Hess (ed), *Photoacoustic Photothermal and Photochemical Processes in Gases*, *Topics Curr. Phys.* **46**, Chapter VII, Springer Verlag, Berlin 1989, p. 213.

Bicanic, D., H. Jalink, H. Sauren, F. Harren, J. Reuss, B. Zuidberg, E. Woltering; Photoacoustic investigation of pesticides in: R. Grisar, G. Schmidtke, M. Tacke, G. Restelli (eds), *Monitoring of Gaseous Pollutants by Tunable Diode Lasers*, Kluwer Academic Publ., Dordrecht, 1989, pp. 280-288.

Bicanic, D., H. Jalink, H. Sauren, K. van Asselt, A. Miklos, F. Harren, J. Reuss, B. Zuidberg; Recent developments in photoacoustic sensing of the atmospheric pollution by infrared lasers, in: L. Braser, W. Mulders (eds), *Man and His Ecosystem*, Volume 3, Elsevier Sci. Publ., Amsterdam 1989, pp. 676.

Buffa, G., O. Tarrini; Ammonia spectrum as a test for two different pressure shift theories *Appl. Opt.* **28** (1989) 1800.

Harris, G.W., J.P. Burrows, D. Klemp, T. Zenker; Measurements of trace species in the remote maritime boundary layer using TDLAS in: R. Grisar, G. Schmidtke, M. Tacke, G. Restelli (eds), *Monitoring of Gaseous Pollutants by Tunable Diode Lasers*, Kluwer Academic Publ., Dordrecht 1989, pp. 68-74.

Haurie, Y., C. Pagny, F. Cappellani, and G. Restelli; Formulae, algorithms, procedures, and program for application of infrared spectroscopic measurements, *Eur-Report 12527 EN*, CEC, Brussels 1989.

Hjorth, J., F. Cappellani, C.J. Nielsen, and G. Restelli; Determination of the $\text{NO}_3 + \text{NO}_2 \rightarrow \text{NO} + \text{O}_2 + \text{NO}_2$ rate constant by infrared diode laser and Fourier transform spectroscopy, *J. Phys. Chem.* **93** (1989) 5458.

Jalink, H., D. Bicanic; The concept, design and the use of the photoacoustic heat-pipe cell, *Appl. Phys. Lett.* **35** (1989) 1507.

Jalink, H., D. Bicanic; A novel wide temperature range photoacoustic cell for molecules in the vapour phase, in: R. Grisar, G. Schmidtke, M. Tacke, G. Restelli (eds), *Monitoring of Gaseous Pollutants by Tunable Diode Lasers*, Kluwer Academic Publ., Dordrecht 1989, pp. 274-279.

Sauren, H., D. Bicanic, H. Jalink, J. Reuss; High sensitivity, interference free Stark tuned carbon dioxide laser photoacoustic sensing of urban ammonia, *J. Appl. Phys.* **66** (1989) 5087.

Sauren, H., L. van Hove, D. Bicanic, H. Tonk, H. Jalink, J. Quist; On the absorption properties of ammonia to various surfaces, in: R. Grisar, G. Schmidtke, M. Tacke, G. Restelli (eds), *Monitoring of Gaseous Pollutants by Tunable Diode Lasers*, Kluwer Academic Publ., Dordrecht 1989, pp. 196-200.

Van Roozendael, M., M. Herman; Optoacoustic experiments in the gas phase, *Opt. Commun.* **72** (1989) 71-75.

Van Roozendael, M., M. Herman; Mechanism of the response of the $N_2O_4 = 2 NO_2$ chemical equilibrium to an optical perturbation, *Chem. Phys.* **139** (1989) 391-400.

Werle, P., F. Slemr; Entwicklung eines frequenz-modulierten, quantenbegrenzten Absorption-spektrometers mit Bleisalz-Dioden-Laser zur Messung atmosphärischer Spurengase, *Abschlußbericht zum BMFT-Vorhaben* Nr. 07431095, April 1989.

Werle, P., F. Slemr, M. Gehrtz, C. Bräuchle; Quantenbegrenzte FM-Spektroskopie mit Bleisalz Diodenlasern, in: *Verhandlungen der Deutschen Physikalischen Gesellschaft*, Essen 1989, p. 50.

Werle, P., F. Slemr, M. Gehrtz, C. Bräuchle; Wide-band noise characteristics of a lead salt diode laser: possibility of quantum limited TDLAS performance, *Appl. Opt.* **28** (1989) 1638.

Werle, P., F. Slemr, M. Gehrtz, C. Bräuchle; Quantum limited FM-spectroscopy with a lead salt diode laser, *Appl. Phys. B* **49** (1989) 99.

1990

Baldacchini, G., A. Bizzari, L. Nencini, V. Sorge, G. Buffa, O. Tarrini; Pressure broadening and shift of ammonia transition lines in the ν_2 vibrational bands, *J. Quant. Spectrosc. Radiat. Transfer* **43** (1990) 371-380.

Baldacchini, G., J. Baltussen; Linefit, a digital acquisition and fitting program for molecular spectroscopy with tunable diode lasers, *Report ENEA RT/TIB/90.47*, 1990.

Baldacchini, G., J. Baltussen, A. Bellatreccia, P. Cardoni, I. Cenciarelli, F. D'Amato; Realizzazione di una cella per misure di spettroscopia molecolare a temperatura variabile, *Report ENEA RT/INN/90.52*, 1990.

Bicanic, D., H. Jalink, B. van Veldhuyzen; The compact resonant heat-pipe photoacoustic cell used for high temperature studies and as a gas chromatographic detector, *Measurement Sci. Technol.* **1** (1990) 247-249.

Fischer, H.; Dynamische Eigenschaften von Bleisalz-Diodenlasern, *IPM-Research Report* No. 21, 1990.

Fusina, L., G. Baldacchini; The spectroscopic parameters of the $\nu_2 = 2$ state for $^{14}\text{NH}_3$ and $^{15}\text{NH}_3$, *J. Mol. Spectrosc.* **141** (1990) 23-28.

Guilmot, J.M., M. Carleer, M. Godefroid, M. Herman; The ν_1 fundamental band of *trans*- HNO_2 , *J. Mol. Spectrosc.* **143** (1990) 81-90.

Harren, F., J. Reuss, E. Woltering, D. Bicanic; Laser photoacoustic investigation of gases of agricultural interest, *Appl. Spectrosc.* **44** (1990) 1360-1368.

Harris, G.W., D. Klemp, T. Zenker, J.P. Burrows, B. Mattieu, P. Jacob; Polarstern 1988: Measurements of trace gases using tunable diode lasers and intercomparisons with other methods, in: G. Restelli, G. Angeletti (eds), *Proc. 5th Europ. Sympos. on Physico-chemical Behaviour of Atmospheric Pollutants*, Kluwer Academic Publ., Dordrecht 1990, pp. 644-650.

Jalink, H., D. Bicanic; Resonant photoacoustic heat-pipe for spectral investigation of low volatility liquids and solids, in: J. Murphy, L. Aamodt, B. Royce (eds), *Photoacoustic and Photothermal Phenomena II*, Springer Series in Optical Sciences **62**, Springer Verlag, Berlin 1990, pp. 530-532.

Kleiner, I., M. Godefroid, M. Herman, A.R.W. Mc Kellar; The fundamental torsion band in acetaldehyde, *J. Mol. Spectrosc.* **142** (1990) 238-253.

Schlereth, K.-H., H. Böttner, M. Tacke; "Mushroom" double channel double-heterostructure lead chalcogenide lasers made by chemical etching, *Appl. Phys. Lett.* **56** (1990) 2169-2171.

Van Roozendael, M., M. Herman; Optoacoustic study of the $\text{N}_2\text{O}_4 = 2 \text{NO}_2$ chemical equilibrium, *Chem. Phys. Lett.* **166** (1990) 233-239.

1991

Angeli, G., A. Miklos, A. Solyom, A. Lorincz, A. Thony, M. Sigrist; Automatic frequency tracking system for resonant photoacoustic cell, *Rev. Sci. Instrum.* **62** (1991) 810-813.

Baldacchini, G., A. Bellatreccia, P.K. Chacaborti, F. D'Amato, E. Righi; Rivelazione di tracce di metano nell'atmosfera per scopi medici, *Report ENEA RT/INN/91.18*, 1991.

Baldacchini, G., F. D'Amato, E. Righi, F. Cappellani, G. Restelli; Applicazioni di spettroscopia molecolare in fase gassosa con diodi laser accordabili nell'infrarosso, *Il Nuovo Saggiatore* **7** (1991) 5-16.

Baldacchini, G., G. Buffa, O Tarrini.; A review of experiments and theory for collisional line shape effects in the rotovibrational ammonia spectrum, *Il Nuovo Cimento* **13D** (1991) 719-733.

Bicanic, D., H. Sauren, H. Jalink, M. Chirtoc, A. Miklós, K. van Asselt; Progress towards the development and application of laser based photothermal devices for environmental analysis, in: P. Borrell, P.M. Borrell, W. Seiler (eds.), *Proc. EUROTRAC Symp. '90*, SPB Academic Publishing bv, The Hague 1991, pp. 347-350.

Bone, S.A., P.B. Davies, S.A. Johnson, N.A. Martin; Diode laser spectroscopy with optoacoustic detection, in: P. Borrell, P.M. Borrell, W. Seiler (eds.), *Proc. EUROTRAC Symp. '90*, SPB Academic Publishing bv, The Hague 1991, pp. 351-354.

Bone, S.A., P.B. Davies, S.A. Johnson, N.A. Martin; Diode laser spectroscopy with optoacoustic detection, in: P. Borrell, P.M. Borrell, W. Seiler (eds.), *Proc. EUROTRAC Symp. '90*, SPB Academic Publishing bv, The Hague 1991, pp. 351-354.

Chirtoc, M., D. Bicanic, V. Tosa; Versatile IPPE method and instrument for real time observation of water vapour condensation in the atmosphere, *Rev. Sci. Instrum.* **62** (1991) 2257-2261.

Fischer, H., H. Wolf, B. Halford, M. Tacke; Low-frequency amplitude-noise characteristics of lead-salt diode lasers fabricated by molecular-beam-epitaxy, *Infrared Phys.* **31** (1991) 381-385.

Fischer, H., M. Tacke; High-frequency intensity noise of lead-salt diode lasers, *J. Opt. Soc. Amer.* **88** (1991) 1824-1830.

Herman, M., T.R. Huet, Y. Kabbadj, J. Vander Auwera; *l*-type resonance in C₂H₂, *Mol. Phys.* **72** (1991) 75-88.

Herman, M., Y. Kabbadj, M. Carleer, J. Vander Auwera, J.M. Guilmot, T. Huet, A. Vandaele, F. Vanhorenbeke; High resolution IR-spectroscopy, in: P. Borrell, P.M. Borrell, W. Seiler (eds.), *Proc. EUROTRAC Symp. '90*, SPB Academic Publishing bv, The Hague 1991, p. 355.

Huet, T.R., M. Herman, J.W.C. Johns; The bending vibrational levels in C₂D₂, *J. Chem. Phys.* **94** (1991) 3407-3414.

Josek, K., P. Werle, F. Slemr, C. Bräuchle; Stabilitätsuntersuchungen an Frequenzmodulierten Diodenlaser-Spektrometern, in: *Verhandlungen der Deutschen Physikalischen Gesellschaft*, Freiburg 1991, p. 850.

Kabbadj, Y., M. Herman, L. Fusina, G. Di Lonardo, J.W.C. Johns; The bending vibrations in C₂H₂, *J. Mol. Spectrosc.* **150** (1991) 535-565.

Klann, R., R. Buhleier, Th. Elsaesser, A. Lambrecht; Picosecond optical nonlinearities in lead chalcogenide semiconductors, *Appl. Phys. Lett.* **59** (1991) 885.

Kleiner, I., J.M. Guilmot, M. Carleer, M. Herman; The ν_4 fundamental bands of *trans*- and *cis*-HNO₂, *J. Mol. Spectrosc.* **149** (1991) 391-397.

Lambrecht, A., Herres, N., Spanger, B., Kuhn, S., Böttner, H., Evers, J., Tacke, M.; Molecular beam epitaxy of Pb_{1-x}Sr_xSe for the use in IR-devices, *J. Cryst. Growth* **108** (1991) 301-308.

Miklos, A., H. Sauren, D. Bicanic; An experimental methodology for characterizing the responsivity of the photoacoustic cell for gases at reduced pressure by means of the vibrating strip as the calibrating sound source, *Measurement Sci. Technol.* **2** (1991) 957-962.

Mücke, R., P. Werle, F. Slemr; Entwicklung eines flugzeuggetragenen Dioden-Laser-Absorptionsspektrometers für schnelle Messung von zwei Spurengasen im unteren ppbv- und oberen pptv-Bereich, *Abschlußbericht des Vorhabens 07EU702*, Garmisch-Partenkirchen, 1991.

Mücke, R., P. Werle, F. Slemr and W. Prettl, "Comparison of time and frequency multiplexing techniques in multicomponent FM spectroscopy, *Proc. SPIE* **1433** (1991) 136-144.

Mücke, R., P. Werle, F. Slemr, W. Prettl; Mehrkomponenten-Diodenlaser-Spektrometer für die Spurengasanalytik: Vergleich von Zeit- und Frequenzmultiplex-Techniken, in: *Verhandlungen der Deutschen Physikalischen Gesellschaft*, Freiburg 1991, p. 851.

Notholt, J., F.Cappellani, H. Roesdahl, G. Restelli; Spectral Data of Formic Acid: Absolute Band Intensities and Air Broadening Coefficient, in: P. Borrell, P.M. Borrell, W. Seiler (eds.), *Proc. EUROTRAC Symp. '90*, SPB Academic Publishing bv, The Hague 1991, pp. 357-359.

Riedel, W.J.; Optics for tunable diode lasers, *Proc. SPIE Measurement of Atmospheric Gases*, **1422** (1991) 179-189.

Sauren, H., D. Bicanic, K. van Asselt; Photoacoustic detection of ammonia at the sum and difference sidebands of the modulating laser and Stark electric fields, *Infrared Phys.* **31** (1991) 475-484.

Sauren, H., T. Regts, K. van Asselt, D Bicanic.; Simplifying laser photoacoustic trace detection of ammonia by effective suppression of water vapour and of carbon dioxide as the major absorbing atmospheric constituents, *Environ. Technol.* **12** (1991) 719-724.

Schlereth, K.H., H. Böttner, A. Lambrecht, U. Schießl, R. Grisar, M. Tacke; Buried waveguide and mesa-DH-PbEuSe-lasers grown by MBE, in: P. Borrell, P.M. Borrell, W. Seiler (eds.), *Proc. EUROTRAC Symp. '90*, SPB Academic Publishing bv, The Hague 1991, pp. 361-363.

Slemr, F.; Report on JETDLAG, in: P. Borrell, P.M. Borrell, W. Seiler (eds.), *Proc. EUROTRAC Symp. '90*, SPB Academic Publishing bv, The Hague 1991, p. 345.

Springholz, G., A. Holzinger, H. Clemens, G. Bauer, H. Böttner, M. Maier, P. Norton; Eu-interdiffusion in $\text{Pb}_{1-x}\text{Eu}_x\text{Se/PbSe}$ multiquantum well structures, *J. Cryst. Growth* **113** (1991) 593-598.

Stocker, W., S.N. Magonov, H.-J. Cantow, H. Böttner, S. Schelb, M. Meihofner, M. Tacke; Scanning tunneling microscopy of lead selenide monocrystals and epitaxial layers on barium fluoride, *Fresenius J. Anal. Chem.* **341** (1991) 184-188.

Strauss, E., J.P. Favier, D. Bicanic, C. van Asselt, M. Lubbers; Sensitive colorimetric analysis of ammonium ion in water by laser photothermal detection, *The Analyst*, **116** (1991) 75-78.

Vander Auwera, J., J.W.C. Johns, O.L. Polyansky; The far infrared spectrum of C_3O_2 , *J. Chem. Phys.* **95** (1991) 2299-2316.

Werle, P., F. Slemr; High frequency modulation spectroscopy, in: P. Borrell, P.M. Borrell, W. Seiler (eds.), *Proc. EUROTRAC Symp. '90*, SPB Academic Publishing bv, The Hague 1991, p. 365.

Werle, P., F. Slemr; Signal-to-noise ratio analysis in laser absorption spectroscopy using optical multipass cells, *Appl. Opt.* **30** (1991) 430-434.

Werle, P., K. Josek and F. Slemr; Application of FM spectroscopy in atmospheric trace gas monitoring: A study of some factors influencing the instrument design, *Proc. SPIE* **1433** (1991) 128-135.

1992

Baev, V.M.; Dynamik von Vielmoden-Lasern, in: *Verhandlungen der Deutschen Physikalischen Gesellschaft*, Hannover 1992, p. 1394.

Baev, V.M., J. Eschner, M. Paeth, R. Schüler, P.E. Toschek; Intracavity spectroscopy with diode lasers, *Appl. Phys. B* **55** (1992) 463-477.

Baev, V.M., J.H. Eschner, J. Sierks, A. Weiler, P.E. Toschek; Dynamics of multi-mode dye lasers, in: *Proc. XVIII Int. Quantum Electronics Conference (IQEC '92)*, Vienna 1992, WeA1.

Baev, V.M., P.E. Toschek; Sensitivity limits of intracavity laser spectroscopy, in: *Proc. Int. Symp. on Environmental Sensing*, Berlin 1992, p. 31 (paper 1715-74).

Baldacchini, G., J. Baltussen; Pressure broadening and line shifts in the spectrum of ammonia, *EUROTRAC Newslett.* **9** (1992) 23-25.

Baldacchini, G., P.K. Chakraborti, F. D'Amato; Infrared diode laser absorption features of N₂O and CO₂ in a laval nozzle, *Appl. Phys. B* **55** (1992) 92-101.

Baldacchini, G., P.K. Chakraborti, F. D'Amato; Lineshape in a laval molecular beam and pressure broadening of N₂O transition lines, *Report ENEA RT/INN/91/56*, 1992.

Bicanic, D., H. Jalink, M. Chirtoc, H. Sauren, M. Lubbers, J. Quist, E. Gerkema, K. van Asselt, A. Miklos, A. Solyom, G. Angeli, P. Helander, H. Vargas; Interfacing photoacoustic and photothermal techniques for new hyphenated methodologies and instrumentation suitable for agricultural, biological, and medical applications, in: D. Bicanic (ed), *Photoacoustic and Photothermal Phenomena III, Springer Series in Optical Sciences* **69** (1992) 20-28.

Bicanic, D., M. Franco, H. Sauren; The electric resonance tuning and intermodulation for selective and sensitive studies of small polar molecules, in: *Proc. SPIE Euroopto Int. Symp. on Environmental Monitoring*, Berlin 1992.

Bicanic, D., A. Miklos, H. Sauren; Laser photoacoustic and thermo-optical sensing of the atmosphere: From the laboratory tool towards a field instrument, *EUROTRAC Newsletter*, **9** (1992) 8-13.

Bicanic, D., P. Torfs, M. Lubbers, A. Tam; Horticultural sensing by photoacoustics and thermal lensing, *Acta Horticulturae* **304** (1992) 28-42.

Eschner, J.H., R. Böhm, V.M. Baev, P.E. Toschek; Intra-cavity spectroscopy with diode lasers, in: *Proc. XVIII Int. Quantum Electronics Conference (IQEC '92)*, Vienna 1992, FrO2.

Grisar, R., J. Anders, M. Knothe, W.J. Riedel; Application of infrared fibers in diode laser trace gas analysis, in: *Proc. Conf. Infrared Fiber Optics III*, Boston 1992, SPIE vol. 1591, pp. 201-205.

Harris, G.W., D. Klemp, T. Zenker, J.P. Burrows, B. Mattieu; Measurements of trace gases using tunable diode lasers during the 1988 Polarstern cruise and intercomparisons with other methods, *J. Atmos. Chem.* **15** (1992) 315-326.

Harris, G.W., D. Klemp, T. Zenker; An upper limit on the HCl near-surface mixing ratio at 28° N, 30° W measured using TDLAS, *J. Atmos. Chem.* **15** (1992) 327-332.

Hasan, K.H., J.M. Hollas, F. Vanhorenbeke, M. Herman; Hybrid character of the 0-0 band of the S_1-S_0 absorption spectrum of 1,2,4-trifluorobenzene by rotational band contour analysis, *J. Mol. Spectrosc.* **151** (1992) 522-528.

Herman, M.; Chemistry at the microscopic level with high resolution FTIR, in: E.F. Vansant (ed), *Proc. Second Int. Workshop on FTIR*, Antwerp 1992, pp. 83-100.

Herman, M., J. Vander Auwera; Spectroscopic analysis of the atmosphere, *Chimie Nouvelle* **10** (1992) 1139-1145.

Herrmann, K.H., K.-P. Möllmann, J.W. Tomm, H. Böttner, A. Lambrecht, M. Tacke; Some band structure related optical and photoelectrical properties of $Pb_{1-x}Eu_xSe$ ($0 < x < 0.2$), *J. Appl. Phys.* **72** (1992) 1399.

Holland, J.K., M. Carleer, R. Pétrisse, M. Herman; Supersonic molecular jet Fourier transform interferometry applied to nitric oxides, *Chem. Phys. Lett.* **194** (1992) 175-180.

Josek, K., P. Werle, F. Slemr, C. Bräuchle; Untersuchungen zur Empfindlichkeitssteigerung an Frequenzmodulierten Diodenlaser-Spektrometern (FM-TDLAS), in: *Verhandlungen der Deutschen Physikalischen Gesellschaft*, Hannover 1992, p. 1409.

Mélen, F., F. Pokorni, M. Herman; Vibrational band analysis of N_2O_4 , *Chem. Phys. Lett.* **194** (1992) 181-186.

Mélen, F., M. Herman; Vibrational bands of $H_xN_yO_z$ molecules, *J. Phys. Chem. Ref. Data* **21** (1992) 831-881.

Mélen, F., M. Herman; Fourier transform jet spectrum of the m_0 band of N_2O_4 , *Chem. Phys. Lett.* **199** (1992) 124-130.

Mürtz, M., M. Schaefer, M. Schneider, J.S. Wells, W. Urban, U. Schiebl, M. Tacke; Stabilization of 3.3 and 5.1 μm lead-salt diode lasers by optical feedback, *Opt. Commun.* **94** (1992) 551.

Sauren, H., D. Bicanic; Novel characterization techniques for agricultural and environmental applications: Photoacoustic detection of ammonia in a simulated atmosphere of varying water content, *Anal. Instrum.* **20** (1992) 63-79.

Seemann, J., R. Böhm, J.H. Eschner, V.M. Baev, P.E. Toschek; Halbleiterdioden-Ringlaser, in: *Verhandlungen der Deutschen Physikalischen Gesellschaft*, Hannover 1992, p. 1407.

Solyom, A., G. Angeli, A. Miklos, D. Bicanic; Calibration of a windowless photoacoustic cell for detection of trace gases, *Anal. Chem.* **64** (1992) 155-158.

Solyom, A., G. Angeli, D. Bicanic, M. Lubbers; Determination of ammonia - CO_2 photoacoustic spectroscopy compared to conventional spectrophotometry, *The Analyst* **117** (1992) 379-382.

Werle, P., R. Mücke, F. Slemr; Development of a prototype IR-FM absorption spectrometer: design criteria and system performance, in: R. Grisar et al. (eds), *Monitoring of Gaseous Pollutants by Tunable Diode Lasers*, Kluwer Academic Publ., Dordrecht 1992, pp. 169-182.

Wietzorrek, J., P. Werle, R. Mücke, F. Slemr, C. Bräuchle; Untersuchung der Moden- und Strahlstruktur von Bleisalz-Laserdioden, in: *Verhandlungen der Deutschen Physikalischen Gesellschaft*, Hannover 1992, p. 1408.

1993

Baldacchini, G., A. Bellatreccia, F. D'Amato; Assorbimento di Ammoniaca in Celle per Spettroscopia Molecolare, *Report ENEA RT/INN/93/07*, 1993.

Baldacchini, G., P.K. Chakraborti, F. D'Amato; On the spectral linewidth and lineshape of ammonia in free jets, *Report ENEA RT/INN/92/47*, 1993.

Baldacchini, G., P.K. Chakraborti, F. D'Amato; Lineshape in a laval molecular beam and pressure broadening of N₂O transition lines, *J. Quant. Spectrosc. Radiat. Transfer* **49** (1993) 439-477.

Baldacchini, G., P.K. Chakraborti, F. D'Amato; On the spectral linewidth and lineshape of ammonia in free jets, in: R. Stamm, B. Talin (eds), *Spectral Line Shapes*, Volume 7, Nova Science Publishers, Inc. 1993, pp. 455-456.

Bicanic, D., M. Chirtoc, M. Lubbers, H. Jalink; A photoacoustic detector of the total carbon content in soil water solutions, *Measurement Sci. Technol.* **4** (1993) 1016-1020.

Bicanic, D., M. Chirtoc, K. van Asselt, H. Jalink, K. Haupt, P. Torfs, H. Sauren, E. Gerkema; New trends and perspectives of photoacoustic and photothermal spectroscopies in agricultural and environmental sciences, *Acta Chim. Slovenica* **40** (1993) 175-202.

Bicanic, D., M. Franko, H. Sauren; On the potentiality of intermodulated electric resonance, photoacoustic and photothermal spectroscopies for ground based in situ tracking of polar molecules in polluted air, in: H. Schiff, U. Platt (eds.) *Proc. SPIE Conf. 1715*, Bellingham, Washington 1993, pp. 222-234.

Bone, S.A., P.G. Cummins, P.B. Davies, S.A. Johnson; Measurement of water vapour pressure and activity using infrared diode laser absorption spectroscopy, *Appl. Spectrosc.* **47** (1993) 834.

Carrasco, I., G. Ancellet, P. Chazette, H. Mac Leod, G. Mégie, F. Huard, P. J. Crepin; Tunable diode laser spectrometer for flux measurements by eddy correlation technique, in: P.M. Borrell, P. Borrell, T. Cvitaš, W. Seiler (eds.), *Proc. EUROTRAC Symp. '92*, SPB Academic Publishing bv, The Hague 1993, pp. 732-735.

Favier, J., A. Miklos, D. Bicanic; New and versatile cell for studies of powdered specimens across broad spectral range; *Acta Chim. Slovenica* **40** (1993) 115-122.

Josek, K., R. Mücke, F. Slemr, P. Werle, J. Wietzorrek, P. M. Borrell, P. Borrell; A feasibility study of the direct measurement of tropospheric HO₂ radicals by tunable diode laser spectroscopy, in: P.M. Borrell, P. Borrell, T. Cvitaš, W. Seiler (eds.), *Proc. EUROTRAC Symp. '92*, SPB Academic Publishing bv, The Hague 1993, pp. 240-244.

Klann, R., T. Hofer, R. Buhleier, T. Elsässer, A. Lambrecht; Ultrafast recombination processes in lead chalcogenide semiconductors studied via picosecond optical nonlinearities, *Semicond. Sci. Technol.* **8** (1993) 305-308.

Lambrecht, A., H. Böttner, M. Agne, R. Kurbel, A. Fach, B. Halford, U. Schiessl, M. Tacke; Molecular beam epitaxy of laterally structured lead chalcogenides for the fabrication of buried heterostructure lasers, *Semicond. Sci. Technol.* **8** (1993) 334-336.

Lambrecht, A., R. Kurbel, M. Agne; Shadow mask MBE for the fabrication of lead chalcogenide buried heterostructure lasers, *Materials Sci. Eng.* **B 21** (1993) 217-223.

Mélen, F., M. Carleer, J. M. Guilmont, J. K. Holland, D. Hurtmans, J. Vander Auwera, M. Herman; High resolution laboratory FTIR spectroscopy, in: P.M. Borrell, P. Borrell, T. Cvitaš, W. Seiler (eds.), *Proc. EUROTRAC Symp. '92*, SPB Academic Publishing bv, The Hague 1993, p. 418.

Miklos, A., D. Bicanic, J. de Bont; On the CO laser photoacoustic absorption spectrum of isoprene - a reactive biogenic forest emittant, *Infrared Phys.* **34** (1993) 635-640.

Mücke, R., P. Werle, F. Slemr; Development of an airborne diode laser absorption spectrometer for fast measurements of two trace gases at lower ppbv down to pptv levels, in: P.M. Borrell, P. Borrell, T. Cvitaš, W. Seiler (eds.), *Proc. EUROTRAC Symp. '92*, SPB Academic Publishing bv, The Hague 1993, pp. 245-249.

Renard, E.; Mid-infrared optical investigations on PbEuSe eptaxial layers, University of Karlsruhe and IPM Freiburg, 1993

Sauren, H., E. Gerkema, D. Bicanic, H. Jalink; Real time and in situ determination of ammonia concentrations in the atmosphere by means of intermodulated stark resonant CO₂ laser photoacoustic spectroscopy, *Atmos. Spectrosc.* **27** (1993) 114-120.

Scheumann, B., Ch. Schrötter, P. Werle; Rauschverhalten von Bleisalz Lasern in Abhängigkeit von der Modenstruktur, in: *Verhandlungen der Deutschen Physikalischen Gesellschaft*, Berlin 1993.

Tacke, M.; Mid IR diode lasers for diode laser trace gas analysis, in: J. Peeters (ed), *Chemical Mechanisms Describing Tropospheric Processes, CEC Air Pollution Research Report 45*, Guyot, Bruxelles 1993.

Werle, P., R. Mücke, F. Slemr; The limits of signal averaging in atmospheric trace gas monitoring by tunable diode laser absorption spectroscopy, *Appl. Phys.* **B57** (1993) 131-139.

Xu, J., B. Halford, M. Tacke; The electrical characteristics of Pb_{1-x}Eu_xSe homojunctions, *Semicond. Sci. Technol.* **8** (1993) 360-363.

1994

Agne, M., A. Lambrecht, U. Schießl, M. Tacke; Guided modes and far-field patterns of lead chalcogenide buried heterostructure laser diodes, *Infrared Phys. Technol.* **35** (1994) 47-58.

Baldacchini, G., A. Bellatreccia, A. Ciucci, F. D'Amato, A.I. Nadezhdinskii, N. Lemechov, N. Sobolev; Misura della concentrazione del CO₂ nell'atmosfera con diodi laser sintonizzabili, in: *Atti del 3. Convegno Nazionale "Instrumentazione e Metodi di Misura Elettroottici"*, Maggio, Italy 1994, pp. 196-200.

Baldacchini, G., A. Ciucci, F. D'Amato, G. Buffa, O. Tarrini; Temperature dependence of pressure broadening in the spectrum of ammonia, *EUROTRAC Newsletter* **13** (1994) 22-25.

Baldacchini, G., A. Ciucci, F. D'Amato; Ammonia lineshape and LINEFIT 2.0 program, in: P.M. Borrell, P. Borrell, T. Cvitaš, W. Seiler (eds.), *Proc. EUROTRAC Symp. '94*, SPB Academic Publishing bv, The Hague 1994, pp. 906-909.

Bicanic, D., A. Solyom, G. Angeli, H. Wegh, M. Postumus, H. Jalink; On the extent of unwanted infrared photoacoustic signals from polymer sampling tubings exposed to ultraviolet radiation, *Infrared Phys. and Technol.* **35** (1994) 637-633.

Bozoki, Z., A. Miklos, D. Bicanic; Photothermal elastic matrix, *Appl. Phys. Lett.* **64** (1994) 1362-1366.

Fach, M.A., H. Böttner, K.-H. Schlereth, M. Tacke; Embossed-grating lead chalcogenide buried wave-guide distributed-feedback lasers, *IEEE J. Quantum Electron.* **30**(2) (1994).

Favier, J.P., D. Bicanic, C. van Asselt, A. van Wijk; Organic compounds measured with infrared (3.39 μm) photoacoustics, *J. de Physique IV C7* (1994) 495-497.

Groot, T., D. Bicanic, M. van Montfort, P. Torfs, R. Braun, C. van Asselt; The analysis of error in trace gas concentration measurements by intermodulated photoacoustic stark spectroscopy (IMPASS), *J. de Physique IV C7* (1994) 519-522.

Herrmann, K.H., J.W. Tomm, S. Haertel, W. Hoerstel, K.-P. Möllmann, W. Heimbrodt, M. Tacke, H. Böttner; Luminescence of a quantum-confined dense electron-hole plasma from PbSe nanostructures, *J. Luminesc.* **60&61** (1994) 371-375.

Herrmann, K.H., M. Happ, K.-P. Möllmann, F. Peuker, J.W. Tomm, H. Böttner, M. Tacke; Evidence of hybridization from a direct comparison of semimagnetic and nonsemimagnetic ternary lead chalcogenides, *Japan J. Appl. Phys.* **33** (1994) 1928-1930.

Mac Leod, H., I. Carrasco, H. Poncet, G. Mégie, F. Huard, W. Riedel; Development of an airborne tunable diode laser spectrometer for flux measurements of CO, O₃ and CH₄ by the eddy correlation technique, in: P.M. Borrell, P. Borrell, T. Cvitaš, W. Seiler (eds.), *Proc. EUROTRAC Symp. '94*, SPB Academic Publishing bv, The Hague 1994, pp. 925-929.

Mücke, R., B. Scheumann, F. Slemr, P. Werle; Calibration procedures for tunable diode laser spectrometers, in: H.I. Schiff, A. Fried, D. Killinger (eds), *Tunable Diode Laser Spectroscopy, Lidar, and DIAL Techniques*, *Proc. SPIE* **2112** (1994) 87-98.

Mücke, R., F. Slemr, P. Werle; Grenzen der Signalmittelung in der Diodenlaserspektroskopie, in: *Verhandlungen der Deutschen Physikalischen Gesellschaft*, Hamburg 1994, p. 712.

Mücke, R., F. Slemr, P. Werle; Weiterentwicklung eines frequenz-modulierten Absorptionsspektrometers mit Dioden-Lasern und sein Einsatz zur Messung der HO₂-Radikale in der Luft, *Abschlußbericht des BMFT-Vorhabens 07EU712*, Wissenschafts-Verlag Dr. Wigbert Maraun, Frankfurt am Main / *Schriftenreihe des Fraunhofer-Instituts für Atmosphärische Umweltforschung*, Garmisch-Partenkirchen, Band 32 (1994).

Mücke, R., F. Slemr, P. Werle; Measurement of atmospheric HO₂ radicals by tunable diode laser absorption spectroscopy: A feasibility study, in: P.M. Borrell, P. Borrell, T. Cvitaš, W. Seiler (eds.), *Proc. EUROTRAC Symp. '94*, SPB Academic Publishing bv, The Hague 1994, pp. 915-919.

Mücke, R., J. Dietrich, B. Scheumann, F. Slemr, J. Slemr, P. Werle; Application of tunable diode laser spectroscopy for QA/QC studies: A validation for formaldehyde measurement techniques, in: P.M. Borrell, P. Borrell, T. Cvitaš, W. Seiler (eds.), *Proc. EUROTRAC Symp. '94*, SPB Academic Publishing bv, The Hague 1994, pp. 910-914.

Shi, Z., A. Lambrecht, M. Tacke; Determination of band-edge offset by weak field hall measurement on MBE Pb/Se/PbEuSe multi-quantum well structures on KCl, *Solid-State Electronics* **37** (1994) 1113-1116.

Tomm, J.W., K.-P. Möllmann, F. Peuker, K.H. Herrmann, H. Böttner, M. Tacke; Valence band hybridizing in europium-alloyed lead selenide, *Semicond. Sci. Technol.* **9** (1994) 1033-1041.

Werle, P.; Signal processing strategies for sub-ppbv trace gas analysis by tunable diode laser spectroscopy, in: P.M. Borrell, P. Borrell, T. Cvitaš, W. Seiler (eds.), *Proc. EUROTRAC Symp. '94*, SPB Academic Publishing bv, The Hague 1994, pp. 920-924.

Werle, P.; Atmospheric trace gas monitoring using high frequency modulation spectroscopy with semiconductor lasers, in: A.I. Nadezhdinskii, Y.N. Ponomarev, L. N. Sinitsa (eds.), *11th Symp. and School on High-Resolution Molecular Spectroscopy, Proc. SPIE 2205* (1994) 83-94.

Werle, P.; High frequency modulation spectroscopy : A sensitive detection technique for atmospheric pollutants, in: G. Harding, R.C. Lanza, L.J. Myers, P.A. Young (eds.), *Substance Detection Systems, Proc. SPIE 2092* (1994) 4-15 .

Werle, P.; Signal processing strategies for tunable diode laser spectroscopy, in: H.I. Schiff, A. Fried, D. Killinger (eds.), *Tunable Diode Laser Spectroscopy, Lidar, and DIAL Techniques, Proc. SPIE 2112* (1994) 19-30.

Werle, P.; Analytical application of infrared semiconductor lasers in atmospheric trace gas monitoring, *J. Physique IV* **4** (1994) 9-12.

Werle, P., B. Scheumann, J. Schandl; Real time signal processing concepts for trace gas analysis by TDLAS, *Opt. Eng.* **33** (1994) 3093-3105.

1995 + in press

Baldacchini, G., A. Ciucci, F. D'Amato, G. Buffa, O. Tarrini; Temperature dependence of self-broadening of ammonia transitions in the ν_2 band, *J. Quant. Spectrosc. Radiat. Transfer* **53** (1995) 671.

Baldacchini, G., F. D'Amato, M. De Rosa, A.I. Nadezhdinskii, N. Lemekhov, N. Sobolev; Measurement of atmospheric concentration with tunable diode lasers, in: *4th Internat. Symp. on Monitoring Gaseous Pollutants by Tunable Diode Lasers*, Freiburg 1994.

Bicanic, D., M. Chirtoc, I. Chirtoc, P. Helander, J.P. Favier; New technique for measuring absorption coefficients of strongly absorbing liquids: Optothermal study of sunflower oil, oleic acid and its chloroform solutions at 3.39 microns, *Spectros. Lett.* **28** (1995) 101-110.

Bicanic, D., M. Franko, J. Gibkes, E. Gerkema, J.P. Favier, H. Jalink; Application of photoacoustic and photothermal non-contact methods in selected areas of environmental and agricultural sciences, in: A. Mandelis (ed.) *Progress in Photoacoustic and Photothermal Science*, American Institute of Physics, New York, in press.

Chirtoc, M., D. Dadarlat, D. Bicanic, J.S. Antoniow, M. Egee; Application of photothermal calorimetry in agriculture, medicine and environmental sciences, in: A. Mandelis (ed.) *Progress in Photoacoustic and Photothermal Science*, American Institute of Physics, New York, in press.

Chirtoc, M., D. Bicanic, I. Chirtoc, M. Lubbers, B. Arnscheidt, J. Pelzl; Laser photoacoustic spectroscopy of liquids using a large dynamic range optothermal window cell: Application to ammonium in water, fatty acids and lubricating oils, *J. Molec. Sci.* **348** (1995) 469-472.

Harris, G.W., F.G. Wienhold, T. Zenker; Airborne observations of strong biogenic NO_x emissions from the Namibian savanna at the end of the dry season, *J. Geophys. Res.* in press.

Mücke, R., B. Scheumann, J. Slemr, F. Slemr, P. Werle; Measurements of formaldehyde by tunable diode laser spectroscopy and the enzymatic-fluorometric method: An intercomparison study, *Infrared Phys. Technol.* **37** (1996) 29-32.

Roths, J., G.W. Harris; The tropospheric distribution of carbon monoxide as observed during the TROPOZ II experiment, *J. Atmos. Chem.* **24** (1996) 1577-188.

Tacke, M.; New developments and applications of tunable IR lead salt lasers, *Infrared Phys. Technol.* **36** (1995) 447-463.

Werle, P.; Laser excess noise and interferometric effects in frequency modulated diode laser spectrometers, *Appl. Phys.* **B60** (1995) 499-506.

Werle, P.; High frequency modulation spectroscopy : Progress in techniques and components, *Infrared Phys. Technol.* **37** (1996) 59-66.

Werle, P.; Spectroscopic trace gas analysis using semiconductor diode-lasers, *Spectrochim. Acta* **A52** (1996) 805-822.

Zenker, T., A.M. Thompson, D.P. McNamara, T.L. Kucsera, G.W. Harris, F.G. Wienhold, P. LeCanut, M.O. Andreae, R. Koppmann, Regional trace gas distributions and airmass characteristics in the haze layer over southern Africa during the biomass burning season (Sept/Oct 92): Observations and modelling for the STARE/SAFARI'92 DC3, in: J.S. Levine (ed.), *Biomass Burning and Global Change*, MIT Press, Cambridge, Ma. 1996, in press.

Theses

M. Sc. / Diploma

Agne, M. Nah- und Fernfeldverteilungen von Bleisalz-Diodenlasern, Fakultät für Physik, Albert-Ludwig University of Freiburg, 1992.

John, J. Mid-infrared diode lasers with distributed periodic feedback, University of Freiburg and IPM Freiburg, 1993.

Kurbel, R. Entwicklung und Charakterisierung von Schattenmasken-PbSe-BH-Lasern, Fakultät für Physik, Albert-Ludwig University of Freiburg, 1992.

Lambrecht, U. Abstimmung und Linienbreite von Diodenlasern in der Infrarotspektroskopie, Albert-Ludwig University of Freiburg, 1990.

Pelagalli, F.; Spettroscopia molecolare con diodi laser accordabili per la rivelazione di tracce di gas, University of Rome, 1994.

Spilker, G. Rauscheigenschaften von Bleichalkogenid-Diodenlasern, Fakultät für Physik, Albert-Ludwig University of Freiburg, 1992.

Wietzorrek, J. Untersuchung der Moden- und Strahlstruktur von Bleisalz-Diodenlasern, Fakultät für Chemie und Pharmazie, Ludwig-Maximilian University of Munich, 1992.

Ph. D.

Carrasco, I.; Etude et réalisation d'un spectromètre à diode pour la mesure de constituants minoritaires dans la troposphère, University Pierre-et-Marie-Curie (Paris VI), 1994.

Josek, K.; Untersuchungen zur Machbarkeit der direkten Messung von HO₂-Radikalen in der Atmosphäre mit frequenzmodulierter Dioden-Laser Absorptionsspektroskopie, Ludwig Maximilian University of Munich, 1993.

Mücke, R. Frequenzmodulations-Spektroskopie mit Bleisalz-Diodenlasern zur Messung von atmosphärischen Spurengasen, University of Regensburg, 1992.

Xu, J. Electronic properties of the interfaces of PbSe / PbEuSe diodes and related material properties, University of Freiburg and IPM Freiburg, 1993.