

Supplementary Information

Multimodal anatomy of the human forniceal commissure

Kevin Akeret¹, Stephanie J. Forkel^{2,3,4,5}, Raphael M. Buzzi⁶, Flavio Vasella¹, Irmgard Amrein^{7,8}, Giovanni Colacicco⁷, Carlo Serra¹, Niklaus Krayenbühl^{1,9}

1 Department of Neurosurgery, Clinical Neuroscience Center, University Hospital Zurich and University of Zurich, Zurich, Switzerland.

2 Brain Connectivity and Behaviour Laboratory, Sorbonne Universities, Paris, France.

3 Donders Centre for Cognition, Radboud University, Thomas van Aquinostraat 4, 6525 GD Nijmegen, the Netherlands

4 Centre for Neuroimaging Sciences, Department of Neuroimaging, Institute of Psychiatry, Psychology and Neuroscience, King's College London, London, UK

5 Departments of Neurosurgery, Technical University of Munich School of Medicine, Munich, Germany.

6 Division of Internal Medicine, University Hospital Zurich and University of Zurich, Zurich, Switzerland.

7 Institute of Anatomy, University of Zurich, Zurich, Switzerland.

8 Department of Health Sciences and Technology, ETH, Zurich, Switzerland.

9 Division of Pediatric Neurosurgery, University Children's Hospital, Zurich, Switzerland.

Corresponding author:

Niklaus Krayenbühl


Division of Pediatric Neurosurgery and Department of Neurosurgery

University Children's Hospital and University Hospital of Zurich

Steinwiesstrasse 75

CH-8032 Zurich, Switzerland

Email: niklaus.krayenbuehl@kispi.uzh.ch




Supplemental Figure 1. Regions of interest (ROIs) and avoidance (ROAs).

Sagittal T1-weighted MR image exemplifying the ROIs and ROAs.



Supplemental Figure 2. Forniceal commissure in a sheep:

A. Macroscopic appearance of the forniceal commissure in a sheep. **B.** Coronal floating sections from caudal to rostral stained for myelin (1:900 dilution, FluoroMyelin Green, F34651, ThermoFisher, MA, US) and counterstained with Hoechst 33342 (1:2000 dilution, H3570, Invitrogen, Carlsbad, CA).



Supplemental Figure 3. Bielschowsky silver stain in human specimens:

Coronal paraffin sections from caudal to rostral with Bielschowsky silver staining (Bielschowsky Silver Stain Kit, ab245877, abcam, Cambridge, UK). BCC, body of the corpus callosum; bF, body of the fornix; CF, commissura fornicis; crF, crus fornicis; M, connective tissue membrane; SCC, splenium of the corpus callosum; SP, septum pellucidum.