

Highly Oriented Pyrolytic Graphite (HOPG) as a Model Catalyst for the Oxidative Dehydrogenation of Ethylbenzene over Carbon Materials

Dissertation zur Erlangung des akademischen Grades des
Doktors der Naturwissenschaften (Dr. rer. nat.)

eingereicht im Fachbereich Biologie, Chemie, Pharmazie
der Freien Universität Berlin

vorgelegt von

Samer Aburous

aus (Jordanien)

Juli, 2007

Supervisors

Prof. Dr. Robert Schlögl

Fritz-Haber-Institut der MPG
Department for Inorganic Chemistry
Faradayweg 4-6
14195 Berlin
Email:acsek@fhi-berlin.mpg.de

Prof. Dr. Klaus Christmann

Institute of Chemistry and Biochemistry
Physical and Theoretical Chemistry
Freie Universität Berlin
Takustr. 3
14195 Berlin
Email: kchr@chemie.fu-berlin.de

Date of Disputation: 26 July 2007

Contents

Introduction	1
1 Iron Oxides as dehydrogenation catalysts (Surface Structure)	5
1.1 Introduction	5
1.2 Experimental details and methodology	6
1.2.1 Preparation of iron oxide films	6
1.2.2 Flux Calibration of iron source	7
1.2.3 Spectroscopic methods	8
1.3 Results and Discussion	9
1.4 Conclusion	16
2 Literature Highlights and Methodology	18
2.1 The element carbon and its importance in catalysis	19
2.2 Carbon materials in the oxidative dehydrogenation process	20
2.3 Analysis of surface oxides on carbon	23
2.4 Methodology	25
3 Experimental Methods and Instrumentation	28
3.1 UHV Setup	28
3.2 Micro-flow reactor	29
3.3 Gas mixing system	30
3.4 Saturators	30
3.5 Micro GC	31
3.6 Sample mounting	31
3.7 Sample cleaning and preparation prior to experiments	32
3.8 Carbon Nanotube Samples	32
3.9 Reaction procedure	33
3.10 Temperature Measurement	34
3.11 Highly Oriented Pyrolytic Graphite (HOPG) (Sample Preparation) ...	35
3.12 Principles of analytical methods	35
3.13 Materials	36

4	Creation and characterization of surface oxygen functionality	37
4.1	Thermal treatment in oxygen partial pressure	38
4.2	Sputtering with argon and exposure to molecular oxygen	39
4.3	4.3 Sputtering with oxygen	41
5	Oxidative Dehydrogenation experiments	53
5.1	Oxidative dehydrogenation reaction over cleaved HOPG	53
5.2	Oxidative dehydrogenation reaction over oxygen-sputtered HOPG .	55
5.3	Oxidative dehydrogenation reaction over CNT samples	56
5.4	Repeated oxidative dehydrogenation reaction over HOPG sample .	60
5.5	Is it right to consider HOPG as a model catalyst for ODH reactions over carbon materials?	62
6	Post-reaction Characterization	65
6.1	Post reaction thermal programmed analysis	65
6.2	Post reaction scanning electron microscope (SEM) images	70
6.3	Post reaction atomic force microscope (AFM) images	72
7	Conclusions	78
	List of Figures	81
	Curriculum vitæ	84
	Publications	85
	Summary	86
	Zusammenfassung	88
	Acknowledgements	91