

Supporting Information

© Wiley-VCH 2013

69451 Weinheim, Germany

Palladium-Catalyzed Allylic Substitution at Four-Membered-Ring Systems: Formation of η^1 -Allyl Complexes and Electrocyclic Ring Opening**

*Davide Audisio, Gopinadhanpillai Gopakumar, Lan-Gui Xie, Luís G. Alves, Cornelia Wirtz, Ana M. Martins, Walter Thiel, Christophe Farès, and Nuno Maulide**

ange_201301034_sm_miscellaneous_information.pdf

Table of Contents

1. General Methods	S3
2. Synthesis of intermediate 3	S4
3. Synthesis of (<i>E,E</i>)-diene-complex- 4	S6
4. Synthesis of η^1 -allyl complex 7a - 7b	S11
5. (<i>E,E</i>)-diene-complex- 8	S14
6. Synthesis of η^1 -allyl complex 7a - 7b (with R = Bn)	S15
7. (<i>E,E</i>)-diene-complex- 8 (with R = Bn)	S16
8. Synthesis of η^1 -allyl complex 7a - 7b (with R = Me)	S17
9. (<i>E,E</i>)-diene-complex- 8 (with R = Me)	S18
10. Synthesis of (<i>rac</i>)- <i>cis</i> -amide- 9	S19
11. Procedure for the preparation of crystal of complex 10	S21
12. Crystal data and structure refinement for complex 10	S23
13. List of C-C bond distances and angles in cyclobutene carboxylic acids	S27
14. NMR and HPLC	S29


1. General Methods

All reactions were carried out in flame-dried glassware under an atmosphere of argon. All solvents were distilled from appropriate drying agents prior to use. All reagents were used as received from commercial suppliers unless otherwise stated. Neat infra-red spectra were recorded using a Perkin-Elmer Spectrum 100 FT-IR spectrometer. Wavelengths (ν) are reported in cm^{-1} . Mass spectra were obtained using a Finnigan MAT 8200 (70 eV) or an Agilent 5973 (70 eV) spectrometer, using electrospray ionization (ESI). Accurate mass determinations were obtained on a Bruker APEX III FT-MS (7 T magnet). All ^1H -NMR and ^{13}C -NMR experiments were recorded using Bruker AV-400, AV-500 and AV-600 spectrometers at 300 K. Chemical shifts (δ) are quoted in ppm and coupling constants (J) are quoted in Hz. The 7.27, 2.50 and 2.05 ppm resonance of residual CHCl_3 , $\text{D}_5\text{H-DMSO}$ and $\text{CD}_3\text{COCD}_2\text{H}$ for proton spectra and 77.16, 39.52, 29.84 ppm resonance of CDCl_3 , $\text{D}_6\text{-DMSO}$ and CD_3COCD_3 for carbon spectra were used as internal references. Reaction progress was monitored by thin layer chromatography (TLC) performed on aluminum plates coated with keiselgel F₂₅₄ with 0.2 mm thickness. Visualization was achieved by a combination of ultraviolet light (254 nm) and acidic potassium permanganate or anisaldehyde. Flash column chromatography was performed using silica gel 60 (230-400 mesh, Merck and co.). Bis(dibenzylideneacetone)palladium(0) $\text{Pd}(\text{dba})_2$ was purchased from Sigma-Aldrich. (S)-(+)-2-[2-(Diphenylphosphino)phenyl]-4-phenyl-2-oxazoline **L-Ph** was purchased from Sigma-Aldrich or prepared according to the procedure described in the literature.¹ (*rac*)-cis-**2** was prepared according to the procedure described in the literature.²

¹ M. R. Krout, J. T. Mohr, B. M. Stoltz *Org. Synth.* **2009**, 86, 181-193.

² D. Audisio, M. Luparia, M. T. Oliveira, D. Klütt, N. Maulide, *Angew. Chem. Int. Ed.* **2012**, 51, 7314-7317.

2. Synthesis of η_1 -allyl complex 3




In a flame-dried schlenk flask under Argon atmosphere, Pd(dba)₂ (28 mg, 0.049 mmol, 1 equiv.), the L-Ph ligand (20 mg, 0.049 mmol, 1 equiv.) and (*rac*)-*cis*-chlorocarboxylic acid-2 (6.5 mg, 0.049 mmol, 1 equiv.) were added. After three vacuum-Argon cycles, the schlenk is cooled at 0 °C and 1.0 mL THF-*d*₈ was added. The solution was stirred at the same temperature 10 minutes. The mixture is then transferred to a schlenk NMR tube and the top is melted with a flame. The mixture was analyzed at 283 K.

When unreacted starting material was still observed in the mixture, the NMR tube was shaken mechanically, avoiding the rise of temperature, to push the reaction to full conversion.

The sample is composed of two diastereoisomers (ratio 1:7). Only the major isomer has been investigated.

η_1 -allyl complex 3




³¹P-NMR (202 MHz, THF-*d*₈): 30.9 (minor isomer), 27.2 (major isomer).

¹H-NMR (600 MHz, THF-*d*₈): δ 11.00 (bs, 1H), 8.16 (ddd, *J* = 7.8, 4.0, 1.2 Hz, H₁₁), 7.70 (m, H₁₂), 7.57-7.73 (m, H₁₃, H₁₉, H₂₅), 7.48-7.45 (m, H₂₄, H₂₆), 7.35-7.32 (m, H₁₈, H₂₀), 7.27-7.21 (m, H₂₇, H₂₃, H₄, H₂₁, H₁₇), 7.12-7.09 (m, H₃, H₅), 7.07 (d, *J* = 7.4 Hz, H₂; H₆), 6.96 (ddd, *J* = 10.3, 7.9, 1.0 Hz, H₁₄), 6.25 (dd, *J* = 10.3, 5.5 Hz, H₇), 5.58 (d, *J* = 2.7 Hz,

H_{v-2}), 5.08 (t, $J = 5.08$ Hz, H_{v-3}), 4.81 (dd, $J = 10.1, 9.1$ Hz, H_{8a}), 4.49 (dd, $J = 9.0, 6.5$ Hz, H_{8b}), 4.11 (s, H_{v-1}), 3.30 (s, H_{v-4}).


¹³C-NMR (150 MHz, THF-*d*₈): δ 172.3 (COOH), 163.2 (d, $J = 3.3$ Hz, C₉), 147.8 (d, $J = 6.3$ Hz, C_{v-3}), 141 (C₁), 135.4 (d, $J = 2.3$ Hz, C₁₄), 135.3 (d, $J = 13.6$ Hz, C₁₇, C₂₁), 134.3 (d, $J = 12.1$ Hz, C₂₃, C₂₇), 133.6 (d, $J = 6.9$ Hz, C₁₃), 132.9 (d, $J = 7.4$ Hz, C₁₁), 132.4 (d, $J = 2.0$ Hz, C₁₂, C₁₉), 132.3 (d, $J = 2.3$ Hz, C₂₅), 131.6 (d, $J = 43.2$, C₁₅), 130.2 (d, $J = 11.2$ Hz, C₁₈, C₂₀), 130.1 (d, $J = 11.0$, C₂₄, C₂₆), 129.8 (d, $J = 56$ Hz, C₁₆, C₂₂), 129.6 (d, $J = 20$ Hz, C₁₀), 129.5 (C₃, C₅), 129.1 (d, $J = 7.2$ Hz, C_{v-2}), 128.6 (C₄), 128.4 (C₂, C₆), 75.8 (C₈), 69.4 (C₇), 55.7 (d, $J = 1.9$ Hz, C_{v-1}), 46.0 (d, $J = 4.3$ Hz, C_{v-4}).

3. Synthesis of (*E,E*)-diene-complex-4



In a flame-dried schlenk flask under Argon atmosphere, Pd(dba)₂ (345 mg, 0.60 mmol, 1 equiv.), the ligand L-Ph ((*S*)-Phenyl-PHOX 244 mg, 0.60 mmol, 1 equiv.) and the (*rac*)-*cis*-cyclobutene-2 (79 mg, 0.60 mmol, 1 equiv.) were evacuated three times with Ar and dissolved in THF (15 mL). The mixture was stirred 18h at r.t. then filtered through a 0.2 μm PTFE filter. Purification: SiO₂ was added to the solution and the solvent was evaporated. The powder was added to a short column and eluted with DCM, to remove the dba (dibenzylidenacetone) by-product, then with DCM:EtOH 98:2 to give the Pd-complex. The solution was concentrated in vacuo to give the (*E,E*)-diene-complex-4 (152 mg, 0.24 mmol, 39 %).

(*E,E*)-diene-complex-4



R_f 0.36 (DCM/EtOH : 95/5).

¹H-NMR (600 MHz, THF-*d*₈): δ 10.4 (bs, 1H), 8.25 (m, 1H), 7.74 (t, *J* = 7.7. Hz, 1H), 7.61 (t, *J* = 7.7. Hz, 1H), 7.52 (m, 1H), 7.44 (m, 1H), 7.41-7.30 (m, 6H), 7.22-7.19 (m,

2H), 7.17-7.05 (m, 6H), 6.70 (dd, $J_1 = 14.8$ Hz, $J_2 = 13.3$ Hz, 1H), 6.54 (dd, $J_1 = 10.0$ Hz, $J_2 = 4.5$ Hz, 1H), 6.52 (ddd, $J_1 = 15.1$ Hz, $J_2 = 10.8$ Hz, $J_3 = 0.3$ Hz, 1H), 6.03 (ddd, $J_1 = 14.9$ Hz, $J_2 = 10.9$ Hz, $J_3 = 3.6$ Hz, 1H), 5.09 (d, $J = 15.2$ Hz, 1H), 4.82 (dd, $J_1 = 9.9$ Hz, $J_2 = 9.1$ Hz, 1H), 4.55 (dd, $J_1 = 9.0$ Hz, $J_2 = 4.5$ Hz, 1H).


^{13}C -NMR (150 MHz, THF- d_8) δ 168.9, 163.3 (d, $J_{\text{C-P}} = 5.0$ Hz), 161.8, 147.0 (d, $J_{\text{C-P}} = 3.0$ Hz), 142.0, 136.2 (d, $J_{\text{C-P}} = 3.5$ Hz), 135.4 (d, $J_{\text{C-P}} = 1.0$ Hz), 135.3 (d, $J_{\text{C-P}} = 13.6$ Hz, 2C), 134.6 (d, $J_{\text{C-P}} = 11.1$ Hz, 2C), 133.8 (d, $J_{\text{C-P}} = 6.6$ Hz), 133.2 (d, $J_{\text{C-P}} = 7.6$ Hz), 132.6 (d, $J_{\text{C-P}} = 1.7$ Hz), 132.3 (d, $J_{\text{C-P}} = 2.4$ Hz), 131.7 (d, $J_{\text{C-P}} = 2.3$ Hz), 131.2 (d, $J_{\text{C-P}} = 41.0$ Hz), 130.1 (d, $J_{\text{C-P}} = 11.3$ Hz, 2C), 129.9 (d, $J_{\text{C-P}} = 20.0$ Hz), 129.7 (d, $J_{\text{C-P}} = 56.1$ Hz), 129.4 (d, $J_{\text{C-P}} = 11$ Hz, 2C), 129.3 (2C), 129.0 (d, $J_{\text{C-P}} = 56.1$ Hz), 128.4, 128.3 (2C), 113.8, 75.9, 68.9.

^{31}P -NMR (162 MHz, THF- d_8) δ 26.3.

^{15}N -NMR (61 MHz, THF- d_8) δ -190.4.

HRMS (ESI $^+$): exact mass calculated for $[\text{M-Cl}]^+$ ($\text{C}_{32}\text{H}_{27}^{35}\text{Cl}_1\text{N}_1\text{O}_3\text{P}_1\text{Pd}_1$) requires m/z 610.0774, found m/z 610.0772.

Stoichiometric experiment performed with diethyl-(2-methyl)malonate salt



In a schlenk flask (dry and under Argon atmosphere), $\text{Pd}(\text{dba})_2$ (28 mg, 0.049 mmol, 1 equiv.), L-Ph ((*S*)-Ph-Phox, 20 mg, 0.049 mmol, 1 equiv.) and (*rac*)-*cis*-chlorocarboxylic acid-2 (6.5 mg, 0.049 mmol, 1 equiv.) were added. After three vacuum-Argon cycles, the schlenk is cooled at 0 °C and 1.5 mL THF was added. The solution was stirred at the same temperature 60 minutes.

In a second dry flask (under Argon atmosphere), to a suspension of sodium hydride (3.9 mg of 60% dispersion in mineral oil, 0.098 mmol, 2.0 equiv.) in THF (1.0 mL), diethyl methylmalonate (18 μ L, 0.108 mmol, 2.2 equiv.) was added dropwise at room temperature and the resulting solution was stirred for 10 min.


The solution of the sodium salt of the malonate is then added dropwise with a syringe to the schlenk containing the palladium/ligand/cyclobutene complex. The mixture was allowed to stir at 0 °C for 15hrs.

After 15h, the mixture was quenched with NaHCO₃ sat. (5 mL) and allowed to warm to room temperature. The aqueous layer was washed with MTBE (3 x 7 mL), slowly acidified with 1.2N HCl (pH ~ 2) and extracted with EtOAc (3 x 7 mL). The combined organic layers were washed with brine (5 mL), dried (Na₂SO₄) and concentrated under reduced pressure to yield the crude cyclobutene carboxylic acid *trans*-5 (d.r. > 95/5).


For HPLC purposes, to determine the enantiomeric excess, *trans*-5 was subjected to N-benzylamide formation without further purification according to the following procedure. The crude product was dissolved in CH₂Cl₂ (1.0 mL) and cooled to 0 °C. Benzyl amine (6.0 μ L, 0.054 mmol, 1.1 equiv.), HOBt (8.0 mg, 0.054 mmol, 1.1 equiv.) and EDCI (10.5 mg, 0.054 mmol, 1.1 equiv.) were added in this order and the resulting mixture was warmed to room temperature. After being stirred for 16h, CH₂Cl₂ (10 mL) was added and the organic layer was washed successively with aqueous 1N HCl solution (5 mL), brine (5 mL), dried (Na₂SO₄) and concentrated under reduced pressure. The residue was purified by flash column chromatography on silica gel (pentane/EtOAc, 7/3) to give pure cyclobutene amide.

Spectroscopic properties in agreement with those reported in the literature.² The enantiomeric purity was measured through chiral HPLC for the corresponding N-benzylamide, according to the procedure previously reported.² e.e. measured: 96%.


- Temperature resolved ^{31}P -NMR spectra showing the conversion of complex **3a** (major isomer) and **3b** (minor isomer) into the (*E,E*)-diene **4**.



- Temperature resolved ^1H -NMR spectra showing the conversion of complex **3a** (major isomer) and **3b** (minor isomer) into the (*E,E*)-diene **4**.



4. Synthesis of η_1 -allyl complex 7a - 7b (with R = CH₂CH₂TMS)




In a schlenk flask (dry and under Argon atmosphere), Pd(dba)_2 (28 mg, 0.049 mmol, 1 equiv.), the Ph-Phox ligand (20 mg, 0.049 mmol, 1 equiv.) and *(rac)*-cis-chlorocarboxylic ester-6 (11.5 mg, 0.049 mmol, 1 equiv.) were added. After three vacuum-Argon cycles, the schlenk is cooled at 0°C and 1.0 mL $\text{THF-}d_8$ was added. The solution was stirred at the same temperature 10 minutes. The mixture is then transferred to a schlenk NMR tube and the top is melted with a flame. The mixture was studied at $+5^\circ\text{C}$ by multinuclear 2D-NMR analysis.

When unreacted starting material was still observed in the mixture, the NMR tube was shaken mechanically, avoiding the rise of temperature, to push the reaction to full conversion.

Two diastereoisomeric species are observed (ratio ca. 1:1).

η_1 -allyl complex 7a - 7b (with R = CH₂CH₂TMS)



¹H-NMR (600 MHz, THF-*d*₈): δ 8.14 (m, H₁₁, H₁₁), 7.68 (m, H₁₂, H₁₂), 7.55 (t, *J* = 7.5 Hz, C₁₃, C₁₃), 7.51-7.15 (m, H₄, H₄, H₂, H₆, H₁₇, H₂₁, H₁₇, H₂₁, H₂₄, H₂₄, H₂₆, H₂₆, H₁₉, H₁₉, H₂₅, H₂₅), 7.12 (d, *J* = 7.3 Hz, H₂, H₆), 7.08-7.02 (m, H₃, H₅, H₃, H₅), 6.98-6.92 (m, H₁₄, H₁₄), 6.65 (dd, *J* = 10.0, 4.6 Hz, H₇), 6.53 (dd, *J* = 10.0, 4.6 Hz, H₇), 6.35 (d, H_{v-3}), 5.58 (d, *J* = 2.4 Hz, H_{v-2}), 5.57-5.56 (H_{v-3}, H_{v-2}), 4.72 (m, H_{8a}, H_{8a}), 4.53 (dd, *J* = 9.0, 4.4 Hz, H_{8b}), 4.51 (dd, *J* = 9.0, 4.6 Hz, H_{8b}), 4.35 (s, H_{v-1}), 4.03-3.98 (m, H_{29a}, H_{29b}), 3.83 (a, H_{v-1}), 3.76 (m, H_{29a}), 3.72 (m, H_{29b}), 3.39 (d, 8.3 Hz, H_{v-4}), 3.22 (d, *J* = 12.9 Hz, H_{v-4}), 0.92-0.90 (m, H_{30a}, H_{30b}), 0.72 (m, H_{30a}, H_{30b}), 0.02 (s, 3x H₃₁), -0.03 (s, 3x H₃₁).



Due to presence of residual dba (dibenzylideneacetone), only a partial assignment of the aromatic region was carried out.

¹³C-NMR (150 MHz, THF-*d*₈): δ 173.8 (C₂₈), 173.5 (C₂₈), 162.7 (C₉), 162.6 (C₉), 150.3 (d, *J* = 2.4 Hz, C_{v-3}), 149.3 (d, *J* = 2.7 Hz, C_{v-3}), 142.1 (C₁, C₁), 135.6-135.1 (C₁₇ C₂₁, C₁₄, C₁₇ C₂₁, C₁₄), 134.6-134.3 (C₂₃, C₂₇, C₂₃, C₂₇) 133.4 (d, *J* = 6.4 Hz, C₁₃), 133.3 (d, *J* = 6.3 Hz, C₁₃), 132.8 (d, *J* = 7.3 Hz, C₁₁), 132.1 (C₁₂, C₁₂), 131.8 (C₁₉, C₁₉), 131.7 (C₂₅), 131.6 (C₂₅), 130.5-129.4 (C₁₈, C₁₈, C₂₀, C₂₀, C₂₄, C₂₄, C₂₆, C₂₆, C₁₆, C₁₆, C₂₂, C₂₂, C₁₀, C₁₀), 129.3 (C₃, C₅, C₃, C₅), 128.5-128.4 (C₂, C₆, C₂, C₆), 128.3 (C_{v-2}), 128.2 (C₄, C₄), 126.6 (C_{v-2}), 69.2 (C₇), 69.0 (C₇), 61.6 (C₂₉), 61.4 (C₂₉), 56.7 (d, *J* = 2.4 Hz, C_{v-1}), 56.5 (d, *J* = 1.4 Hz, C_{v-1}), 44.9 (d, *J* = 3.7 Hz, C_{v-4}), 44.5 (d, *J* = 3.1 Hz, C_{v-4}), 17.9 (C₃₀), 17.8 (C₃₀), -1.3 (3x C₃₁), -1.4 (3x C₃₁).

^{31}P -NMR (202 MHz, THF-*d*₈): 30.5, 28.7.

HRMS (ESI⁺): exact mass calculated for $[\text{M}-\text{Cl}]^+$ ($\text{C}_{37}\text{H}_{39}\text{NO}_3$ ^{35}Cl IPPdSi) requires m/z 710.1483, found m/z 710.1477.

For comparison, in the table below, the chemical shifts (reported in ppm) of ^1H - and ^{13}C -NMR for the η_1 -allyl complexes **3**, **7a** and **7b** are shown.




	H ₁	H ₂	H ₃	H ₄	C ₁	C ₂	C ₃	C ₄
3	4.11	6.58	5.08	3.30	55.73 (1.9)	129.06 (7.2)	147.86 (6.3)	46.05 (4.3)
7a	3.83	5.58	6.34	3.22	56.68 (2.4)	126.62 (3.6)	150.30 (2.4)	44.50 (3.1)
7b	4.35	5.56	5.57	3.39	56.50 (1.4)	128.39 (-)	149.28 (2.7)	44.94 (3.7)

The chemical shifts (δ) are reported in ppm.

The values between brackets represent the $J_{\text{C-P}}$ (reported in Hz)

5. (*E,E*)-diene-complex-8 (with R = CH₂CH₂TMS)

After standing for 3 hrs at room temperature, the isomeric complexes **7a** and **7b** (prepared according to the previously described procedure) disappear and the corresponding (*E,E*)-diene-**8** is formed.



The (*E,E*)-diene-**8** has a very similar ¹H-NMR pattern to the (*E,E*)-diene-**4**.


¹H-NMR (300 MHz, THF-*d*₈): 8.24 (dd, *J* = 7.2, 4.3 Hz, 1H_{arom.}), 7.75-7.06 (18H_{arom.} + dba byproduct), 6.71 (dd, *J*_{PH} = 14.0, *J*_{HH} = 15.2, H₄), 6.65-6.51 (m, 2H, H₃, H_{oxazoline}), 6.04 (ddd, *J*_{HH} = 14.6, *J*_{HH} = 11.1, *J*_{HP} = 3.7 Hz, H₂), 5.11 (d, *J* = 15.2 Hz, H₁), 4.79 (t, *J* = 9.4 Hz, 1H_{oxazoline}), 4.54 (dd, *J* = 8.9, 4.6 Hz, 1H_{oxazoline}), 4.06 (t, *J* = 8.0 Hz, 2H_{CH₂CH₂TMS}), 0.91 (t, *J* = 8.1 Hz, 2H_{CH₂CH₂TMS}), 0.01 (s, 9H_{TMS}).

³¹P-NMR (121 MHz, THF-*d*₈): 26.1.

HRMS (ESI⁺): exact mass calculated for [M-Cl]⁺ (C₃₇H₃₉NO₃³⁵ClPPdSi) requires *m/z* 710.1483, found *m/z* 710.1487.

Attempts to further purify intermediate **8** by column chromatography have been unsuccessful.

6. Synthesis of η_1 -allyl complex 7a - 7b (with R = Bn)



In a schlenk flask (dry and under Argon atmosphere), Pd(dba)_2 (28 mg, 0.049 mmol, 1 equiv.), the Ph-PHOX ligand (20 mg, 0.049 mmol, 1 equiv.) and *(rac)*-cis-chlorocarboxylic benzyl ester-**6** (11.0 mg, 0.049 mmol, 1 equiv.) were added. After three vacuum-Argon cycles, the schlenk is cooled to 0 °C and 1.5 mL THF-*d*₈ was added. The solution was stirred at the same temperature 10 minutes. The mixture is then transferred to a schlenk NMR tube and the top is melted with a flame. The mixture was studied by NMR at 0 °C.


Two diastereisomeric species are observed (ratio ca. 1:1).

¹H-NMR (300 MHz, THF-*d*₈): δ 8.20-8.07 (m, 2H, H_{arom.}), 7.76-6.94 (m, 36H_{arom.} + dba) 6.59 (dd, *J* = 10.1, 5.0 Hz, 2H, H_{oxazoline}), 6.30 (s, 1H), 5.58 (s, 3H), 4.97 (m, 2H CH₂C₅H₆), 4.74 (m, 4H, 2H_{oxazoline} + 2H CH₂C₅H₆), 4.52 (dt, *J* = 9.1, 4.7 Hz, 2H, H_{oxazoline}), 4.44 (s, 1H), 3.97 (s, 1H), 3.45 (d, *J* = 8.2 Hz, 1H), 3.27 (d, *J* = 13.0 Hz, 1H).

³¹P-NMR (121 MHz, THF-*d*₈): 33.4, 31.4.

7. (*E,E*)-diene-complex-8 (with R = Bn)


After 5 hrs at room temperature, the isomeric complexes **7a** and **7b** (prepared according to the previously described procedure) disappear and the corresponding (*E,E*)-diene-**8** is formed.



$^1\text{H-NMR}$ (300 MHz, $\text{THF-}d_8$): δ 8.24 (dd, $J = 7.7, 4.1$ Hz, $1\text{H}_{\text{arom.}}$), 7.76-7.04 (m, $18\text{H}_{\text{arom.}}$ + dba) 6.85-6.68 (m, 1H, H_1), 6.66-6.46 (m, 2H, H_3 , $\text{H}_{\text{oxazoline}}$), 6.06 (ddd, $J = 14.6, 10.9, 3.5$ Hz, 1H, H_2), 5.18 (d, $J = 15.0$ Hz, 1H, H_4), 5.01 (d, $J = 1.6$ Hz, 2H, $\text{H}_{\text{CH}_2\text{C}_6\text{H}_5}$), 4.79 (t, $J = 9.5$ Hz, 1H, $\text{H}_{\text{oxazoline}}$), 4.53 (dd, $J = 8.9, 4.5$ Hz, 1H, $\text{H}_{\text{oxazoline}}$).

$^{31}\text{P-NMR}$ (121 MHz, $\text{THF-}d_8$): 28.8.

8. Synthesis of η_1 -allyl complex 7a - 7b (with R = Me)



In a schlenk flask (dry and under Argon atmosphere), Pd(dba)₂ (28 mg, 0.049 mmol, 1 equiv.), the Ph-PHOX ligand (20 mg, 0.049 mmol, 1 equiv.) and *(rac)*-cis-chlorocarboxylic methyl ester-6 (7.2 mg, 0.049 mmol, 1 equiv.) were added. After three vacuum-Argon cycles, the schlenk is cooled at 0 °C and 1.5 mL THF-*d*₈ was added. The solution was stirred at the same temperature 10 minutes. The mixture is then transferred to a schlenk NMR tube and the top is melted with a flame. The mixture was studied by NMR at 0 °C.



Two diastereisomeric species are observed (ratio ca. 1:1).

¹H NMR (300 MHz, THF) δ 8.22-8.09 (m, 2H), 7.76-6.98 (m, H_{arom} + dba) 6.60-6.53 (m, 2H, H_{oxazoline}), 6.34 (s, 1H), 5.63 (s, 1H), 5.56 (s, 2H), 4.74 (t, *J* = 9.4 Hz, 2H, H_{oxazoline}), 4.56-4.48 (m, 2H, H_{oxazoline}), 4.36 (s, 1H), 3.81 (s, 1H), 3.44 (s, 3H), 3.34 (d, *J* = 9.5 Hz, 1H), 3.26-3.22 (m, 4H).

³¹P-NMR (121 MHz, THF-*d*₈): 30.2, 28.6.

9. (*E,E*)-diene-complex-8 (with R = Me)


After 3 hrs at room temperature, the isomeric complexes **7a** and **7b** (prepared according to the previously described procedure) disappear and the corresponding (*E,E*)-diene-**8** is formed.



$^1\text{H-NMR}$ (300 MHz, $\text{THF-}d_8$): δ 8.28-8.17 (m, $1\text{H}_{\text{arom.}}$), 7.75-7.68 (m, $\text{H}_{\text{arom.}} + \text{dba}$), 7.60 (t, $J = 7.6$ Hz, 2H), 7.55-7.46 (m, 2H), 7.43-7.07 (m, $\text{H}_{\text{arom.}} + \text{dba}$), 6.75 (t, $J = 14.1$ Hz, 1H, H_1), 6.57-6.52 (m, 2H, H_3 , $\text{H}_{\text{oxazoline}}$), 6.05 (t, $J = 12.8$ Hz, 1H, H_2), 5.12 (d, $J = 15.2$ Hz, 1H, H_4), 4.79 (t, $J = 9.3$ Hz, 1H, $\text{H}_{\text{oxazoline}}$), 4.54 (dd, $J = 8.7, 4.3$ Hz, 1H, $\text{H}_{\text{oxazoline}}$), 3.50 (s, 3H).


$^{31}\text{P-NMR}$ (121 MHz, $\text{THF-}d_8$): 25.9.

10. Synthesis of (*rac*)-*cis*-amide-9



To a cold (0°C) stirred solution of a crude mixture of *cis*-2 and *trans*-2 isomers (6:1 ratio *cis*-2 / *trans*-3, 1.50 mmol, 1.0 equiv.)² in dry DCM (15 mL), under Argon, EDCI (315 mg, 1.65 mmol, 1.1 equiv.), HOBT (222 mg, 1.65 mmol, 1.1 equiv.) and *p*-toluidine (178 mg, 1.65 mmol, 1.1 equiv.) were added in this order and the resulting mixture was stirred at room temperature. After 14h, an aqueous solution of NaHCO₃ (30 mL) was added and the mixture was extracted successively with DCM (10 mL x 3 times). The combined organic phases were dried (Na₂SO₄) and concentrated under reduced pressure. ¹H-NMR analysis of the crude mixture showed that the ratio between *trans*-amide-9 and *cis*-amide-9 was 1:4. This crude material was carefully separated by flash column chromatography on silica gel (n-pentane/EtOAc, 8/2 to 6/4) to afford *trans*-amide-9b (43 mg, 0.196 mmol, 13 %) as yellow solid, followed by the more polar *cis*-9b (172 mg, 0.777 mmol, 52 %) as a yellow solid.


cis-4-chloro-*N*-(*p*-tolyl)cyclobut-2-enecarboxamide (*cis*-amide-9)



Yellow solid; R_f 0.34 (n-pentane/EtOAc : 7/3); IR (neat) ν_{max} 3296, 3262, 3133, 3082, 1661, 1608, 1543, 1512, 1405, 1356, 1304, 1282, 1250, 1188, 1132, 999, 902, 813, 774,

746; ^1H -NMR (500 MHz, CDCl_3): δ 7.15 (bs, 1H), 7.42 (d, $J = 8.4$, 2H), 7.12 (d, $J = 8.4$ Hz, 2H), 6.42 (d, $J = 2.6$ Hz, 1H), 6.38 (m, 1H), 5.12 (d, $J = 4.3$, 1H), 4.10 (d, $J = 4.3$ Hz, 1H), 2.30 (d, 3H); ^{13}C -NMR (125 MHz, CDCl_3) δ 167.4, 142.8, 136.5, 134.8, 134.4, 129.5 (2C), 120.5 (2C), 56.8, 56.6, 20.9; HRMS (ESI^+): exact mass calculated for $[\text{M}+\text{Na}]^+$ ($\text{C}_{12}\text{H}_{12}^{35}\text{ClNNaO}$) requires m/z 244.0500, found m/z 244.0501.

11. Procedure for the preparation of crystal of complex 10



In a schlenk flask (dry and under Argon atmosphere), Pd(dba)_2 (57.5 mg, 0.1 mmol, 1.0 equiv.), the ligand **L-Ph** (40.75 mg, 0.1 mmol, 1.0 equiv.) and *cis*-chlorocarboxylic amide-**9** (22.17 mg, 0.1 mmol, 1.0 equiv.) were added. After three vacuum-Argon cycles, the solids were cooled at 0 °C. After 5 min., 3.0 mL THF was added. The solution was stirred at 0 °C for 30 min. After removing the solvent under vacuum, DCM (5 mL) was added to dissolve the solid residue. The resulting mixture was then filtered and concentrated carefully to about 1.5 mL volume. 0.5 mL *n*-pentane was added dropwise. A precipitate of complex **10** containing residual dba as the main impurity was found after 2 days of standing at low temperature (-20 °C). Attempting to recrystallize this precipitate resulted in decomposition. X-ray quality crystals were obtained when a similar procedure was employed but replacing Pd(dba)_2 with Pd(mtdba)_2 for enhanced removal.


IR (neat): ν_{max} 3240, 3181, 3052, 2170, 1980, 1667, 1635, 1599, 1512, 1481, 1455, 1435, 1403, 1372, 1318, 1264, 1236, 1185, 1142, 1111, 1098, 1047, 997, 946, 886, 862, 840, 821, 751, 727, 694;

$^1\text{H-NMR}$ (600 MHz, $\text{THF-}d_8$): δ 10.17 (s, $1\text{H}_{\text{N-H}}$), 8.18 (m, $1\text{H}_{\text{arom.}}$), 7.75-6.97 ($22\text{H}_{\text{arom.}}$ + dba byproduct), 6.42-6.39 (m, 1H, $\text{H}_{\text{oxazoline}}$), 5.63 (d, $J_{\text{HH}} = 2.58 \text{ Hz}$, $1\text{H}_{\text{C-H}}$), 5.11 (s, $1\text{H}_{\text{C-H}}$), 4.86 (t, $J = 9.2 \text{ Hz}$, $1\text{H}_{\text{oxazoline}}$), 4.54 (dd, $J = 9.1, 3.7 \text{ Hz}$, $1\text{H}_{\text{oxazoline}}$), 4.26 (s, $1\text{H}_{\text{C-H}}$), 3.29 (s, $1\text{H}_{\text{C-H}}$), 2.23 (s, 3H_{Me});

$^{13}\text{C-NMR}$ (150 MHz, $\text{THF-}d_8$): δ 188.1, 171.3, 163.1, 147.3 (d, $J = 5.56 \text{ Hz}$), 143.1, 141.8, 139.2, 136.3, 135.6, 135.5, 135.4 (d, $J = 2.2 \text{ Hz}$), 134.2 (d, $J = 11.57 \text{ Hz}$), 133.5 (d, $J = 6.89 \text{ Hz}$), 133.8 (d, $J = 7.71 \text{ Hz}$), 132.8 (d, $J = 7.3 \text{ Hz}$), 132.2, 131.9, 131.3, 130.9, 130.1-129.4, 129.1, 128.5, 128.4, 126.4, 118.6, 75.8, 69.1, 58.1, 48.2, 20.9;

^{31}P -NMR (121 MHz, $\text{THF-}d_8$): δ 28.6. (the complex underwent partial decomposition during the measurement)

HRMS (ESI^+): exact mass calculated for $[\text{M-Cl}]^+$ ($\text{C}_{39}\text{H}_{34}\text{N}_2\text{O}_2\text{PP}$) requires m/z 699.1405, found m/z 699.1404.



$\text{Pd}(\text{mtdba})_2$ was prepared according to the literature procedure.³

³ N. H. Sherden, D. C. Behenna, S. C. Virgil, B. M. Stoltz *Angew. Chem. Int. Ed.* **2009**, 48, 6840-6843.

12. Crystal data and structure refinement for complex 10.

Identification code	8030sadabs	
Empirical formula	C ₄₁ H ₃₈ Cl ₅ N ₂ O ₂ P Pd	
Color	yellow	
Formula weight	905.35 g·mol ⁻¹	
Temperature	100 K	
Wavelength	0.71073 Å	
Crystal system	MONOCLINIC	
Space group	p 2 ₁ , (no. 4)	
Unit cell dimensions	a = 9.3374 (11) Å	α = 90°.
	b = 19.234 (2) Å	β = 98.851(2)°.
	c = 10.9480 (13) Å	γ = 90°.
Volume	1942.8(4) Å ³	
Z	2	
Density (calculated)	1.548 Mg · m ⁻³	
Absorption coefficient	0.902 mm ⁻¹	
F(000)	920 e	
Crystal size	0.32 x 0.28 x 0.26 mm ³	
θ range for data collection	2.83 to 31.00°.	
Index ranges	-13 ≤ h ≤ 13, -27 ≤ k ≤ 27, -15 ≤ l ≤ 15	
Reflections collected	55178	
Independent reflections	12209 [R _{int} = 0.0165]	
Reflections with I > 2σ(I)	12110	
Completeness to θ = 27.50°	98.9 %	
Absorption correction	Gaussian	
Max. and min. transmission	0.87172 and 0.83024	
Refinement method	Full-matrix least-squares on F ²	
Data / restraints / parameters	12209 / 1 / 470	
Goodness-of-fit on F ²	1.088	
Final R indices [I > 2σ(I)]	R ₁ = 0.0445	wR ² = 0.1401
R indices (all data)	R ₁ = 0.0448	wR ² = 0.1404
Absolute structure parameter	-0.01(2)	
Largest diff. peak and hole	1.440 and -1.933 e · Å ⁻³	

Selected bond lengths [Å] and angles [°] for complex 10.







C(1)-C(2)	1.513(5)	C(1)-C(4)
1.599(5)	C(1)-Pd(1)	2.055(3)
C(2)-C(3)	1.335(5)	C(3)-C(4)
1.511(5)	C(4)-C(5)	1.515(5)
C(5)-O(1)	1.235(4)	C(5)-N(1)
1.357(4)	C(6)-C(11)	1.396(5)
C(6)-C(7)	1.415(5)	C(6)-N(1)
1.417(4)	C(7)-C(8)	1.391(5)
C(8)-C(9)	1.399(6)	C(9)-C(10)
1.386(5)	C(9)-C(12)	1.498(5)
C(10)-C(11)	1.399(5)	C(13)-N(2)
1.270(5)	C(13)-O(2)	1.352(4)
C(13)-C(22)	1.483(5)	C(14)-O(2)
1.462(5)	C(14)-C(15)	1.524(5)
C(15)-N(2)	1.504(5)	C(15)-C(16)
1.513(5)	C(16)-C(21)	1.379(6)
C(16)-C(17)	1.396(5)	C(17)-C(18)
1.383(6)	C(18)-C(19)	1.402(9)
C(19)-C(20)	1.391(9)	C(20)-C(21)
1.404(6)	C(22)-C(23)	1.401(4)
C(22)-C(27)	1.417(4)	C(23)-C(24)
1.378(5)	C(24)-C(25)	1.399(5)
C(25)-C(26)	1.396(4)	C(26)-C(27)
1.395(5)	C(27)-P(1)	1.836(3)
C(28)-C(29)	1.399(5)	C(28)-C(33)
1.400(5)	C(28)-P(1)	1.818(3)
C(29)-C(30)	1.387(5)	C(30)-C(31)
1.395(6)	C(31)-C(32)	1.393(6)
C(32)-C(33)	1.384(5)	C(34)-C(35)
1.390(5)	C(34)-C(39)	1.404(5)
C(34)-P(1)	1.828(3)	C(35)-C(36)
1.395(6)	C(36)-C(37)	1.400(7)
C(37)-C(38)	1.378(7)	C(38)-C(39)
1.401(6)	C(40)-Cl(3)	1.741(9)



C(40)-Cl(2)	1.763(8)	C(41)-Cl(5)
1.721(8)	C(41)-Cl(4)	1.760(8)
Cl(1)-Pd(1)	2.4200(8)	N(2)-Pd(1)
2.120(2)	P(1)-Pd(1)	2.2108(9)
C(2)-C(1)-C(4)	84.7(2)	C(2)-C(1)-Pd(1)
119.0(2)	C(4)-C(1)-Pd(1)	111.5(2)
C(3)-C(2)-C(1)	95.2(3)	C(2)-C(3)-C(4)
94.7(3)	C(3)-C(4)-C(5)	114.9(3)
C(3)-C(4)-C(1)	85.2(2)	C(5)-C(4)-C(1)
114.9(3)	O(1)-C(5)-N(1)	124.7(3)
O(1)-C(5)-C(4)	121.2(3)	N(1)-C(5)-C(4)
114.0(3)	C(11)-C(6)-C(7)	120.1(3)
C(11)-C(6)-N(1)	123.6(3)	C(7)-C(6)-N(1)
116.3(3)	C(8)-C(7)-C(6)	118.2(3)
C(7)-C(8)-C(9)	122.8(3)	C(10)-C(9)-C(8)
117.5(3)	C(10)-C(9)-C(12)	121.1(4)
C(8)-C(9)-C(12)	121.3(4)	C(9)-C(10)-C(11)
121.9(3)	C(6)-C(11)-C(10)	119.4(3)
N(2)-C(13)-O(2)	117.8(3)	N(2)-C(13)-C(22)
127.2(3)	O(2)-C(13)-C(22)	115.0(3)
O(2)-C(14)-C(15)	105.6(3)	N(2)-C(15)-C(16)
111.2(3)	N(2)-C(15)-C(14)	102.4(3)
C(16)-C(15)-C(14)	115.5(3)	C(21)-C(16)-C(17)
119.0(4)	C(21)-C(16)-C(15)	119.5(4)
C(17)-C(16)-C(15)	121.5(4)	C(18)-C(17)-C(16)
120.5(4)	C(17)-C(18)-C(19)	120.4(5)
C(20)-C(19)-C(18)	119.3(4)	C(19)-C(20)-C(21)
119.4(5)	C(16)-C(21)-C(20)	121.2(5)
C(23)-C(22)-C(27)	119.3(3)	C(23)-C(22)-C(13)
118.5(3)	C(27)-C(22)-C(13)	122.2(3)
C(24)-C(23)-C(22)	121.3(3)	C(23)-C(24)-C(25)
119.8(3)	C(26)-C(25)-C(24)	119.6(3)
C(27)-C(26)-C(25)	121.2(3)	C(26)-C(27)-C(22)
118.8(3)	C(26)-C(27)-P(1)	118.8(2)
C(22)-C(27)-P(1)	122.2(2)	C(29)-C(28)-C(33)


120.1(3)	C(29)-C(28)-P(1)	122.6(3)
C(33)-C(28)-P(1)	117.1(2)	C(30)-C(29)-C(28)
119.2(3)	C(29)-C(30)-C(31)	120.6(4)
C(32)-C(31)-C(30)	120.2(3)	C(33)-C(32)-C(31)
119.5(4)	C(32)-C(33)-C(28)	120.4(3)
C(35)-C(34)-C(39)	119.7(3)	C(35)-C(34)-P(1)
118.4(3)	C(39)-C(34)-P(1)	121.9(3)
C(34)-C(35)-C(36)	120.5(4)	C(35)-C(36)-C(37)
119.5(4)	C(38)-C(37)-C(36)	120.4(4)
C(37)-C(38)-C(39)	120.3(4)	C(38)-C(39)-C(34)
119.6(4)	Cl(3)-C(40)-Cl(2)	113.0(5)
Cl(5)-C(41)-Cl(4)	113.5(5)	C(5)-N(1)-C(6)
128.6(3)	C(13)-N(2)-C(15)	108.0(3)
C(13)-N(2)-Pd(1)	133.0(3)	C(15)-N(2)-Pd(1)
118.9(3)	C(13)-O(2)-C(14)	105.8(3)
C(28)-P(1)-C(34)	107.15(15)	C(28)-P(1)-C(27)
103.27(15)	C(34)-P(1)-C(27)	102.49(15)
C(28)-P(1)-Pd(1)	116.55(11)	C(34)-P(1)-Pd(1)
115.60(11)	C(27)-P(1)-Pd(1)	110.19(11)
C(1)-Pd(1)-N(2)	172.81(14)	C(1)-Pd(1)-P(1)
93.68(12)	N(2)-Pd(1)-P(1)	86.28(10)
C(1)-Pd(1)-Cl(1)	91.04(11)	N(2)-Pd(1)-Cl(1)
90.43(10)	P(1)-Pd(1)-Cl(1)	167.88(3)

13. Comparative list of C-C bond distances and selected dihedral angles in cyclobutene carboxylic acids.

The central C-C [C(1)-C(4)] (Å) bond lengths and the angles [C(2)-C(1)-C(4)] (°) in cyclobutenes derivatives are listed below.


	Cyclobutene derivatives	Crystal structures	Bond lengths of C(1)-C(4) [Å]	Angles of C(2)-C(1)-C(4) [°]
1	 <i>cis</i>		1.574	86.3
2	 <i>trans</i>		1.566	97.06
3	 <i>trans</i>		1.57	85.61

4  <i>trans</i>		1.585	85.71
--	--	--------------	--------------




H616736

Vorschlag aus NMR:



NAME audab20900
EXPNO 110
PROCNO 1
Date_ 20120412
Time 12.48
INSTRUM av600
PROBHD 5 mm CPTCl 1H-
PULPROG zg30
TD 65536
SOLVENT THF
NS 32
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7263477 sec
RG 9
DW 41.800 usec
DE 10.00 usec
TE 283.0 K
D1 1.00000000 sec
TD0 1

===== CHANNEL f1 =====
NUC1 1H
P1 8.50 usec
PL1 4.20 dB
PL1W 5.30020905 W
SFO1 600.2242403 MHz
SI 131072
SF 600.2200228 MHz
WDW no
SSB 0
LB 0.00 Hz
GB 0
PC 1.00
SR 22.81 Hz



AUD-AB-209-00
283K after shaking

¹H

av600

8.19210
8.16730
8.16120
8.15510
8.14860
8.10950
8.09900
8.09040
8.07240
8.06160
8.05340
8.04830
8.00990


7.94180
7.90930
7.89590
7.88870
7.86870
7.84060
7.82840

7.76850
7.74180
7.71060
7.69900
7.66770
7.65490
7.63600
7.62150
7.60890
7.58610
7.57340
7.55990
7.54280
7.52990
7.51660
7.49730
7.48060
7.45430
7.44420
7.43190
7.41310
7.40220
7.38970
7.38460
7.37790
7.37310
7.36110
7.35250
7.34930
7.33920
7.33710
7.32680
7.30810
7.28730
7.28630
7.25400
7.24900
7.23960
7.22450
7.21390
7.20140
7.19370
7.18130
7.15830
7.14580
7.12440
7.11140
7.09900
7.07600
7.06360
7.05450
7.04710
7.02870
7.01320
6.99940
6.97630
6.96200

H616736

NAME audab20900
EXPNO 110
PROCNO 1
Date 20120412
Time 12.48
INSTRUM av600
PROBHD 5 mm CPTCI 1H-
PULPROG zg30
TD 65536
SOLVENT THF
NS 32
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7263477 sec
RG 9
DW 41.800 usec
DE 10.00 usec
TE 283.0 K
D1 1.00000000 sec
TDO 1

CHANNEL f1
NUC1 1H
P1 8.50 usec
PL1 4.20 dB
PL1W 5.30020905 W
SFO1 600.2242403 MHz
SI 131072
SF 600.2200228 MHz
WDW no
SSB 0
LB 0.00 Hz
GB 0
PC 1.00
SR 22.81 Hz




10.3
2.9
1.0

AUD-AB-209-00
283K after shaking

1H


av600



H616736

NAME audab20900
 EXPNO 110
 PROCNO 1
 Date_ 20120412
 Time 12.46
 INSTRUM av600
 PROBHD 5 mm CPTCI 1H-
 PULPROG zg30
 TD 65536
 SOLVENT THF
 NS 32
 DS 2
 SWH 12019.230 Hz
 FIDRES 0.183399 Hz
 AQ 2.7263477 sec
 RG 9
 DW 41.800 usec
 DE 10.00 usec
 TE 283.0 K
 D1 1.00000000 sec
 TD0 1

CHANNEL f1
 NUC1 1H
 P1 8.50 usec
 PL1 4.20 dB
 PL1W 5.30020905 W
 SFO1 600.2242403 MHz
 SI 131072
 SF 600.2200228 MHz
 WDW no
 SSB 0
 LB 0.00 Hz
 GB 0
 PC 1.00
 SR 22.81 Hz




AUD-AB-209-00
 283K after shaking

1H

av600

AUD-AB-209-00



AUD-AB-025-01

13.4.
8:26 h


13.4.
1:45 h

12.4.
14:07 h

12.4.
12:46 h

188.188
172.336
147.878
147.837
143.123
141.632
136.260
135.460
135.444
135.399
135.309
134.306
134.226
133.661
133.616
132.904
132.855
132.361
132.348
132.303
132.287
130.950
130.205
130.131
130.111
130.038
130.014
129.677
129.631
129.567
129.520
129.321
129.283
129.173
129.086
129.038
128.608
128.434
128.318
126.497
75.849
69.358
67.677
67.590
67.530
67.384
67.237
67.090
55.733
55.720
46.066
46.038
25.624
25.565
25.491
25.433
25.300
25.157
25.024

Vorschlag aus NMR:



C616737


NAME audab20900
EXPNO 111
PROCNO 1
Date_ 20120412
Time 13.21
INSTRUM av600
PROBHD 5 mm CPTCI 1H-
PULPROG zgdc30
TD 80908
SOLVENT THF
NS 2000
DS 128
SWH 46296.297 Hz
FIDRES 0.572209 Hz
AQ 0.8738564 sec
RG 512
DW 10.800 usec
DE 50.99 usec
TE 283.0 K
D1 0.03000000 sec
D11 0.03000000 sec
TD0 1

===== CHANNEL f1 =====
NUC1 13C
P1 11.00 usec
PL1 -1.00 dB
PL1W 109.73103333 W
SFO1 150.9419956 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz65
NUC2 1H
PCPD2 70.00 usec
PL2 4.20 dB
PL12 22.51 dB
PL2W 5.30020905 W
PL12W 0.07821552 W
SFO2 600.2223000 MHz
SI 131072
SF 150.9252999 MHz
WDW EM
SSB 0
LB 0.80 Hz
GB 0
PC 1.00

AUD-AB-209-00
13C{1H} @ 283K
after shaking

av600




C616737

NAME audab20900
 EXPNO 111
 PROCNO 1
 Date_ 20120412
 Time 13.21
 INSTRUM av600
 PROBHD 5 mm CPTCI 1H-
 PULPROG zgdc30
 TD 80908
 SOLVENT THF
 NS 2000
 DS 128
 SWH 46296.297 Hz
 FIDRES 0.572209 Hz
 AQ 0.8738564 sec
 RG 512
 DW 10.800 use
 DE 50.99 use
 TE 283.0 K
 D1 0.03000000 sec
 D11 0.03000000 sec
 TD0 1

===== CHANNEL f1 =====
 NUC1 13C
 P1 11.00 use
 PL1 -1.00 dB
 PL1W 109.73103333 W
 SFO1 150.9419956 MHz


===== CHANNEL f2 =====
 CPDPRG2 waltz65
 NUC2 1H
 PCPD2 70.00 use
 PL2 4.20 dB
 PL12 22.51 dB
 PL2W 5.30020905 W
 PL12W 0.07821552 W
 SFO2 600.2223000 MHz
 SI 131072
 SF 150.9252999 MHz
 WDW EM
 SSB 0
 LB 0.80 Hz
 GB 0
 PC 1.00
 SR -139.10 Hz



AUD-AB-209-00
 13C{1H} @ 283K
 after shaking

av600

C616737




NAME audab20900
EXPNO 111
PROCNO 1
Date_ 20120412
Time 13.21
INSTRUM av600
PROBHD 5 mm CPTCI 1H-
PULPROG zgdc30
TD 80908
SOLVENT THF
NS 2000
DS 128
SWH 46296.297 Hz
FIDRES 0.572209 Hz
AQ 0.8738564 sec
RG 512
DW 10.800 usec
DE 50.99 usec
TE 283.0 K
D1 0.03000000 sec
D11 0.03000000 sec
TD0 1

===== CHANNEL f1 =====
NUC1 13C
P1 11.00 usec
PL1 -1.00 dB
PL1W 109.7310333 W
SFO1 150.9419956 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz65
NUC2 1H
PCPD2 70.00 usec
PL2 4.20 dB
PL12 22.51 dB
PL2W 5.30020905 W
PL12W 0.07821552 W
SFO2 600.2223000 MHz
SI 131072
SF 150.9252999 MHz
WDW EM
SSB 0
LB 0.80 Hz
GB 0
PC 1.00

AUD-AB-209-00
13C{1H} @ 283K
after shaking

av600



C616737

NAME audab20900
EXPNO 111
PROCNO 1
Date_ 20120412
Time 13.21
INSTRUM av600
PROBHD 5 mm CPTCI 1H-
PULPROG zgdc30
TD 80908
SOLVENT THF
NS 2000
DS 128
SWH 46296.297 Hz
FIDRES 0.572209 Hz
AQ 0.8738564 sec
RG 512
DW 10.800 usec
DE 50.99 usec
TE 283.0 K
D1 0.03000000 sec
D11 0.03000000 sec
TD0 1

===== CHANNEL f1 =====
NUC1 13C
P1 11.00 usec
PL1 -1.00 dB
PL1W 109.73103333 W
SFO1 150.9419956 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz65
NUC2 1H
PCPD2 70.00 usec
PL2 4.20 dB
PL12 22.51 dB
PL2W 5.30020905 W
PL12W 0.07821552 W
SFO2 600.2223000 MHz
SI 131072
SF 150.9252999 MHz
WDW EM
SSB 0
LB 0.80 Hz
GB 0
PC 1.00

AUD-AB-209-00
13C{1H} @ 283K
after shaking

av600

75.849
75.466
74.989

69.358
67.883
67.736
67.677
67.590
67.530
67.447
67.384
67.303
67.237
67.090

56.266
55.733
55.720


46.066
46.038

C616737

NAME audab20900
EXPNO 111
PROCNO 1
Date_ 20120412
Time 13.21
INSTRUM av600
PROBHD 5 mm CPTCI 1H-
PULPROG zgdc30
TD 80908
SOLVENT THF
NS 2000
DS 128
SWH 46296.297 Hz
FIDRES 0.572209 Hz
AQ 0.8738564 sec
RG 512
DW 10.800 use
DE 50.99 use
TE 283.0 K
D1 0.03000000 sec
D11 0.03000000 sec
TD0 1

===== CHANNEL f1 =====
NUC1 13C
P1 11.00 use
PL1 -1.00 dB
PL1W 109.73103333 W
SFO1 150.9419956 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz65
NUC2 1H
PCPD2 70.00 use
PL2 4.20 dB
PL12 22.51 dB
PL2W 5.30020905 W
PL12W 0.07821552 W
SFO2 600.2223000 MHz
SI 131072
SF 150.9252999 MHz
WDW EM
SSB 0
LB 0.80 Hz
GB 0
PC 1.00
SR -139.10 Hz



AUD-AB-209-00
13C{1H} @ 283K
after shaking

av600


Scale: 1.403 ppm/cm, 211.8 Hz/cm

C616738

NAME audab20900
 EXPNO 112
 PROCNO 1
 Date_ 20120412
 Time 13.34
 INSTRUM av600
 PROBHD 5 mm CPTCI 1H-
 PULPROG deptsp135
 TD 65536
 SOLVENT THF
 NS 256
 DS 4
 SWH 36057.691 Hz
 FIDRES 0.550197 Hz
 AQ 0.9088159 sec
 RG 512
 DW 13.867 use
 DE 51.34 use
 TE 283.0 K
 CNST2 145.0000000
 D1 2.00000000 sec
 D2 0.00344828 sec
 D12 0.00002000 sec
 TD0 1

===== CHANNEL f1 =====
 NUC1 13C
 P1 11.00 use
 P12 2000.00 use
 PL0 120.00 dB
 PL1 -1.00 dB
 PLOW 0.00000000 W
 PL1W 109.73103333 W
 SFO1 150.9405316 MHz
 SP2 6.33 dB
 SPNAM2 Crp60comp.4
 SPOAL2 0.500
 SPOFFS2 0.00 Hz


===== CHANNEL f2 =====
 CPDPRG2 waltz16
 NUC2 1H
 P3 8.50 use
 P4 17.00 use
 PCPD2 70.00 use
 PL2 4.20 dB
 PL12 22.51 dB
 PL2W 5.30020905 W
 PL12W 0.07821552 W
 SFO2 600.2223000 MHz
 SI 65536
 SF 150.9252999 MHz
 WDW EM
 SSB 0
 LB 1.00 Hz
 GB 0
 PC 1.00




AUD-AB-209-00
 dept135 @ 283K
 after shaking

av600

aud-ab-201-01
aud-ab-208-01
31P{1H} zgdc30



eta-1-allyl complex **3** (ca. 7:1)




12/04/2012

AUD - AB - 209 - 00

d_8 - THF

283K !



NOESY $\longleftrightarrow$

T $\longleftrightarrow$ H

N $\longleftrightarrow$ QS

P $\longleftrightarrow$ 2H, 27

T - S eher trans aus NOESY:

S $\longleftrightarrow$ 2(u)c

T $\longleftrightarrow$ H(7)

13/04/2012

AUD-AB-209-00d₆-THF283K!

HMBC

COSY


HMBC

NOESY

a (s)	172.34			ST	
b (s)	163.18			ANR(MQ)	
c (d)	147.86	P	OS(T)	ST	2H 2J(2F) OT(S)(E)
d (s)	146.63			2K NQR	
e (d)	135.45	M	C	B	C 2H 2J
2f (d)	135.35	2J	2G	D 2G 2J	M 2G(S) P(O)
2g (d)	134.27	2H	2F	E 2F 2H	2F MT P
h (d)	133.64	C	BM	A	M
i (d)	132.88	A	B	C	B
2j (d)	132.36	BD	AC 2G	A 2J M	A 2G
k (d)	132.29	E	2F	2H	
l (s)	131.62			AC	
2m (d)	130.17	2E	2J D		2J
2n (d)	130.08	2F	2HE		2H(P)
o (s)	129.83			2F 2G	
	129.83				
p (s)	129.83				
q (s)	129.6			BM	
2r (d)	129.52	2K	2L	2K	I
s (d)	129.06	O	P(S)	(P) ST	PS(T) (2J)
t (d)	128.61	I	2K	2L	2K
2u (d)	128.43	2L	2K	N I 2L	(S) RN
v (t)	75.85	QR	NR NQ		NRA 2L Q(A)
w (d)	69.36	N	QR	2L R	2L Q S
x (d)	55.73	S	PT(O)	OPT	(2J 2L) OT(P)(2K) N
y (d)	46.05	T	PS(O)	OPS	2H PS(O) (2F 2J)

8.257
8.252
8.250
8.246
8.244
8.239
8.237
7.741
7.728
7.623
7.610
7.597
7.521
7.518
7.509
7.507
7.442
7.439
7.430
7.427
7.425
7.396
7.385
7.383
7.376
7.374
7.371
7.369
7.364
7.362
7.357
7.346
7.339
7.335
7.327
7.323
7.313
7.310
7.230
7.229
7.221
7.217
7.211
7.209
7.207
7.200
7.196
7.195
7.189
7.177
7.159
7.147
7.144
7.138
7.136
7.126
7.124
7.123
7.122
7.114
7.110
7.108
7.100
7.099
7.093
7.090
7.087
7.081
7.071
7.068
6.719
6.697
6.694
6.673
6.556
6.548
6.543
6.539
6.532
6.525
6.518
6.500
6.031
5.522
5.099
5.074
4.819
4.824
4.823
4.808
4.558
4.550
4.543
4.535
3.560
2.304
1.937
1.724
1.190



Vorschlag aus NMR:



H615630

NAME audab02501
EXPNO 10
PROCNO 1
Date_ 20110810
Time 11.31
INSTRUM av600
PROBHD 5 mm CPTCl 1H-
PULPROG zg30
TO 65536
SOLVENT THF
NS 32
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7263477 sec
RG 9
DW 41.600 usec
DE 10.00 usec
TE 290.5 K
D1 1.00000000 sec
TD0 1

===== CHANNEL f1 =====
NUC1 1H
P1 8.50 usec
PL1 4.20 dB
PL1W 5.30020905 W
SFO1 600.2242403 MHz
SI 131072
SF 600.2200208 MHz
WDW no
SSB 0
LB 0.00 Hz
GB 0
PC 1.00



AUD-AB-025-01
3mm
1H


av600

8.25870 8.25690 8.25190 8.25020 8.24560 8.24380 8.23880 8.23710 7.75370 7.74090 7.72790 7.72590 7.62280 7.61000 7.58730 7.53370 7.53050 7.52130 7.51830 7.51110 7.50880 7.50700 7.49620 7.45450 7.45160 7.44230 7.43910 7.42970 7.42690 7.42470 7.41450 7.39620 7.39460 7.38260 7.37570 7.37360 7.37120 7.36940 7.36450 7.36210 7.35720 7.35060 7.34550 7.33900 7.33490 7.32650 7.31300 7.31010 7.29870 7.28880 7.22990 7.22870 7.22350 7.22110 7.21720 7.21100 7.20920 7.20720 7.19980 7.19760 7.19480 7.18900 7.17930 7.17660 7.15860 7.14660 7.14440 7.13820 7.13640 7.12640 7.12400 7.12280 7.12160 7.11360 7.11030 7.10780 7.09900 7.09300 7.08960 7.08670 7.08110 7.07470 7.07370 7.07050 7.06760 7.06280

H615630

NAME audab02501
EXPNO 10
PROCNO 1
Date_ 20110910
Time 11.31
INSTRUM av600
PROBHD 5 mm CPTCl 1H-
PULPROG zg30
TD 65536
SOLVENT THF
NS 32
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7263477 sec
RG 9
DW 41.800 usec
DE 10.00 usec
TE 290.5 K
D1 1.00000000 sec
TD0 1


----- CHANNEL f1 -----
NUC1 1H
P1 8.50 usec
PL1 4.20 dB
PL1W 5.30020905 W
SFO1 600.2242403 MHz
SI 131072
SF 600.2200208 MHz
WDW no
SSB 0
LB 0.00 Hz
GB 0
PC 1.00
SR 20.80 Hz



AUD-AB-025-01

1H


av600



H615630

NAME audabo2501
EXPNO 10
PROCNO 1
Date_ 20110810
Time 11.31
INSTRUM av600
PROBHD 5 mm CPTCI 1H-
PULPROG zg30
TD 65536
SOLVENT THF
NS 32
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7263477 sec
RG 9
DW 41.600 usec
DE 10.00 usec
TE 290.5 K
D1 1.00000000 sec
TD0 1

----- CHANNEL f1 -----
NUC1 1H
P1 8.50 usec
PL1 4.20 dB
PL1W 5.30020905 W
SFO1 600.2242403 MHz
SI 131072
SF 600.2200208 MHz
WDW no
SSB 0
LB 0.00 Hz
GB 0
PC 1.00
SR 20.80 Hz



AUD-AB-025-01

1H

av600

5.35160
5.34600
5.34310
5.33980
5.33420

5.18970
5.16450

5.09900
5.07380

4.99420
4.97820
4.96010
4.94440
4.92810
4.89940
4.87470
4.87160
4.86440
4.85370
4.84950
4.84750
4.83930
4.82410
4.82270
4.80770
4.79880
4.77180
4.72360
4.71670
4.65880
4.63200
4.64370
4.63680
4.62740
4.55750
4.55000
4.54250
4.53510

4.33090
4.31750
4.31420
4.30690


4.05310
4.04120
4.02930
4.01750

3.88720
3.87770
3.87380
3.86460
3.86030
3.85840
3.85140
3.83690
3.82350
3.82160
3.80620

H615630

NAME audab02501
EXPNO 10
PROCNO 1
Date_ 20110810
Time 11.31
INSTRUM av600
PROBHD 5 mm CPTCI 1H-
PULPROG zg30
TD 65536
SOLVENT THF
NS 32
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7263477 sec
RG 9
DW 41.600 usec
DE 10.00 usec
TE 290.5 K
D1 1.00000000 sec
TD0 1

----- CHANNEL f1 -----
NUC1 1H
P1 8.50 usec
PL1 4.20 dB
PL1W 5.30020905 W
SFO1 600.2242403 MHz
SI 131072
SF 600.2200208 MHz
WDW no
SSB 0
LB 0.00 Hz
GB 0
PC 1.00
SR 20.80 Hz



AUD-AB-025-01

1H


av600

2.40730
2.30400
2.27760
2.19740
2.12610
2.08840
2.05130
2.04290
1.99360
1.98190
1.96110
1.95550
1.95200
1.94760
1.93730
1.93110
1.92400
1.89180
1.82810
1.78190
1.77370
1.76580
1.75790
1.75170
1.74360
1.73850
1.72430
1.70190
1.68600
1.69510
1.69240
1.61370
1.55960
1.41650
1.40400
1.29420
1.27360
1.26190
1.25030
1.24280
1.23900
1.23490
1.23290
1.23180
1.22940
1.22720
1.22330
1.21880
1.21520
1.21150
1.20220
1.19770
1.19710
1.19030
1.18580
1.18400
1.18280
1.17840
1.16840
1.16080
1.15560
1.14920
1.14060
1.13660
1.13030
1.12580
1.12080
1.11890
1.10930
1.10730
1.09770
1.09260
1.08600
1.08320
1.08110
1.07070
1.06780
1.06020
1.05610
1.04430
1.03570
1.03270
0.92250
0.90210
0.89640
0.89150
0.87910
0.86700

H615630

NAME audab02501
EXPNO 10
PROCNO 1
Date_ 20110810
Time 11.31
INSTRUM av600
PROBHD 5 mm CPTCI 1H-
PULPROG zg30
TD 65536
SOLVENT THF
NS 32
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7263477 sec
RG 9
DW 41.600 usec
DE 10.00 usec
TE 290.5 K
D1 1.00000000 sec
TD0 1

----- CHANNEL f1 -----
NUC1 1H
P1 8.50 usec
PL1 4.20 dB
PL1W 5.30020905 W
SFO1 600.2242403 MHz
SI 131072
SF 600.2200208 MHz
WDW no
SSB 0
LB 0.00 Hz
GB 0
PC 1.00
SR 20.80 Hz



AUD-AB-025-01


1H

av600

168.913
163.293
161.829
147.058
147.036
142.038
136.199
136.175
135.449
135.441
135.383
135.293
134.638
134.565
133.797
133.753
133.253
133.202
132.645
132.633
132.315
132.298
131.756
131.740
130.156
130.082
129.968
129.886
129.836
129.662
129.509
129.480
129.423
129.394
129.361
129.167
128.954
128.905
128.791
128.428
128.354
128.233
127.973
126.036
113.825
75.920
68.860
67.687
67.540
67.394
67.247
67.101
54.999
25.572
25.434
25.300
25.167
25.035
21.515

C615631

Vorschlag aus NMR:




NAME audab02501
EXPNO 11
PROCNO 1
Date_ 20110810
Time 11.53
INSTRUM av600
PROBHD 5 mm CPTCI 1H-
PULPROG zgpg30
TD 80908
SOLVENT THF
NS 2000
DS 128
SWH 46296.297 Hz
FIDRES 0.572209 Hz
AQ 0.8738564 sec
RG 512
DW 10.800 usec
DE 50.99 usec
TE 290.5 K
D1 0.03000000 sec
D11 0.03000000 sec
TD0 1

===== CHANNEL f1 =====
NUC1 13C
P1 11.00 usec
PL1 -1.00 dB
PL1W 109.7310333 W
SFO1 150.9419956 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz65
NUC2 1H
PCPD2 70.00 usec
PL2 4.20 dB
PL12 22.51 dB
PL2W 5.30020905 W
PL12W 0.07821552 W
SFO2 600.2223000 MHz
SI 131072
SF 150.9252981 MHz
WDW EM
SSB 0
LB 0.80 Hz
GB 0
PC 1.00

AUD-AB-025-01
13C{1H}

av600



— 168.913

163.293
163.261

— 161.829

147.058
147.036


— 142.038

C615631

NAME audab02501
EXPNO 11
PROCNO 1
Date_ 20110810
Time 11.53
INSTRUM av600
PROBHD 5 mm CPTCI 1H-
PULPROG zgdc30
TD 80908
SOLVENT THF
NS 2000
DS 128
SWH 46296.297 Hz
FIDRES 0.572209 Hz
AQ 0.8738564 sec
RG 512
DW 10.800 use
DE 50.99 use
TE 290.5 K
D1 0.03000000 sec
D11 0.03000000 sec
TDO 1

===== CHANNEL f1 =====
NUC1 13C
P1 11.00 use
PL1 -1.00 dB
PL1W 109.73103333 W
SFO1 150.9419956 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz65
NUC2 1H
PCPD2 70.00 use
PL2 4.20 dB
PL12 22.51 dB
PL2W 5.30020905 W
PL12W 0.07821552 W
SFO2 600.2223000 MHz
SI 131072
SF 150.9252981 MHz
WDW EM
SSB 0
LB 0.80 Hz
GB 0
PC 1.00
SR -140.93 Hz




AUD-AB-025-01
13C{1H}
av600

Scale: 1.436 ppm/cm, 216.8 Hz/cm

C615631


Vorschlag aus NMR:



NAME audab02501
 EXPNO 11
 PROCNO 1
 Date_ 20110810
 Time 11.53
 INSTRUM av600
 PROBHD 5 mm CPTCI 1H-
 PULPROG zgpg30
 TD 80908
 SOLVENT THF
 NS 2000
 DS 128
 SWH 46296.297 Hz
 FIDRES 0.572209 Hz
 AQ 0.8738564 sec
 RG 512
 DW 10.800 usec
 DE 50.99 usec
 TE 290.5 K
 D1 0.03000000 sec
 D11 0.03000000 sec
 TDO 1

===== CHANNEL f1 =====
 NUC1 13C
 P1 11.00 usec
 PL1 -1.00 dB
 PL1W 109.7310333 W
 SFO1 150.9419958 MHz

===== CHANNEL f2 =====
 CPDPRG2 waitz65
 NUC2 1H
 PCPD2 70.00 usec
 PL2 4.20 dB
 PL2W 22.51 dB
 PL2W 5.30020905 W
 PL12W 0.07821552 W
 SFO2 600.2223000 MHz
 SI 131072
 SF 150.9252981 MHz
 WDW EM
 SSB 0
 LB 0.80 Hz
 GB 0
 PC 1.00



AUD-AB-025-01
 13C{1H}



av600

Scale: 0.2575 ppm/cm, 38.86 Hz/cm

— 130.156
 — 130.082
 — 129.968
 — 129.886
 — 129.836
 — 129.662
 — 129.509
 — 129.480
 — 129.423
 — 129.394
 — 129.361
 — 129.167
 — 128.954
 — 128.923
 — 128.905
 — 128.791
 — 128.428
 — 128.354
 — 128.233
 — 127.973

C615631

Vorschlag aus NMR:



```


NAME      audab02501
EXPNO     11
PROCNO    1
Date_     20110810
Time      11.53
INSTRUM   av600
PROBHD    5 mm CPTCI 1H-
PULPROG   zgpg30
TD         80908
SOLVENT   THF
NS         2000
DS         128
SWH        46296.297 Hz
FIDRES     0.572209 Hz
AQ         0.8738564 sec
RG         512
DW         10.800 usec
DE         50.99 usec
TE         290.5 K
D1         0.03000000 sec
D11        0.03000000 sec
TD0        1

===== CHANNEL f1 =====
NUC1       13C
P1         11.00 usec
PL1        -1.00 dB
PL1W       109.73103333 W
SFO1       150.9419958 MHz

===== CHANNEL f2 =====
CPDPRG2    waitz65
NUC2       1H
PCPD2      70.00 usec
PL2        4.20 dB
PL12       22.51 dB
PL2W       5.30020905 W
PL12W      0.07821552 W
SFO2       600.2223000 MHz
SI         131072
SF         150.9252981 MHz
WDW        EM
SSB        0
LB         0.80 Hz
GB         0
PC         1.00
  
```

AUD-AB-025-01
13C{1H}

av600



C615631

NAME audab02501
 EXPNO 11
 PROCNO 1
 Date_ 20110810
 Time 11.53
 INSTRUM av600
 PROBHD 5 mm CPTCI 1H-
 PULPROG zgdc30
 TD 80908
 SOLVENT THF
 NS 2000
 DS 128
 SWH 46296.297 Hz
 FIDRES 0.572209 Hz
 AQ 0.8738564 sec
 RG 512
 DW 10.800 use
 DE 50.99 use
 TE 290.5 K
 D1 0.03000000 sec
 D11 0.03000000 sec
 TD0 1

----- CHANNEL f1 -----
 NUC1 13C
 P1 11.00 use
 PL1 -1.00 dB
 PL1W 109.73103333 W
 SFO1 150.9419956 MHz

----- CHANNEL f2 -----
 CPDPRG2 waltz65
 NUC2 1H
 PCPD2 70.00 use
 PL2 4.20 dB
 PL12 22.51 dB
 PL2W 5.30020905 W
 PL12W 0.07821552 W
 SFO2 600.2223000 MHz
 SI 131072
 SF 150.9252981 MHz
 WDW EM
 SSB 0
 LB 0.80 Hz
 GB 0
 PC 1.00
 SR -140.93 Hz


AUD-AB-025-01
 13C{1H}
 av600

C615632

NAME audab02501
 EXPNO 12
 PROCNO 1
 Date_ 20110810
 Time 12.19
 INSTRUM av600
 PROBHD 5 mm CPTCI 1H-
 PULPROG deptsp135
 TD 65536
 SOLVENT THF
 NS 320
 DS 4
 SWH 36057.691 Hz
 FIDRES 0.550197 Hz
 AQ 0.9088159 sec
 RG 512
 DW 13.867 use
 DE 51.34 use
 TE 290.5 K
 CNST2 145.0000000
 D1 2.00000000 sec
 D2 0.00344828 sec
 D12 0.00002000 sec
 TD0 1


===== CHANNEL f1 =====
 NUC1 13C
 P1 11.00 use
 P12 2000.00 use
 PL0 120.00 dB
 PL1 -1.00 dB
 PL0W 0.00000000 W
 PL1W 109.73103333 W
 SFO1 150.9405316 MHz
 SP2 6.33 dB
 SPNAM2 Crp60comp.4
 SPOAL2 0.500
 SPOFFS2 0.00 Hz

===== CHANNEL f2 =====
 CPDPRG2 waltz16
 NUC2 1H
 P3 8.50 use
 P4 17.00 use
 PCPD2 70.00 use
 PL2 4.20 dB
 PL12 22.51 dB
 PL2W 5.30020905 W
 PL12W 0.07821552 W
 SFO2 600.2223000 MHz
 SI 65536
 SF 150.9252981 MHz
 WDW EM
 SSB 0
 LB 1.00 Hz
 GB 0
 PC 1.00




AUD-AB-025-01
 dept135
 av600

aud-ab-201-01
aud-ab-208-01
31P{1H} zgdc30




4



N615638

ext. Standard
90% CH₃NO₂ in CDCl₃ = 0 ppm

Vorschlag aus NMR:




NAME audab02501
EXPNO 152
PROCNO 1
Date_ 20110810
Time 16.39
INSTRUM av600
PROBHD 5 mm CPTCI 1H-
PULPROG hmbc3gandqf_wz
TD 1024
SOLVENT THF
NS 4
DS 16
SWH 4681.648 Hz
FIDRES 4.571922 Hz
AQ 0.1084132 sec
RG 512
DW 108.800 usec
DE 6.50 usec
TE 290.5 K
CNST13 10.0000000
D0 0.00000300 sec
D1 4.00000000 sec
D6 0.05000000 sec
D16 0.00020000 sec
IN0 0.00001175 sec

----- CHANNEL f1 -----
NUC1 1H
P1 8.50 usec
P2 17.00 usec
PL1 4.20 dB
PL1W 5.30020905 W
SFO1 600.2228450 MHz

----- CHANNEL f3 -----
NUC3 15N
P21 34.00 usec
PL3 -3.00 dB
PL3W 121.78649792 W
SFO3 60.8337636 MHz

----- GRADIENT CHANNEL -----
GPNAM1 SINE.100
GPNAM2 SINE.100
GPNAM3 SINE.100
GPZ1 70.00 %
GPZ2 30.00 %
GPZ3 50.10 %
P16 1000.00 usec
ND0 2
TD 1024
SFO1 60.83376 MHz
FIDRES 41.585579 Hz
SW 700.000 ppm
FMODE OF
SI 1024
SF 600.2200208 MHz
WDW OSINE
SSB 2
LB 0.00 Hz
GB 0
PC 1.40
SR 20.90 Hz
SI 1024
MC2 OF
SF 60.8428780 MHz
WDW QSINE
SSB 2
LB 0.00 Hz
GB 0


AUD-AB-025-01
15N via 1H
HMBC nJ(NH)=10 Hz



av600

N615638

ext. Standard
90% CH₃NO₂ in CDCl₃ = 0 ppm



NAME audab02501
EXPNO 152
PROCNO 1
Date 20110810
Time 16.39
INSTRUM av600
PROBHD 5 mm CPTCI 1H-
PULPROG hmbc3gpnocf_wz
TD 1024
SOLVENT THF
NS 4
DS 16
SWH 4681.648 Hz
FIDRES 4.571922 Hz
AQ 0.1094132 sec
RG 512
DW 106.800 usec
DE 6.50 usec
TE 290.5 K
CNST13 10.000000
D0 0.00000300 sec
D1 4.00000000 sec
D6 0.05000000 sec
D16 0.00020000 sec
RG 0.00001175 sec

===== CHANNEL f1 =====
NUC1 1H
P1 8.50 usec
P2 17.00 usec
PL1 4.20 dB
PL1W 5.30020905 W
SFO1 600.2228450 MHz


===== CHANNEL f3 =====
NUC3 15N
P21 34.00 usec
PL3 -3.00 dB
PL3W 121.78849792 W
SFO3 60.8337536 MHz

===== GRADIENT CHANNEL =====
GPNAM1 SINE.100
GPNAM2 SINE.100
GPNAM3 SINE.100
GPZ1 70.00 %
GPZ2 30.00 %
GPZ3 50.10 %
P16 1000.00 usec
ND0 2
TD 1024
SFO1 60.83375 MHz
FIDRES 41.585579 Hz
SW 700.000 ppm
FnMODE QF
SI 1024
SF 600.2200208 MHz
WDW QSINE
SSB 2
LB 0.00 Hz
GB 0
PC 1.40
SR 20.80 Hz
SI 1024
MC2 QF
SF 60.8428780 MHz
WDW QSINE
SSB 2
LB 0.00 Hz
GB 0


A D

AUD-AB-025-01
15N via 1H
HMBC nJ(NH)=10 Hz

av600



H616833




NAME audab231
EXPNO 30
PROCNO 1
Date 20120508
Time 10.39
INSTRUM av600
PROBHD 5 mm CPTCI 1H-
PULPROG zg30
TD 65536
SOLVENT THF
NS 32
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7263477 sec
RG 9
DW 41.800 usec
DE 10.00 usec
TE 278.0 K
D1 1.0000000 sec
D10 1

===== CHANNEL f1 =====
NUC1 1H
P1 8.50 usec
PL1 4.20 dB
PL1W 5.30020905 W
SFO1 600.2242403 MHz
SI 131072
SF 600.2200218 MHz
WDW no
SSB 0
LB 0.00 Hz
GB 0
PC 1.00
SR 21.84 Hz

AUD-AB-231
278K

1H

av600




8.22960
8.22390
8.20050
8.15960
8.15310
8.14680
8.14050
8.13390
8.09140
8.08520
8.01250
8.00640
8.00110
7.99480
7.97080
7.95720
7.90440
7.89690
7.89170
7.87740
7.86200
7.85230
7.84120
7.82760
7.77710
7.75050
7.72050
7.70900
7.68810
7.67530
7.66250
7.64260
7.62930
7.61530
7.60460
7.58680
7.57500
7.55790
7.54510
7.53250
7.52420
7.51040
7.49400
7.48200
7.47030
7.45840
7.45590
7.44430
7.41700
7.40600
7.39360
7.38780
7.38120
7.37660
7.37070
7.36700
7.36480
7.34330
7.33420
7.32120
7.30940
7.30120
7.28930
7.27960
7.26920
7.25300
7.22130
7.20210
7.18960
7.18240
7.17030
7.15290
7.12420
7.11210
7.09940
7.08920
7.08170
7.06900
7.05920
7.04680
7.03400
7.01020
6.97780
6.96330
6.95430
6.94920
6.94000
6.92550

H616833

NAME audab231
EXPNO 30
PROCNO 1
Date 20120508
Time 10.39
INSTRUM av600
PROBHD 5 mm CPTCI 1H-
PULPROG zg30
TD 85536
SOLVENT THF
NS 32
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7263477 sec
RG 9
DW 41.800 usec
DE 10.00 usec
TE 278.0 K
D1 1.0000000 sec
TD0 1


===== CHANNEL f1 =====
NUC1 1H
P1 8.50 usec
PL1 4.20 dB
PL1W 5.30020905 W
SFO1 600.2242403 MHz
SI 131072
SF 600.2200218 MHz
WDW no
SSB 0
LB 0.00 Hz
GB 0
PC 1.00
SR 21.84 Hz



AUD-AB-231
278K

1H


av600



H616833

NAME audab231
 EXPNO 30
 PROCNO 1
 Date_ 20120508
 Time 10.39
 INSTRUM av600
 PROBHD 5 mm CPTCI 1H-
 PULPROG zg30
 TD 65536
 SOLVENT THF
 NS 32
 DS 2
 SWH 12019.230 Hz
 FIDRES 0.183399 Hz
 AQ 2.7263477 sec
 RG 9
 DW 41.800 usec
 DE 10.00 usec
 TE 278.0 K
 D1 1.0000000 sec
 TD0 1

===== CHANNEL f1 =====
 NUC1 1H
 P1 8.50 usec
 PL1 4.20 dB
 PL1W 5.30020905 W
 SFO1 600.2242403 MHz
 SI 131072
 SF 600.2200218 MHz
 WDW no
 SSB 0
 LB 0.00 Hz
 GB 0
 PC 1.00
 SR 21.84 Hz



AUD-AB-231
 278K

$\int_{PH} = 12.9$ 1H

av600


Scale: 0.1616 ppm/cm, 97.02 Hz/cm

2.63440
2.08240
2.06990
2.05000
2.03730
1.89670
1.83900
1.82970
1.76990
1.72320
1.61180
1.57040
1.56090
1.40020
1.38390
1.28760
1.24030
1.20070
1.12810
1.11640
1.10470
1.09900
1.08910
1.08230
1.07490
1.06750
1.06080
1.03770
1.03240
1.02780
1.01810
1.00460
1.00030
0.99320
0.98740
0.97560
0.96200
0.93840
0.92630
0.92320
0.91520
0.91050
0.90280
0.90000
0.89020
0.88720
0.87900
0.87510
0.86710
0.86330
0.85180
0.83160
0.82490
0.81330
0.80730
0.80400
0.80180
0.78630
0.77350
0.75500
0.74340
0.73190
0.72710
0.72060
0.71550
0.71010
0.70360
0.69910
0.68730
0.67600
0.21430
0.18260
0.16620
0.15380
0.14570
0.11780
0.07090
0.05720
0.04170
0.02210
0.00620
-0.03320
-0.07820
-0.09350
-0.11570
-0.13350
-0.14660
-0.16860

H616833

NAME audab231
EXPNO 30
PROCNO 1
Date 20120508
Time 10.39
INSTRUM av600
PROBHD 5 mm CPTCL 1H-
PULPROG zg30
TD 65536
SOLVENT THF
NS 32
DS 2
SWH 12019.230 Hz
FIDRES 0.183399 Hz
AQ 2.7263477 sec
RG 9
DW 41.600 usec
DE 10.00 usec
TE 278.0 K
D1 1.00000000 sec
TD0 1

CHANNEL f1
NUC1 1H
P1 8.50 usec
PL1 4.20 dB
PL1W 5.30020905 W
SFO1 800.2242403 MHz
SI 131072
SF 800.2200218 MHz
WDW no
SSB 0
LB 0.00 Hz
GB 0
PC 1.00
SR 21.84 Hz



Scale: 0.1616 ppm/cm, 97.02 Hz/cm


AUD-AB-231
278K

1H

av600

AUD-AB-231 1 1 C:\Bruker\TOPSPIN wir

audab231 90 1 C:\Bruker\TOPSPIN wir
Scale : 3.4531
AUD-AB-231 1 1 C:\Bruker\TOPSPIN wir




¹H
600 MHz


¹H-{³¹P}
400 MHz

AUD-AB-231 1 1 C:\Bruker\TOPSPIN wir


audab231 90 1 C:\Bruker\TOPSPIN wir
Scale : 3.4531
AUD-AB-231 1 1 C:\Bruker\TOPSPIN wir



AUD-AB-227-0 C
AUD-AB-227-0 C



C616834



NAME audab231
EXPNO 31
PROCNO 1
Date_ 20120508
Time 10.47
INSTRUM av600
PROBHD 5 mm CPTCI 1H-
PULPROG zgdc30
TD 80908
SOLVENT THF
NS 1320
DS 128
SWH 46296.297 Hz
FIDRES 0.572209 Hz
AQ 0.8738564 sec
RG 512
DW 10.800 use
DE 50.99 use
TE 278.0 K
D1 0.03000000 sec
D11 0.03000000 sec
TD0 1

===== CHANNEL f1 =====
NUC1 13C
P1 11.00 use
PL1 -1.00 dB
PL1W 109.73103333 W
SFO1 150.9419956 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz65
NUC2 1H
PCPD2 70.00 use
PL2 4.20 dB
PL12 22.51 dB
PL2W 5.30020905 W
PL12W 0.07821552 W
SFO2 600.2223000 MHz
SI 131072
SF 150.9252989 MHz
WDW EM
SSB 0
LB 0.80 Hz
GB 0
PC 1.00
SR -140.11 Hz

AUD-AB-231
13C{1H} @ 278K


av600

C616834

NAME audab231
 EXPNO 31
 PROCNO 1
 Date_ 20120508
 Time 10.47
 INSTRUM av600
 PROBHD 5 mm CPTCI 1H-
 PULPROG zgdc30
 TD 80908
 SOLVENT THF
 NS 1320
 DS 128
 SWH 46296.297 Hz
 FIDRES 0.572209 Hz
 AQ 0.8738564 sec
 RG 512
 DW 10.800 use
 DE 50.99 use
 TE 278.0 K
 D1 0.03000000 sec
 D11 0.03000000 sec
 TD0 1

===== CHANNEL f1 =====
 NUC1 13C
 P1 11.00 use
 PL1 -1.00 dB
 PL1W 109.73103333 W
 SFO1 150.9419956 MHz

===== CHANNEL f2 =====
 CPDPRG2 waltz65
 NUC2 1H
 PCPD2 70.00 use
 PL2 4.20 dB
 PL12 22.51 dB
 PL2W 5.30020905 W
 PL12W 0.07821552 W
 SFO2 600.2223000 MHz
 SI 131072
 SF 150.9252989 MHz
 WDW EM
 SSB 0
 LB 0.80 Hz
 GB 0
 PC 1.00
 SR -140.11 Hz




AUD-AB-231
 13C{1H} @ 278K
 av600

C616834

NAME audab231
 EXPNO 31
 PROCNO 1
 Date_ 20120508
 Time 10.47
 INSTRUM av600
 PROBHD 5 mm CPTCI 1H-
 PULPROG zgdc30
 TD 80908
 SOLVENT THF
 NS 1320
 DS 128
 SWH 46296.297 Hz
 FIDRES 0.572209 Hz
 AQ 0.8738564 sec
 RG 512
 DW 10.800 use
 DE 50.99 use
 TE 278.0 K
 D1 0.03000000 sec
 D11 0.03000000 sec
 TD0 1

===== CHANNEL f1 =====
 NUC1 13C
 P1 11.00 use
 PL1 -1.00 dB
 PL1W 109.73103333 W
 SFO1 150.9419956 MHz

===== CHANNEL f2 =====
 CPDPRG2 waltz65
 NUC2 1H
 PCPD2 70.00 use
 PL2 4.20 dB
 PL12 22.51 dB
 PL2W 5.30020905 W
 PL12W 0.07821552 W
 SFO2 600.2223000 MHz
 SI 131072
 SF 150.9252989 MHz
 WDW EM
 SSB 0
 LB 0.80 Hz
 GB 0
 PC 1.00
 SR -140.11 Hz



AUD-AB-231
 13C{1H} @ 278K

av600

```

NAME                                audab231
EXPNO                               31
PROCNO                              1
Date_                               20120508
Time                                10.47
INSTRUM                             av600
PROBHD                               5 mm CPTCI 1H-
PULPROG                             zgpgc30
TD                                   80908
SOLVENT                             THF
NS                                   1320
DS                                   128
SWH                                  46296.297 Hz
FIDRES                              0.572209 Hz
AQ                                   0.8738564 sec
RG                                   512
DW                                   10.800 use
DE                                   50.99 use
TE                                   278.0 K
D1                                   0.03000000 sec
D11                                  0.03000000 sec
TD0                                  1


```

```
===== CHANNEL f1 =====
NUC1                      13C
F1                          11.00 use
PL1                         -1.00 dB
PL1W                       109.73103333 W
SF01                       150.9419956 MHz
```

```

===== CHANNEL f2 =====
CPDPRG2          waitz65
NUC2              1H
PCPD2            70.00 use
PL2              4.20 dB
PL12             22.51 dB
PL2W             5.30020905 W
PL12W            0.07821552 W
SFO2             600.2223000 MHz
SI               131072
SF               150.9252989 MHz
WDW              EM
SSB              0
LB               0.80 Hz
GB               0
PC               1.00
SR               -140.11 Hz
=====

```




C616834

NAME audab231
 EXPNO 31
 PROCNO 1
 Date_ 20120508
 Time 10.47
 INSTRUM av600
 PROBHD 5 mm CPTCI 1H-
 PULPROG zgdc30
 TD 80908
 SOLVENT THF
 NS 1320
 DS 128
 SWH 46296.297 Hz
 FIDRES 0.572209 Hz
 AQ 0.8738564 sec
 RG 512
 DW 10.800 use
 DE 50.99 use
 TE 278.0 K
 D1 0.03000000 sec
 D11 0.03000000 sec
 TD0 1

CHANNEL f1
 NUC1 13C
 P1 11.00 use
 PL1 -1.00 dB
 PL1W 109.73103333 W
 SFO1 150.9419956 MHz

CHANNEL f2
 CPDPRG2 waltz65
 NUC2 1H
 PCPD2 70.00 use
 PL2 4.20 dB
 PL12 22.51 dB
 PL2W 5.30020905 W
 PL12W 0.07821552 W
 SFO2 600.2223000 MHz
 SI 131072
 SF 150.9252989 MHz
 WDW EM
 SSB 0
 LB 0.80 Hz
 GB 0
 PC 1.00
 SR -140.11 Hz



Scale: 1.471 ppm/cm, 222 Hz/cm

AUD-AB-231
 13C{1H} @ 278K

av600

17.916
17.881
17.816
17.675

1.388

1.095
1.262
1.347
1.411
1.457
1.541

C616834

NAME audab231
EXPNO 31
PROCNO 1
Date_ 20120508
Time 10.47
INSTRUM av600
PROBHD 5 mm CPTCI 1H-
PULPROG zgdc30
TD 80908
SOLVENT THF
NS 1320
DS 128
SWH 46296.297 Hz
FIDRES 0.572209 Hz
AQ 0.8738564 sec
RG 512
DW 10.800 use
DE 50.99 use
TE 278.0 K
D1 0.03000000 sec
D11 0.03000000 sec
TD0 1

===== CHANNEL f1 =====
NUC1 13C
P1 11.00 use
PL1 -1.00 dB
PL1W 109.73103333 W
SFO1 150.9419956 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz65
NUC2 1H
PCPD2 70.00 use
PL2 4.20 dB
PL12 22.51 dB
PL2W 5.30020905 W
PL12W 0.07821552 W
SFO2 600.2223000 MHz
SI 131072
SF 150.9252989 MHz
WDW EM
SSB 0
LB 0.80 Hz
GB 0
PC 1.00
SR -140.11 Hz

30
30
tt



18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1 0 -1 ppm
Scale: 0.9352 ppm/cm, 141.1 Hz/cm

AUD-AB-231
13C{1H} @ 278K
av600

C616835

```

NAME      audab231
EXPNO     32
PROCNO    1
Date_     20120508
Time      11.08
INSTRUM   av600
PROBHD    5 mm CPTCI 1H-
PULPROG   deptspl35
TD         65536
SOLVENT   THF
NS         256
DS         4
SWH        36057.691 Hz
FIDRES     0.550197 Hz
AQ         0.9088159 sec
RG         512
DW         13.867 use
DE         51.34 use
TE         278.0 K
CNST2      145.0000000
D1         2.00000000 sec
D2         0.00344828 sec
D12        0.00002000 sec
TD0        1

```

```


===== CHANNEL f1 =====
NUC1       13C
P1         11.00 use
P12        2000.00 use
PL0        120.00 dB
PL1        -1.00 dB
PLOW       0.00000000 W
PL1W       109.73103333 W
SFO1       150.9405316 MHz
SP2        6.33 dB
SPNAM2     Crp60comp.4
SPOAL2     0.500
SPOFFS2    0.00 Hz

```

```

===== CHANNEL f2 =====
CPDPRG2    waltz16
NUC2       1H
P3         8.50 use
P4         17.00 use
PCPD2      70.00 use
PL2        4.20 dB
PL12       22.51 dB
PL2W       5.30020905 W
PL12W      0.07821552 W
SFO2       600.2223000 MHz
SI         65536
SF         150.9252989 MHz
WDW        EM
SSB        0
LB         1.00 Hz
GB         0
PC         1.00


```



AUD-AB-231
dept135 @ 278K

av600

H6168 42



NAME audab231
EXPNO 36
PROCNO 1
Date_ 20120508
Time 13.48
INSTRUM av600
PROBHD 5 mm CPTCI 1H-
PULPROG noesygph
TD 1024
SOLVENT THF
NS 4
DS 16
SWH 5411.255 Hz
FIDRES 5.284429 Hz
AQ 0.0946676 sec
RG 32
DW 92.400 usec
DE 10.00 usec
TE 278.0 K
D0 0.00008158 sec
D1 4.00000000 sec
D8 1.20000005 sec
D16 0.00020000 sec
IN0 0.00018480 sec


===== CHANNEL f1 =====
NUC1 1H
P1 8.50 usec
P2 17.00 usec
PL1 4.20 dB
PL1W 5.30020905 W
SFO1 600.2224440 MHz

===== GRADIENT CHANNEL =====
GPNAM1 SINE 100
GPNAM2 SINE 100
GPZ1 40.00 %
GPZ2 -40.00 %
P16 1000.00 usec
ND0 1
TD 512
SFO1 600.2224 MHz
FIDRES 10.568839 Hz
SW 9.015 ppm
FnMODE States-TPPI
SI 1024
SF 600.2200196 MHz
WDW QSINE
SSB 2
LB 0.00 Hz
GB 0
PC 1.00
SI 1024
MC2 States-TPPI
SF 600.2200196 MHz
WDW QSINE
SSB 2
LB 0.00 Hz
GB 0

AUD-AB-231
NOESY @ 278K

av-600

H616842



NAME audab231
 EXPNO 36
 PROCNO 1
 Date_ 20120508
 Time 13.48
 INSTRUM av600
 PROBHD 5 mm CPTCI 1H-
 PULPROG noesygpph
 TD 1024
 SOLVENT THF
 NS 4
 DS 16
 SWH 5411.255 Hz
 FIDRES 5.284429 Hz
 AQ 0.0946676 sec
 RG 32
 DW 92.400 usec
 DE 10.00 usec
 TE 278.0 K
 D0 0.00008158 sec
 D1 4.00000000 sec
 D8 1.20000005 sec
 D16 0.00020000 sec
 IN0 0.00018480 sec


===== CHANNEL f1 =====
 NUC1 1H
 P1 8.50 usec
 P2 17.00 usec
 PL1 4.20 dB
 PL1W 5.30020905 W
 SFO1 600.2224440 MHz

===== GRADIENT CHANNEL =====
 GPNAM1 SINE 100
 GPNAM2 SINE 100
 GPZ1 40.00 %
 GPZ2 -40.00 %
 P16 1000.00 usec
 ND0 1
 TD 512
 SFO1 600.2224 MHz
 FIDRES 10.568839 Hz
 SW 9.015 ppm
 FnmODE States-TPPI
 SI 1024
 SF 600.2200196 MHz
 WDW QSINE
 SSB 2
 LB 0.00 Hz
 GB 0
 PC 1.00
 SI 1024
 MC2 States-TPPI
 SF 600.2200196 MHz
 WDW QSINE
 SSB 2
 LB 0.00 Hz
 GB 0

$\overline{v-3} - \overline{v-4}$ AUD-AB-231
 NOESY @ 278K

av-600

H616842



NAME audab231
 EXPNO 36
 PROCNO 1
 Date_ 20120508
 Time 13.48
 INSTRUM av600
 PROBHD 5 mm CPTCL 1H-
 PULPROG noesygpph
 TD 1024
 SOLVENT THF
 NS 4
 DS 16
 SWH 5411.255 Hz
 FIDRES 5.284429 Hz
 AQ 0.0946676 sec
 RG 32
 DW 92.400 usec
 DE 10.00 usec
 TE 278.0 K
 D0 0.00008158 sec
 D1 4.00000000 sec
 D8 1.20000005 sec
 D16 0.00020000 sec
 IN0 0.00018480 sec

$\overline{V-4} - \overline{V-2}$
 negative

$\overline{V-4} - \overline{V-2}$ negative
 $\overline{V-4} - \overline{V-3}$

===== CHANNEL f1 =====
 NUC1 ^1H
 P1 8.50 usec
 P2 17.00 usec
 PL1 4.20 dB
 PL1W 5.30020905 W
 SFO1 600.2224440 MHz


===== GRADIENT CHANNEL =====
 GPNAM1 SINE 100
 GPNAM2 SINE 100
 GPZ1 40.00 %
 GPZ2 -40.00 %
 P16 1000.00 usec
 ND0 1
 TD 512
 SFO1 600.2224 MHz
 FIDRES 10.568839 Hz
 SW 9.015 ppm
 FnmODE States-TPPI
 SI 1024
 SF 600.2200196 MHz
 WDW QSINE
 SSB 2
 LB 0.00 Hz
 GB 0
 PC 1.00
 SI 1024
 MC2 States-TPPI
 SF 600.2200198 MHz
 WDW QSINE
 SSB 2
 LB 0.00 Hz
 GB 0

$\overline{V-1} - \overline{V-2}$

$\overline{V-1} - \overline{V-2}, \overline{V-3}$ AUD-AB-231
 NOESY @ 278K

av-600

H616842




NAME audab231
 EXPNO 36
 PROCNO 1
 Date_ 20120508
 Time 13.48
 INSTRUM av600
 PROBHD 5 mm CPTCI 1H-
 PULPROG noesygpph
 TD 1024
 SOLVENT THF
 NS 4
 DS 16
 SWH 5411.255 Hz
 FIDRES 5.284429 Hz
 AQ 0.0946676 sec
 RG 32
 DW 92.400 usec
 DE 10.00 usec
 TE 278.0 K
 D0 0.00008158 sec
 D1 4.00000000 sec
 D8 1.20000005 sec
 D16 0.00020000 sec
 INO 0.00018480 sec


===== CHANNEL f1 =====
 NUC1 ^1H
 P1 8.50 usec
 P2 17.00 usec
 PL1 4.20 dB
 PL1W 5.30020905 W
 SFO1 600.222440 MHz

===== GRADIENT CHANNEL =====
 GPNAM1 SINE 100
 GPNAM2 SINE 100
 GPZ1 40.00 %
 GPZ2 -40.00 %
 P16 1000.00 usec
 ND0 1
 TD 512
 SFO1 600.2224 MHz
 FIDRES 10.568839 Hz
 SW 9.015 ppm
 FnmODE States-TPPI
 SI 1024
 SF 600.2200196 MHz
 WDW QSINE
 SSB 2
 LB 0.00 Hz
 GB 0
 PC 1.00
 SI 1024
 MC2 States-TPPI
 SF 600.2200196 MHz
 WDW QSINE
 SSB 2
 LB 0.00 Hz
 GB 0


AUD-AB-231
 NOESY @ 278K


av-600






— 26.13






ap17027
AUD-AB-216-0Â°C






ap18008


AUD-AB-216-16




ap18008
AUD-AB-216-rt 16h














AUD-AB-260-rt. 3h
AUD-AB-260-rt. 3h











Gerät : UFLC-20-1

Operator : KI
 Sample Name : AUD-AB-207-01
 Vial # : 1
 Injection Volume : 1 µL
 Data File Name : AUD-AB-207-01-02.lcd
 Method File Name : Audisio.lcm

Data Acquired: 09.05.2012 12:23:31

1 µL AUD-AB-207-01 (in 1 mL 2-Propanol)
 150 mm Chiralpak AS-RH, 4.6 mm i.D.
 Acetonitril/Wasser = 35:65
 1.0 mL/min, 8.1 MPa, 298 K
 210 nm



1 210nm,4nm

PDA Ch1 210nm

Peak #	Ret. Time	Area %	Name
1	3.18	0.41	
2	3.39	0.91	
3	4.21	0.15	
4	4.45	0.10	
5	4.75	7.29	
6	5.25	1.47	
7	5.79	1.27	
8	6.96	0.08	
9	8.49	0.85	
10	9.00	0.15	
11	9.68	0.93	
12	10.61	0.35	
13	11.84	0.11	
14	13.66	83.00	1. trans-Enantiomer
15	15.28	1.45	2. trans-Enantiomer
16	15.90	0.52	
17	16.43	0.06	
18	18.68	0.63	
19	20.03	0.25	

1. trans-Enantiomer
 2. trans-Enantiomer } ee = 96%

Total 100.00

Supporting Information

Computational Part

Palladium-Catalyzed Allylic Substitution at Four Membered Cyclic Systems: Formation of η^1 -Allyl Complexes and Electrocyclic Ring Opening

Davide Audisio, Gopinadhanpillai Gopakumar, Lan-Gui Xie, Luis G. Alves, Cornelia Wirtz, Ana M. Martins, Walter Thiel, Christophe Farès and Nuno Maulide*

maulide@kofo.mpg.de

Table of Contents

Computational Methods	S2
Survey of Computational Results Presented as Supporting Information	S3
References	S4
Tables	S6
Figures	S8
Cartesian Coordinates of Optimized Geometries (BP86/def2-SVP)	S23

Computational Methods

Density functional theory (DFT) was applied to study the ring opening reaction catalysed by the palladium complex. Geometry optimizations were carried out using the BP86^{1,2} functional in combination with def2-SVP basis sets.³⁻⁵ In the case of palladium, 28 inner-shell core electrons were replaced by an effective core potential (ECP) generated for the neutral atom using quasi-relativistic methods, while the explicitly treated electrons were described by the standard def2-ECP basis set.⁶ The resolution-of-identity (RI) approximation⁷⁻⁹ was applied in conjunction with the appropriate auxiliary basis sets to speed up the calculations. All relevant stationary points were characterized as minima or first-order transition states by evaluating the harmonic vibrational frequencies at the same level (RI-BP86/def2-SVP) that had been applied for geometry optimization.

To check the sensitivity of the computed energy profiles, single-point energies at the optimized RI-BP86/def2-SVP geometries were calculated using the standard B3LYP^{1,10,11} hybrid functional and the modern M06 functional,¹² in conjunction with different basis sets, i.e., def2-TZVP¹³ and 6-31G*.¹⁴ For the M06 calculations, the palladium was described by the LANL2DZ effective core potential (ECP) and the associated double- ζ basis set. The influence of the solvent environment (THF, dielectric constant $\epsilon = 7.426$) on the relative energies was investigated through single-point calculations with the conductor-like screening model (COSMO).¹⁵ Empirical Grimme-type dispersion corrections were incorporated at the B3LYP level using the latest parametrization (DFT-D3);¹⁶ the corresponding results are denoted as B3LYP-D.

Zero-point energies (ZPE) were computed from the harmonic vibrational frequencies (RI-BP86/def2-SVP). Relative free energies (ΔG) at standard pressure (1 bar) and 298.15K were determined at the RI-BP86/def2-SVP level. The required thermal and entropic contributions were evaluated within the rigid-rotor harmonic-oscillator approximation.

The DFT computations were performed with TURBOMOLE (version-6.4)^{17,18} and Gaussian09.¹⁹

Survey of Computational Results Presented as Supporting Information

Table S1 summarizes relative energies (with and without considering the zero-point energy corrections) and relative free energies with respect to the energetically lowest-lying complex **7a**. Table S2 lists the single-point results for relative energies evaluated at different levels. Figures S1-S13 show the optimized geometries of the stationary points along the reaction profile and selected values for important bond lengths. The free energy profile (evaluated at 25°C) for ring opening and η^1 - η^3 - η^1 isomerization is presented in Figure S14, and the shape of highest occupied molecular orbital (HOMO) of **TS_{ring}-1** (see below) is illustrated in Figure S15. The following summary of the DFT results for these reactions focuses on the geometries and relative free energies calculated at the BP86/def2-SVP level.

A total of 49 starting geometric configurations were considered for the isomer screening of η^1 -complexes, from which we identified the energetically lowest-lying isomer **7a** (Figure S1) and an almost as stable diastereomer **7b** (Figure S2). In both species, the cyclobutene unit contains rather long C-C bonds (1.58 Å) between the carbon atoms bonded to palladium and the ester group. The ring opening reaction in **7a** and **7b** proceeds via the transition states **TS_{ring}-1** (Figure S3) and **TS_{ring}-2** (Figure S4) and yields the products **E,E-(8) [7a]** (Figure S5) and **E,E-(8) [7b]** (Figure S6), respectively. The corresponding barriers are computed to be 17.3 and 19.8 kcal/mol, respectively, at the BP86/def2-SVP level. In an attempt to characterize the η^1 - η^3 - η^1 isomerization pathway, starting from **7a**, the palladium atom was moved along on top of the cyclobutene unit by performing relaxed potential energy surface scans. The transition state **TS-1** at the beginning of the η^1 - η^3 isomerization reaction (Figure S7, 14.9 kcal/mol) lies energetically below the ring opening transition state **TS_{ring}-1**. The

resulting η^3 -isomer $\eta^3\text{-1}$ (Figure S8) has a relatively long Pd-N bond (2.23 Å) and lies 10.1 kcal/mol above **7a**. A facile rearrangement via **TS_{int-1}** (Figure S9) with a barrier of 2.1 kcal/mol leads to an intermediate minimum **INT** (Figure S10, 6.9 kcal/mol), in which the Pd-N bond of the ligand unit has been cleaved. In the next step, the palladium-bound chlorine atom adopts a new orientation (facing the forefront) followed by re-coordination of the ruptured Pd-N bond. This rearrangement via transition state **TS_{int-2}** (Figure S11) with a barrier of 5.2 kcal/mol gives rise to the η^3 -complex $\eta^3\text{-2}$ (Figure S12, 7.7 kcal/mol), which isomerizes via another low-lying transition **TS-2** (Figure S13, 9.8 kcal/mol) to **7b** (Figure S2, 0.8 kcal/mol). Note that all stationary points along the η^1 - η^3 - η^1 isomerization pathway are of lower energy than the ring opening transition states (see Figure S14), which explains the slow interconversion observed during the EXSY/NOESY experiments.

The single-point energies for the computed reaction profile (Table S2) generally show the same trend as the BP86/def2-SVP gas-phase energies at fully optimized geometries (Table S1). In view of the fact that the actual reaction has been carried out in solution, the BP86/def2-TZVP results from solvent single-point energy calculations should be considered most realistic. They differ from the BP86/def2-SVP relative energies typically by only 1-2 kcal/mol.

References

- (1) Becke, A. D. *Phys. Rev. A*, **1988**, 38, 3098-3100.
- (2) Perdew, J. P.; *Phys. Rev. B*, **1986**, 33, 8822-8824.
- (3) Schäfer, A.; Horn, H.; Ahlrichs, R. *J. Chem. Phys.* **1992**, 97, 2571-2577.
- (4) Weigend, F.; Ahlrichs, R. *Phys. Chem. Chem. Phys.* **2005**, 7, 3297-3305.
- (5) Weigend, F. *Phys. Chem. Chem. Phys.* **2006**, 8, 1057-1065.

- (6) Andrae, D.; Häussermann, U.; Dolg, M.; Stoll, H.; Preuss, H.; *Theor. Chim. Acta.* **1990**, 77, 123-141.
- (7) Eichkorn, K.; Treutler, O.; Öhm, H.; Häser, M.; Ahlrichs, R. *Chem. Phys. Lett.* **1995**, 242, 652-660.
- (8) Eichkorn, K.; Weigend, F.; Treutler, O.; Ahlrichs, R. *Theor. Chem. Acc.* **1997**, 97, 119-124.
- (9) Weigend, F. *Phys. Chem. Chem. Phys.* **2002**, 4, 4285-4291.
- (10) Becke, A. D. *J. Chem. Phys.* **1993**, 98, 5648-5652.
- (11) Lee, C.; Yang, W.; Parr, R. G. *Phys. Rev. B.* **1988**, 37, 785-789.
- (12) Zhao, Y.; Truhlar, D. G. *Theor. Chem. Acc.* **2008**, 120, 215-241.
- (13) Schäfer, A.; Huber, C.; Ahlrichs, R. *J. Chem. Phys.* **1994**, 100, 5829-5835.
- (14) Hehre, W. J.; Ditchfield, R.; Pople, J. A. *J. Chem. Phys.* **1972**, 56, 2257-2261.; Francel, M. M.; Petro, W. J.; Hehre, W. J.; Binkley, J. S.; Gordon, M. S.; DeFrees, D. J.; Pople, J. A. *J. Chem. Phys.* **1982**, 77, 3654-3665.
- (15) Klamt, A.; Schüürmann, G. *J. Chem. Soc. Perkin Trans. 2* **1993**, 5, 799-805.
- (16) Grimme, S.; Antony, J.; Ehrlich, S.; Krieg, H.; *J. Chem. Phys.* **2010**, 132, 154104.
- (17) Ahlrichs, R.; Bär, M.; Häser, M.; Horn, H.; Kölmel, C. *Chem. Phys. Lett.* **1989**, 162, 165-169.
- (18) TURBOMOLE V6.3 2011, a development of University of Karlsruhe and Forschungszentrum Karlsruhe GmbH, **1989-2007**, TURBOMOLE GmbH, since 2007; available from <http://www.turbomole.com>
- (19) Gaussian 09, Revision B.01, Frisch, M. J.; Trucks, G. W.; Schlegel, H. B.; Scuseria, G. E.; Robb, M. A.; Cheeseman, J. R.; Scalmani, G.; Barone, V.; Mennucci, B.; Petersson, G. A.; Nakatsuji, H.; Caricato, M.; Li, X.; Hratchian, H. P.; Izmaylov, A. F.; Bloino, J.; Zheng, G.; Sonnenberg, J. L.; Hada, M.; Ehara, M.; Toyota, K.; Fukuda, R.; Hasegawa, J.; Ishida, M.; Nakajima, T.; Honda, Y.; Kitao, O.; Nakai, H.; Vreven, T.; Montgomery, Jr., J. A.; Peralta, J. E.; Ogliaro, F.; Bearpark, M.; Heyd, J. J.; Brothers, E.; Kudin, K. N.; Staroverov, V. N.; Kobayashi, R.; Normand, J.; Raghavachari, K.; Rendell, A.; Burant, J. C.; Iyengar, S. S.; Tomasi, J.; Cossi, M.; Rega, N.; Millam, N. J.; Klene, M.; Knox, J. E.; Cross, J. B.; Bakken, V.; Adamo, C.; Jaramillo, J.; Gomperts, R.; Stratmann, R. E.; Yazyev, O.; Austin, A. J.; Cammi, R.; Pomelli, C.; Ochterski, J. W.; Martin, R. L.; Morokuma, K.; Zakrzewski, V. G.; Voth, G. A.; Salvador, P.; Dannenberg, J. J.; Dapprich, S.; Daniels, A. D.; Farkas, Ö.; Foresman, J. B.; Ortiz, J. V.; Cioslowski, J.; Fox, D. J. Gaussian, Inc., Wallingford CT, **2010**.

TABLES

Table S1. Relative total energies (with and without ZPE corrections) and free energies (in kcal/mol) with respect to complex **7a** obtained at the BP86/def2-SVP level.

	Stationary points												
	<i>E</i> , <i>E</i> -8 [7a]	TS _{ring} -1	7a	TS-1	η^3 -1	TS _{int} -1	INT	TS _{int} -2	η^3 -2	TS-2	7b	TS _{ring} -2	<i>E</i> , <i>E</i> -8 [7b]
Rel. Total Energy	-15.54	19.35	0	17.29	12.47	14.07	10.07	13.92	10.00	10.93	0.78	21.80	-15.03
Rel. Total Energy + ZPE	-15.73	18.09	0	16.43	11.87	13.15	9.35	13.18	9.68	10.37	0.93	20.56	-15.30
Rel. Free Energy	-17.34	17.26	0	14.93	10.14	12.24	6.86	12.09	7.66	9.80	0.84	19.84	-18.66

Table S2. Relative energies (in kcal/mol) with respect to complex **7a** obtained from single-point calculations at different levels of theory (see methodology section).

Method	Stationary points												
	<i>E</i> , <i>E</i> -8 [7a]	TS _{ring} -1	7a	TS-1	η^3 -1	TS _{int} -1	INT	TS _{int} -2	η^3 -2	TS-2	7b	TS _{ring} -2	<i>E</i> , <i>E</i> -8 [7b]
B3LYP/def2-TZVP	-20.88	19.24	0	20.24	17.12	16.63 ^b	10.04	15.90	13.84	13.87	2.15	22.98	-20.31
B3LYP-D/def2-TZVP	-15.06	23.09	0	24.70	21.44	21.80	16.22	21.18	18.45	18.87	6.92	27.94	-13.03
BP86/def2-TZVP (solvent single-point)	-20.22	16.30	0	15.12	12.04	13.67	8.89	11.99	6.67	9.37	2.37	20.09	-19.59
M06/6-31G* ^a	-6.80	31.20	0	19.61	16.39	15.56 ^b	12.14	15.59	14.27	15.16	6.55	34.13	-4.18

^a Palladium was described by the LANL2DZ effective core potential (ECP) and the associated double- ζ basis set.

^b The single-point energy of the transition state lies below that of the preceding minimum due to the fact that the geometries were not re-optimized.

Figures

Figure S1. Optimized geometry of η^1 complex, **7a** at BP86/def2-SVP level. The hydrogen atoms are omitted for clarity (color code: gray balls are carbon; orange ball is phosphorus; red balls are oxygen; green ball is chlorine, blue ball is nitrogen and dark cyan is palladium). Some important bond lengths are also given.




Figure S2. Optimized geometry of η^1 complex, **7b** at BP86/def2-SVP level. The hydrogen atoms are omitted for clarity (please refer Figure S1 for color code). Some important bond lengths are also given.




Figure S3. Optimized geometry of $\text{TS}_{\text{ring}}\text{-1}$ at BP86/def2-SVP level. The hydrogen atoms are omitted for clarity (please refer Figure S1 for color code). Some important bond lengths are also given.




Figure S4. Optimized geometry of **TS_{ring}-2** at BP86/def2-SVP level. The hydrogen atoms are omitted for clarity (please refer Figure S1 for color code). Some important bond lengths are also given.






Figure S5. Optimized geometry of *E,E*-(8) [7a] at BP86/def2-SVP level. The hydrogen atoms are omitted for clarity (please refer Figure S1 for color code). Some important bond lengths are also given.




***E,E*-(8) [7a]**

Figure S6. Optimized geometry of *E,E*-(8) [7b] at BP86/def2-SVP level. The hydrogen atoms are omitted for clarity (please refer Figure S1 for color code). Some important bond lengths are also given.



E,E-(8) [7b]

Figure S7. Optimized geometry of **TS-1** at BP86/def2-SVP level. The hydrogen atoms are omitted for clarity (please refer Figure S1 for color code). Some important bond lengths are also given.



TS-1

Figure S8. Optimized geometry of η^3 -1 at BP86/def2-SVP level. The hydrogen atoms are omitted for clarity (please refer Figure S1 for color code). Some important bond lengths are also given.




Figure S9. Optimized geometry of **TS_{int}-1** at BP86/def2-SVP level. The hydrogen atoms are omitted for clarity (please refer Figure S1 for color code). Some important bond lengths are also given.




Figure S10. Optimized geometry of **INT** at BP86/def2-SVP level. The hydrogen atoms are omitted for clarity (please refer Figure S1 for color code). Some important bond lengths are also given.




Figure S11. Optimized geometry of $\text{TS}_{\text{int}}\text{-2}$ at BP86/def2-SVP level. The hydrogen atoms are omitted for clarity (please refer Figure S1 for color code). Some important bond lengths are also given.




Figure S12. Optimized geometry of η^3 -2 at BP86/def2-SVP level. The hydrogen atoms are omitted for clarity (please refer Figure S1 for color code). Some important bond lengths are also given.




Figure S13. Optimized geometry of **TS-2** at BP86/def2-SVP level. The hydrogen atoms are omitted for clarity (please refer Figure S1 for color code). Some important bond lengths are also given.




Figure S14. Free energy profile (25°C) for the ring opening and η^1 - η^3 - η^1 interconversion pathway at BP86/def2-SVP level.





Figure S15. Plot of the highest occupied molecular orbital (HOMO) of the conrotatory ring opening transition state ($\text{TS}_{\text{ring-1}}$) for complex **7a** at BP86/def2-SVP level.



CARTESIAN COORDINATES OF OPTIMIZED GEOMETRIES (BP86/def2-SVP, Å)

E,E (8) [7a]

69

c	1.7500610987	-0.6054914677	-1.2419457676
c	2.9174512794	-0.6484760525	-4.1188463888
c	-2.5947318232	2.5651749480	0.5570925073
c	-1.3086379958	2.0229525055	0.3420771886
c	-0.1684080909	2.8148634133	0.5982259684
c	-0.3149458539	4.1374286060	1.0462287099
c	-1.5966468790	4.6753094533	1.2515136008
c	-2.7351321960	3.8872615898	1.0102637635
p	-1.0493972121	0.3081594233	-0.2981730710
c	-2.5471050791	-0.6133649933	0.3079744361
c	-2.6194576512	-1.1287297849	1.6376927910
c	-3.7971347148	-1.7857202345	2.0629810627
c	-4.8841134057	-1.9589952267	1.1956598368
c	-4.8090531691	-1.4689788623	-0.1156473710
c	-3.6512881174	-0.7989616525	-0.5477171959
c	-1.5148778827	-1.0227069713	2.6134679943
n	-0.2630967048	-0.7624862392	2.3817269659
c	0.4484991329	-0.7005052352	3.6929085055
c	-0.5898948106	-1.3345894263	4.6440586997
o	-1.8459945111	-1.2593279914	3.9085614018
pd	0.8211963329	-0.6649358964	0.5096445970
cl	2.6993919517	-1.7042807306	1.5044814478
c	0.8711503559	0.7274198395	4.0237900286
c	-0.0440842838	1.6684265891	4.5423920586
c	0.3714176933	2.9743388005	4.8485790343
c	1.7074393931	3.3567460199	4.6356889783
c	2.6210792777	2.4300051792	4.1058141606
c	2.2062687386	1.1233591351	3.7987223202
c	-1.3022327651	0.4377305990	-2.1194753625
c	-1.0233003975	-0.7032350337	-2.9075041472
c	-1.1733333408	-0.6507790002	-4.3015946827
c	-1.5873040964	0.5406742569	-4.9235387949
c	-1.8530047957	1.6799631318	-4.1469639575
c	-1.7111858801	1.6326231937	-2.7489543911
c	3.6351047110	-0.7732282348	-5.3987028364
o	3.3347504968	0.2835847756	-6.2252952415
c	3.9869682199	0.2596000270	-7.4964745352
c	2.4507344151	-1.6238786321	-1.8183835635
c	3.0717498705	-1.5851402750	-3.1379164893
o	4.3973510589	-1.6703665389	-5.7344885266
h	1.3587146570	-1.3239906613	3.5820605508

h	-0.3821849396	-2.4062853228	4.8450517715
h	-0.7189026275	-0.7990100314	5.6025754835
h	-3.8391562934	-2.1708250508	3.0906536943
h	-5.7861015702	-2.4826776456	1.5459551254
h	-5.6519921009	-1.6024664639	-0.8105688529
h	-3.6031798507	-0.4126254952	-1.5761245022
h	-1.9141770542	2.5316667672	-2.1486884722
h	-2.1679694491	2.6178616340	-4.6295488859
h	-1.6909478201	0.5829970784	-6.0185099041
h	-0.9482668008	-1.5420769462	-4.9062071540
h	-0.6699498993	-1.6281229149	-2.4271829633
h	-3.4915412880	1.9537476998	0.3735748158
h	-3.7409612074	4.3023970407	1.1777008008
h	-1.7092420520	5.7106984589	1.6084475355
h	0.5799537180	4.7451835928	1.2469563615
h	0.8354086054	2.3829394404	0.4590065232
h	2.9090225799	0.3963702819	3.3612320110
h	3.6676701443	2.7233715953	3.9308110448
h	2.0351052437	4.3784673889	4.8829648247
h	-0.3523127027	3.6965880343	5.2567649325
h	-1.0962035991	1.3861679234	4.7088123325
h	1.6640459164	0.3506570529	-1.7976122623
h	2.2561384900	0.2240578273	-4.0034155965
h	3.7436738731	-2.4260820406	-3.3883421667
h	2.5984493918	-2.5548465296	-1.2466463940
h	3.6509309365	1.1653225571	-8.0341969585
h	5.0906817431	0.2698431280	-7.3823112031
h	3.7157987134	-0.6501878314	-8.0716202137

TS_{ring}-1

69

c	1.3845885719	-1.5700851807	-1.5854000294
c	3.1110689955	-0.5251588538	-2.3757074288
c	-2.0978321759	2.5345007814	0.0478969978
c	-1.0347103379	1.7211697817	-0.3997740572
c	0.2192105603	2.3070277506	-0.6857680442
c	0.3976517664	3.6902864525	-0.5295041969
c	-0.6617002739	4.4969360287	-0.0793933158
c	-1.9084723089	3.9174961950	0.2085098149
p	-1.2026323876	-0.1047028425	-0.6328409458
c	-2.7637956208	-0.5331955522	0.2881703042
c	-2.7725597460	-0.7960421445	1.6917687426
c	-3.9984691938	-1.0836049726	2.3366283608
c	-5.2016773223	-1.1315509490	1.6213262536
c	-5.1955916697	-0.8846586021	0.2413422965
c	-3.9873360786	-0.5851987784	-0.4106287389
c	-1.5579475240	-0.7895525053	2.5322705200
n	-0.3184711263	-0.8421155071	2.1486215396

c	0.5456076191	-0.7288703205	3.3602787648
c	-0.4713467353	-0.9695769326	4.4977608992
o	-1.7690299957	-0.7467137781	3.8735576037
pd	0.5524990271	-1.2630171085	0.1924317245
cl	2.2848320463	-2.5194846735	1.2272449242
c	1.2752525834	0.6105175312	3.3881425983
c	0.6317895344	1.7949566658	3.8058850311
c	1.3262436814	3.0149353148	3.8251214860
c	2.6719521667	3.0661528505	3.4226522374
c	3.3153904000	1.8936054546	2.9928110321
c	2.6214061785	0.6727365386	2.9723442651
c	-1.6826732805	-0.3120184420	-2.4031894074
c	-1.7428112091	-1.6252574678	-2.9230915411
c	-2.1035833110	-1.8386197112	-4.2616679429
c	-2.3913633989	-0.7452627640	-5.0977575619
c	-2.3189695156	0.5620320348	-4.5903633942
c	-1.9663584394	0.7816410206	-3.2475157813
c	3.2665556821	0.5053641654	-3.4152954896
o	3.0854950722	1.7751928557	-2.9056929380
c	3.1978277765	2.8264241890	-3.8677509344
c	2.3581720658	-2.5887153404	-1.9155113224
c	3.3083805564	-1.9289632242	-2.6637863608
o	3.5088810920	0.3100785189	-4.5994859672
h	1.2968461847	-1.5413942692	3.2850672575
h	-0.4520390485	-2.0154939316	4.8689238318
h	-0.3757659107	-0.2741980625	5.3519737371
h	-3.9866293795	-1.2795136948	3.4171703196
h	-6.1412034215	-1.3662878811	2.1436657700
h	-6.1313109126	-0.9211934288	-0.3370978867
h	-3.9961996446	-0.3865429583	-1.4918425959
h	-1.9097195025	1.8082340117	-2.8560898563
h	-2.5353805262	1.4212305427	-5.2435686826
h	-2.6628090957	-0.9136305437	-6.1512404857
h	-2.1460291411	-2.8644961968	-4.6580004458
h	-1.4948365306	-2.4806616492	-2.2748106293
h	-3.0779445800	2.0892081694	0.2761360376
h	-2.7415308254	4.5438649392	0.5632084162
h	-0.5137439360	5.5800208938	0.0519138836
h	1.3795166645	4.1347483226	-0.7509194201
h	1.0595599521	1.6865188737	-1.0344643434
h	3.1080273093	-0.2475581655	2.6116794484
h	4.3671609941	1.9268881855	2.6692649516
h	3.2180749853	4.0221425692	3.4424899680
h	0.8133481900	3.9310459058	4.1567428263
h	-0.4250002219	1.7729351912	4.1177546990
h	0.8462696649	-1.1396157950	-2.4464144567
h	3.2277231075	-0.1803725028	-1.3369638297
h	4.0398635271	-2.3378075630	-3.3816130713
h	2.3490103915	-3.6282335303	-1.5532270027
h	3.0159507846	3.7703074914	-3.3216477587
h	4.2066651914	2.8418189421	-4.3290703191
h	2.4553197649	2.7072264488	-4.6841719645

7a

69

c	0.9834281463	-2.4693479772	-4.6445161038
c	0.6558695887	-1.1521747389	-5.0362510182
c	0.4041953668	-0.8755189663	-6.3965624542
c	0.4604196147	-1.9090731752	-7.3471138248
c	0.7631851763	-3.2216014157	-6.9483586102
c	1.0284496150	-3.4991172155	-5.5960899898
p	0.5617894592	0.1226964594	-3.6999835745
pd	2.1142808911	0.1715354251	-2.0748880931
c	3.6805256334	-0.6370384057	-3.1609685753
c	4.9319133520	0.1820071932	-3.0066696582
c	5.1007336263	0.3791758955	-4.3392199716
c	3.8526460963	-0.4238476963	-4.7168112420
c	4.1598679576	-1.6537041692	-5.5493402011
o	4.4123729525	-2.7700751106	-5.1336073866
c	-1.1325652406	-0.2244655567	-2.9794007110
c	-1.5504492153	0.2865364767	-1.7138152684
c	-2.8663863303	0.0352802109	-1.2585246339
c	-3.7650136236	-0.7245486872	-2.0172788786
c	-3.3548904467	-1.2444367104	-3.2523637767
c	-2.0551569712	-0.9904326733	-3.7225145021
c	-0.6743793325	1.0680241887	-0.8201197665
n	0.6182491346	1.1682752243	-0.8600678707
c	1.0416739677	2.1161407168	0.2114589134
c	-0.2447160762	2.2330968611	1.0589918404
o	-1.2985959460	1.7376239272	0.1852231153
c	1.5696711670	3.4179315905	-0.3831410697
c	0.6989531518	4.4240386383	-0.8530661609
c	1.2100124453	5.6157495049	-1.3917703433
c	2.5992701025	5.8143126627	-1.4707376082
c	3.4726903812	4.8115266789	-1.0169856238
c	2.9624199674	3.6185573476	-0.4789752982
c	0.3113796865	1.7383861488	-4.5716644566
c	1.4058408871	2.6285273155	-4.6301498794
c	1.2804784776	3.8603737794	-5.2928161963
c	0.0613406569	4.2195288082	-5.8910777247
c	-1.0370603129	3.3450583650	-5.8223718747
c	-0.9154781427	2.1098801222	-5.1650232618
cl	3.5323999602	0.0203785250	-0.1443927625
o	4.1797506515	-1.3348569487	-6.8777651680
h	1.8656630293	1.6160373255	0.7600316531
h	-0.2190630719	1.5830912772	1.9583150042
h	-0.5012981362	3.2658132181	1.3589773614
h	-3.1674769012	0.4424938575	-0.2840927291
h	-4.7804571104	-0.9145081794	-1.6385123230
h	-4.0433939301	-1.8513115367	-3.8600667601
h	-1.7507469951	-1.4036181148	-4.6944991425
h	0.1670089513	0.1496118185	-6.7178228553

h	0.2666466309	-1.6834493191	-8.4071379765
h	0.8029584974	-4.0296719279	-7.6950526642
h	1.2926847472	-4.5191491782	-5.2801045105
h	1.2169772067	-2.6833450267	-3.5895200681
h	-1.7852975503	1.4375458095	-5.1069926615
h	-1.9981063787	3.6274523830	-6.2793606627
h	-0.0372264145	5.1885523074	-6.4044588886
h	2.1397917927	4.5468446498	-5.3290409772
h	2.3528587762	2.3569343365	-4.1364010107
h	3.6373633487	2.8140327281	-0.1451457824
h	4.5622159073	4.9574427351	-1.0810109176
h	3.0003390011	6.7515217625	-1.8871235473
h	0.5187537244	6.3938014791	-1.7509360612
h	-0.3925973616	4.2800932309	-0.8043365463
h	3.7392464359	-1.6967232206	-2.8371702001
h	3.0681855758	0.1737207735	-5.2268226453
h	5.8562731854	0.8798406005	-4.9649735248
h	5.4836187907	0.4865193808	-2.1063417791
c	4.5583142468	-2.4013311201	-7.7575261286
h	4.5413089669	-1.9789078096	-8.7785984667
h	5.5730445702	-2.7773319125	-7.5141094121
h	3.8485830636	-3.2497898123	-7.6810979261

TS-1

69

pd	0.4733628928	-0.9034789009	0.1604840303
c	2.7936509072	0.0357587998	-0.4597909040
c	-1.8348708311	1.3672702378	-3.3921903428
c	-1.6334320882	0.2785293960	-2.5174808764
c	-1.6514435092	-1.0381125195	-3.0371459300
c	-1.8991030990	-1.2573999009	-4.3997612223
c	-2.1037563729	-0.1679575254	-5.2665056088
c	-2.0649781266	1.1412795342	-4.7610492909
p	-1.2307841602	0.4465443924	-0.7228940115
cl	0.0807015382	-3.2617761713	0.7419775234
c	-1.1877648798	2.2812447192	-0.4164340648
c	-2.3482677411	3.0869602315	-0.3923672573
c	-2.2482031315	4.4696425190	-0.1665194495
c	-0.9902183574	5.0634634124	0.0379151783
c	0.1675173421	4.2679422090	0.0253639393
c	0.0687622879	2.8831772060	-0.1928016173
c	-2.8170687380	-0.0287026604	0.1249534931
c	-2.8592599706	-0.3437705070	1.5191708406
c	-4.1046227478	-0.6527599809	2.1190063201
c	-5.2872915016	-0.6853022034	1.3711280266

c	-5.2438522738	-0.4065758139	-0.0026427399
c	-4.0207156887	-0.0787838340	-0.6092230800
c	-1.6712887223	-0.4274814350	2.3947183696
n	-0.4131574717	-0.4473505000	2.0640815071
c	0.3809519116	-0.7864573307	3.2666432595
c	-0.6606098893	-0.6355757640	4.4069830423
o	-1.9349699940	-0.5834384598	3.7193657869
c	1.6310916246	0.0543796564	3.4433567312
c	1.5872092095	1.4591496748	3.3186752745
c	2.7416493689	2.2296509012	3.5282209409
c	3.9561159380	1.6063374386	3.8669726629
c	4.0097702795	0.2081325356	3.9887896387
c	2.8537658660	-0.5618747905	3.7751014451
c	1.6977172551	-1.4078836031	-1.4172731207
c	2.6309813791	-1.3428171658	-0.2820899893
c	2.2069752974	-0.0030199168	-1.8860347841
c	3.2959206185	-0.1081436386	-2.9525026831
o	4.2752162598	-0.8295406189	-2.9062256055
o	3.0234240881	0.7161525680	-4.0009165846
c	3.9746256092	0.6773405244	-5.0754219028
h	0.6725464872	-1.8520301475	3.1289043501
h	-0.6794964073	-1.4887638112	5.1109635638
h	-0.5347403587	0.3097437606	4.9760998494
h	-4.1242628202	-0.8904032507	3.1906266296
h	-6.2387506538	-0.9400897936	1.8614911967
h	-6.1621545258	-0.4386694788	-0.6089427649
h	-3.9971307860	0.1431656514	-1.6861775930
h	-1.8091295189	2.3971493156	-3.0061417775
h	-2.2158601864	1.9986179666	-5.4353039500
h	-2.2856600519	-0.3415285238	-6.3384240033
h	-1.9194266589	-2.2865388166	-4.7903204419
h	-1.4623146305	-1.8896693119	-2.3630542947
h	-3.3389462552	2.6311140793	-0.5429107596
h	-3.1598284291	5.0868472342	-0.1472111923
h	-0.9142922686	6.1474771478	0.2150021391
h	1.1547631934	4.7252950205	0.1939850492
h	0.9681364963	2.2472932570	-0.1735195660
h	2.9000463017	-1.6593705866	3.8590760821
h	4.9581457354	-0.2882417683	4.2459614558
h	4.8611699253	2.2110999907	4.0317107574
h	2.6939469694	3.3247914418	3.4247669654
h	0.6426140298	1.9515748335	3.0379095235
h	1.4350619082	-2.2624954166	-2.0611128791
h	1.4571297120	0.7463380382	-2.2037976548
h	3.3655312159	0.8059735536	0.0786171147
h	3.0458309192	-2.0881364767	0.4074323854
h	3.6091438577	1.3919780508	-5.8343202500
h	4.9835876903	0.9711791335	-4.7216620912
h	4.0435033713	-0.3419921471	-5.5061802861

η^3-1

69

pd	0.4707460690	-1.0592024155	-0.0690972065
c	2.4276657524	-0.1762215521	-0.3152824636
c	-2.1419363749	1.4125052544	-3.3783970126
c	-1.9012893287	0.2984209549	-2.5462661053
c	-1.9903708608	-1.0082297148	-3.0859338524
c	-2.3369578490	-1.1860569291	-4.4336476433
c	-2.5762666649	-0.0730014370	-5.2606857338
c	-2.4743011234	1.2237885853	-4.7316501465
p	-1.3613231317	0.4264641871	-0.7841170609
cl	-0.9579899724	-3.0358512031	-0.1435090614
c	-1.2615456330	2.2546325588	-0.4713125719
c	-2.3582998421	3.0418831126	-0.0552296172
c	-2.2010971617	4.4197009644	0.1718580276
c	-0.9512268805	5.0316426401	-0.0211844895
c	0.1464897346	4.2571403228	-0.4346540670
c	-0.0050897730	2.8773867256	-0.6468950804
c	-2.8877808730	-0.0480430459	0.1650525845
c	-2.8329306560	-0.4396579568	1.5373719703
c	-4.0366246820	-0.7674065385	2.2083454318
c	-5.2713537195	-0.7385222969	1.5500589123
c	-5.3250667761	-0.3713934228	0.1982832639
c	-4.1425474052	-0.0286768288	-0.4767248533
c	-1.5908383119	-0.5516978282	2.3346710691
n	-0.3516810810	-0.5733871758	1.9405029628
c	0.5084505844	-0.8297545692	3.1127016006
c	-0.4901036182	-0.7424590971	4.3043739456
o	-1.7898298219	-0.6924273233	3.6751380431
c	1.6893109614	0.1178642674	3.2376409120
c	1.5553469404	1.4884620884	2.9330547248
c	2.6382837548	2.3645682612	3.1079814555
c	3.8676637613	1.8838694878	3.5930653304
c	4.0100569099	0.5196971736	3.8954345549
c	2.9268049145	-0.3570167279	3.7154225109
c	1.8421176859	-1.6774092528	-1.5314763241
c	2.4849395745	-1.6227634425	-0.2299439726
c	2.3061026038	-0.2355440020	-1.8654920666
c	3.6604681485	-0.1935095748	-2.5725171695
o	4.6519869552	-0.8225371773	-2.2508789004
o	3.6239095188	0.6555266904	-3.6347471940
c	4.8466775767	0.7625789824	-4.3797346562
h	0.8990639569	-1.8655459153	3.0047316514
h	-0.4586734859	-1.6207290039	4.9770719083
h	-0.3572572714	0.1830518472	4.9024059304
h	-3.9846502779	-1.0668673042	3.2630412809
h	-6.1883014017	-1.0109780931	2.0938934241
h	-6.2864478389	-0.3482073420	-0.3377062691
h	-4.1925638085	0.2581711595	-1.5373207797
h	-2.0695806572	2.4317886227	-2.9697973722
h	-2.6578106695	2.0991914282	-5.3740719400

h	-2.8391231342	-0.2176180843	-6.3202155366
h	-2.4121320141	-2.2051494118	-4.8439526602
h	-1.7870275439	-1.8781440505	-2.4353059393
h	-3.3435490350	2.5752247180	0.0942121084
h	-3.0643270821	5.0192883489	0.5002879015
h	-0.8311263441	6.1117900657	0.1553527293
h	1.1306877287	4.7277333684	-0.5843195031
h	0.8622362924	2.2684571043	-0.9444732344
h	3.0458681547	-1.4288656520	3.9432546639
h	4.9715126949	0.1325907390	4.2663198659
h	4.7163532639	2.5716169757	3.7289072863
h	2.5218591257	3.4306373242	2.8589205255
h	0.6014094871	1.8651120529	2.5325571335
h	1.6059691941	-2.5147512251	-2.2049320565
h	1.5942016014	0.4360678278	-2.3850206073
h	2.8471866133	0.6151478769	0.3251415511
h	2.9380511295	-2.3556111354	0.4483799552
h	4.6486653159	1.4842730180	-5.1921235191
h	5.6730797989	1.1230075465	-3.7343636168
h	5.1407709283	-0.2205807514	-4.7993565637

TS_{int}-1

69

pd	0.3212688299	-1.1438714385	-0.4942365343
n	0.7958909170	-0.4624945984	1.8932422674
c	1.6960355990	-0.0597661633	-1.6963478695
c	-3.5763635623	1.5060177749	-1.4872469521
c	-2.9125417813	0.3456246249	-1.0339899246
c	-3.3289164399	-0.9235120291	-1.5028812047
c	-4.4018453359	-1.0212966927	-2.4020986315
c	-5.0574281796	0.1376278005	-2.8556270191
c	-4.6416313615	1.3991153204	-2.3985785947
p	-1.4683189861	0.3571437402	0.1236201182
cl	-0.8768960977	-3.0845088513	0.2628899577
c	-1.0144772872	2.1434228397	0.2774064888
c	-1.1494413724	2.8748610094	1.4767405935
c	-0.7276112533	4.2146923757	1.5457305468
c	-0.1803129363	4.8451880014	0.4170233919
c	-0.0477389990	4.1256800832	-0.7845506888
c	-0.4491354686	2.7833488751	-0.8506065111
c	-2.2409407341	-0.0421524115	1.7655955465
c	-1.4873507702	-0.5131130876	2.8845955488
c	-2.1613373936	-0.8276420465	4.0898136362
c	-3.5476943423	-0.6855283400	4.2083387305
c	-4.2904385453	-0.2226804424	3.1120505429
c	-3.6382905119	0.0880434103	1.9092129672
c	-0.0263798357	-0.7074996698	2.8653852381
c	2.1316692355	-0.9145127493	2.3199479918

c	1.9480974829	-1.1673228642	3.8458155907
o	0.5137490913	-1.2122947324	4.0160425123
c	3.2558085849	0.0508822940	1.9866670098
c	3.0050842605	1.4237974597	1.7904679827
c	4.0643684480	2.3104950762	1.5347729645
c	5.3864957788	1.8382474545	1.4758025689
c	5.6443808598	0.4701285387	1.6668156671
c	4.5849608380	-0.4171234886	1.9162274267
c	1.1978391999	-1.9283167288	-2.3062516381
c	2.2055697852	-1.3985668984	-1.4398834599
c	1.0057046521	-0.5604353733	-3.0058019635
c	1.8983063276	-0.4006442369	-4.2379969575
o	3.0734899567	-0.7094828910	-4.3070131227
o	1.2042802352	0.1532460381	-5.2663854646
c	1.9518503547	0.3563680541	-6.4763719245
h	2.3298961193	-1.8804597146	1.8003222192
h	2.3746784289	-2.1248988255	4.1990987599
h	2.3515645892	-0.3337840422	4.4610551795
h	-1.5678384001	-1.1947329070	4.9374401737
h	-4.0462182370	-0.9390435793	5.1561119748
h	-5.3820761649	-0.1023072734	3.1866675588
h	-4.2331591819	0.4409141794	1.0547264303
h	-3.2621092843	2.4978292120	-1.1284064562
h	-5.1513650026	2.3099918629	-2.7495855823
h	-5.8924932671	0.0568811017	-3.5687752028
h	-4.7223577318	-2.0128119299	-2.7577635737
h	-2.8040745395	-1.8294628084	-1.1498240659
h	-1.5927843058	2.3986132873	2.3641714236
h	-0.8369324259	4.7704086197	2.4900999668
h	0.1428327950	5.8961312938	0.4711489768
h	0.3802905281	4.6111001119	-1.6753493625
h	-0.3260483431	2.2227775197	-1.7904528336
h	4.7930804576	-1.4911593312	2.0527828950
h	6.6760167212	0.0895421178	1.6127728524
h	6.2153313516	2.5340384517	1.2734731990
h	3.8524836952	3.3792676193	1.3758591759
h	1.9667397763	1.7869340057	1.8204637220
h	0.9539503099	-2.9475474312	-2.6397327584
h	-0.0243330116	-0.2260244865	-3.2399605905
h	2.1027405410	0.9349780540	-1.4591096767
h	3.0408982581	-1.8229251027	-0.8691736361
h	1.2502358985	0.8139119535	-7.1962705860
h	2.8166013662	1.0268569804	-6.2985568983
h	2.3355330014	-0.6066285699	-6.8690241351

INT

69

pd	0.1162042796	-0.9845403176	-0.9383919082
n	0.8230986666	-0.1245378924	1.9753394914

c	1.1987108978	0.1536954981	-2.4141387209
c	-3.5513351806	1.7922074192	-1.2932756392
c	-2.8918493153	0.5831379407	-0.9860738301
c	-3.3575008996	-0.6240996768	-1.5598281190
c	-4.4640076252	-0.6142420763	-2.4229756297
c	-5.1109262472	0.5951925697	-2.7336373307
c	-4.6526871733	1.7959775502	-2.1676111216
p	-1.4062561392	0.4592573201	0.1272122628
cl	-0.8427729639	-2.9141868989	0.0546796178
c	-0.9274022981	2.2236059646	0.4106710683
c	-0.9797691054	2.8247407107	1.6850518366
c	-0.5778032551	4.1602050803	1.8585187619
c	-0.1253659697	4.9133534489	0.7628773624
c	-0.0750698561	4.3232216196	-0.5117577990
c	-0.4674066189	2.9870479871	-0.6851569302
c	-2.1764863235	-0.0675098347	1.7440071746
c	-1.4303017522	-0.6387736975	2.8154292260
c	-2.0992200069	-1.0943255593	3.9737234772
c	-3.4868766028	-0.9668669685	4.1038226381
c	-4.2249978305	-0.3827568989	3.0641878241
c	-3.5736949676	0.0507806486	1.8982903731
c	0.0337186857	-0.7710372739	2.7653363408
c	2.1695383043	-0.6809120562	2.1800350699
c	2.0218175571	-1.4949606345	3.5022820964
o	0.5914960247	-1.6596222176	3.6415982837
c	3.2877428088	0.3444424215	2.2089367933
c	3.0225454458	1.7126030424	2.4154707123
c	4.0767377782	2.6386869199	2.4863710229
c	5.4082698300	2.2104912860	2.3544379161
c	5.6813918766	0.8484317998	2.1410378450
c	4.6276297181	-0.0763426114	2.0649864569
c	1.5541634499	-1.8530862227	-2.3155486434
c	2.1199611984	-0.6878132902	-1.7025175301
c	0.9199710273	-0.9853951980	-3.4387643176
c	1.8244667646	-0.8903005525	-4.6700160582
o	3.0151350318	-0.6389505672	-4.6540169963
o	1.1190467311	-1.1293713380	-5.8042559389
c	1.8765425228	-1.0786396289	-7.0245343490
h	2.3584119316	-1.3836925800	1.3348055847
h	2.4888843947	-2.4971656383	3.4732786478
h	2.4040588027	-0.9335161141	4.3831778958
h	-1.5006031937	-1.5513836994	4.7736900523
h	-3.9896550811	-1.3243393891	5.0151944124
h	-5.3167406938	-0.2706686827	3.1490424343
h	-4.1730878522	0.4813275081	1.0841553275
h	-3.2069212636	2.7376862223	-0.8484956249
h	-5.1562669156	2.7462888082	-2.4039812258
h	-5.9731762151	0.6014673008	-3.4184118862
h	-4.8191366002	-1.5600643763	-2.8606246861
h	-2.8485506210	-1.5720598005	-1.3129730135
h	-1.3374040655	2.2472032092	2.5498961292
h	-0.6240143278	4.6153340173	2.8601946341
h	0.1866962963	5.9600557594	0.9007529023
h	0.2761085928	4.9054177260	-1.3776073734
h	-0.4288641836	2.5336358746	-1.6872218524

h	4.8492568468	-1.1416963167	1.8867155155
h	6.7209810358	0.5045011734	2.0261246723
h	6.2330537326	2.9376587885	2.4100052275
h	3.8541492366	3.7059481371	2.6413381632
h	1.9765924210	2.0426181225	2.5006127569
h	1.8251141440	-2.9179209072	-2.3020358469
h	-0.1229521953	-1.1880680494	-3.7535925842
h	1.1666844886	1.2438065055	-2.5504984817
h	2.9315002749	-0.4999063417	-0.9865934671
h	1.1617498783	-1.2981098706	-7.8371569228
h	2.3287491163	-0.0764963136	-7.1664665697
h	2.6927077801	-1.8289034674	-7.0130135818

TS_{int}-2

69

cl	-0.8940265972	-2.7180496059	-0.3208976854
pd	-0.1751036293	-0.4261462431	-0.8381150060
c	0.3677369996	-0.6691632994	-2.9042473183
c	-0.7808431453	0.9231029116	-2.3998010855
c	4.6461032836	-0.6412168971	-1.6190850217
c	3.8055449412	-0.3392593260	-0.5273543594
c	3.8398438562	0.9592511598	0.0205923719
c	4.7025309222	1.9327352865	-0.5098618501
c	5.5437999359	1.6208361960	-1.5917969478
c	5.5128450648	0.3299781954	-2.1461311943
c	2.9206649519	-1.4196759005	0.0674768011
n	1.7212914461	-0.9162840903	0.7557784315
c	1.5922471150	-1.5860856894	1.8556228831
o	2.5891047664	-2.4704204967	2.1582388685
c	3.6196424313	-2.2785680826	1.1624294615
c	0.4759380458	-1.5380199779	2.8206616714
c	-0.6932900375	-0.7385071544	2.6451821771
c	-1.7074410866	-0.8118231491	3.6215334148
c	-1.5875250088	-1.6367427738	4.7518206612
c	-0.4354178314	-2.4151680693	4.9248871426
c	0.5819285193	-2.3632887485	3.9647395815
p	-0.9364918136	0.4069776146	1.1974514664
c	-0.1953072143	1.9969593718	1.8024151041
c	-0.0493158876	2.3056666443	3.1726471517
c	0.5067358344	3.5340046717	3.5686200996
c	0.9200632393	4.4684623419	2.6042263643
c	0.7811082795	4.1679135704	1.2383575250
c	0.2359177412	2.9365560027	0.8407817256
c	0.6344089292	0.6866793890	-2.4698200538
c	-1.0782581155	-0.2848550883	-3.3276747958
c	-1.1724398975	0.1234767498	-4.7990526859
o	-2.2355979324	-0.4729594040	-5.3972549938
c	-2.4157500543	-0.1646995069	-6.7883514378
c	-2.7593736310	0.7181200110	1.2002357456

c	-3.3466857852	1.9246758010	1.6348356752
c	-4.7393596719	2.1014409388	1.5482127895
c	-5.5506520738	1.0761828892	1.0359331410
c	-4.9668964102	-0.1284846031	0.6020057308
c	-3.5774355598	-0.3097811965	0.6722035812
o	-0.4096691584	0.8769940526	-5.3767680093
h	2.5625469358	-2.0770452467	-0.7578741605
h	3.9567115638	-3.2714494110	0.8101871098
h	4.4718488402	-1.7438073377	1.6344542280
h	1.4837565399	-2.9787884034	4.0805326928
h	-0.3285439260	-3.0701845911	5.8027396434
h	-2.4016887673	-1.6685918131	5.4921531391
h	-2.6215194168	-0.2144447402	3.4911986626
h	-2.7169181399	2.7309135531	2.0404506852
h	-5.1899380239	3.0480251394	1.8851018880
h	-6.6408025560	1.2166570958	0.9703265183
h	-5.5989187228	-0.9333770445	0.1958733054
h	-3.1089756609	-1.2460858651	0.3187473013
h	-0.3685733161	1.5818475435	3.9374108891
h	0.6185810345	3.7603675249	4.6404120443
h	1.3556552094	5.4297343119	2.9177523333
h	1.1083448084	4.8916158889	0.4760259930
h	0.1501266216	2.6897909876	-0.2282365682
h	4.6157604761	-1.6477390780	-2.0677457560
h	6.1606650354	0.0800808685	-3.0005542968
h	6.2179973071	2.3852600400	-2.0077183927
h	4.7141570866	2.9446551823	-0.0759706520
h	3.1668361372	1.2044019386	0.8562085435
h	1.0153927482	-1.4719000198	-3.2850471918
h	-1.9072777277	-0.9689083487	-3.0637363320
h	-1.3814519067	1.8260240437	-2.2102772106
h	1.5373518981	1.2910544121	-2.3143455332
h	-3.3070650280	-0.7300009087	-7.1138782345
h	-2.5729492181	0.9230614556	-6.9349695177
h	-1.5278669202	-0.4689159604	-7.3784726403

η^3-2

69

cl	-1.1438630999	-2.4808882785	-0.4844250738
pd	0.0451698859	-0.2091303216	-0.7138420495
c	0.6878282322	-0.3013952435	-2.8003106733
c	-0.9501620786	0.7666852477	-2.2920361982
c	4.5030258628	-0.7014406733	-1.8345787285
c	3.6922284221	-0.4233362950	-0.7153170797
c	3.7343813472	0.8651688967	-0.1444302098
c	4.5740594096	1.8535419677	-0.6829980573
c	5.3847668167	1.5661535794	-1.7949320153
c	5.3473112612	0.2852849449	-2.3702374128

c	2.8455732643	-1.5274348974	-0.1058086349
n	1.6014213287	-1.0601947165	0.5370881839
c	1.5054612096	-1.6197659151	1.7072277816
o	2.5573789978	-2.3995489869	2.0778986861
c	3.5613501677	-2.2934118437	1.0441226311
c	0.4002304739	-1.5673714484	2.6883907420
c	-0.7180628755	-0.6850743390	2.6095453630
c	-1.7124568527	-0.7645007525	3.6043110463
c	-1.6258057240	-1.6825204132	4.6630533865
c	-0.5220040187	-2.5418644054	4.7459057336
c	0.4788653948	-2.4785389542	3.7696321377
p	-0.9124310218	0.5698883548	1.2559747243
c	-0.2102940859	2.1162967314	1.9997205044
c	0.1456509794	2.2403050778	3.3599986753
c	0.6978050882	3.4397082669	3.8436066343
c	0.8920479739	4.5296672135	2.9797600317
c	0.5407503123	4.4144664928	1.6224902407
c	0.0054277490	3.2133569248	1.1336811115
c	0.4715686160	1.0564444296	-2.3668371655
c	-0.7927411456	-0.4587631622	-3.2361279542
c	-1.0162364149	-0.0966644324	-4.7023385650
o	-1.8475139856	-0.9904391671	-5.2995019812
c	-2.1322373097	-0.7388607415	-6.6832583569
c	-2.7322291762	0.8805247426	1.1906547684
c	-3.3326548770	2.0449804710	1.7160108277
c	-4.7207394238	2.2351561477	1.5976861961
c	-5.5139351213	1.2657308143	0.9624337946
c	-4.9157702720	0.1046228696	0.4399596423
c	-3.5299609224	-0.0929423693	0.5429109408
o	-0.5333656860	0.8599792596	-5.2836371821
h	2.5405858058	-2.2298359309	-0.9124732063
h	3.8877406463	-3.3135969983	0.7662636562
h	4.4246402225	-1.7289247335	1.4540520219
h	1.3404098345	-3.1566218072	3.8217310111
h	-0.4398864468	-3.2706629733	5.5663139245
h	-2.4261202218	-1.7241234736	5.4177476265
h	-2.5853364791	-0.0978546692	3.5406922954
h	-2.7175355153	2.8077964859	2.2168339313
h	-5.1817944400	3.1477332047	2.0065599384
h	-6.6010186319	1.4164506026	0.8718524386
h	-5.5334177764	-0.6568756853	-0.0611806248
h	-3.0488711162	-0.9998298169	0.1268514093
h	-0.0083447860	1.3958699985	4.0478796904
h	0.9751375557	3.5207860401	4.9061236917
h	1.3221250287	5.4683285903	3.3617471096
h	0.6943439153	5.2625105297	0.9374515379
h	-0.2451802516	3.1180355900	0.0654366578
h	4.4688534229	-1.7016880679	-2.2968568232
h	5.9722485167	0.0543579520	-3.2465982665
h	6.0405374383	2.3429184125	-2.2171893990
h	4.5915400356	2.8578060509	-0.2321678077
h	3.0885258688	1.0964792236	0.7164272568
h	1.5862118466	-0.8308416274	-3.1514045030
h	-1.3218196703	-1.3913672818	-2.9593708673
h	-1.8296531931	1.4106989971	-2.1331140026

h	1.1017036703	1.9487427188	-2.2634074224
h	-2.8172194215	-1.5430432984	-7.0061906366
h	-2.6105619695	0.2527758736	-6.8155503292
h	-1.2031989537	-0.7563042992	-7.2882881528

TS-2

69

pd	-0.1148603515	-0.1715016099	-0.5684743390
c	-1.1016361280	0.8950259917	-2.8935407919
c	-0.1656791799	-2.6949634793	1.9673586235
c	-0.1796917103	-1.4600835522	2.6491351574
c	-0.0157701496	-1.4308610208	4.0533667019
c	0.1437151415	-2.6273563845	4.7686572381
c	0.1465995904	-3.8593355914	4.0889952017
c	-0.0049475794	-3.8892227463	2.6937457293
p	-0.4133297623	0.0986678043	1.6705816930
c	-2.0124644695	0.7943337147	2.2658298925
c	-2.3771435826	2.1037282049	1.8689748307
c	-3.6320392901	2.6292199023	2.2102678329
c	-4.5523257811	1.8481163737	2.9316607185
c	-4.2076526248	0.5404262001	3.3099856626
c	-2.9465276828	0.0137801502	2.9818565471
c	-1.3589953296	1.4512331922	-1.6452850718
c	-2.0442445843	0.2335957693	-1.1830445832
c	-2.0571616443	-0.2860766154	-2.6622224988
c	-3.4022130756	-0.0709010299	-3.3446498717
o	-4.1907831100	0.8272377004	-3.1040939194
cl	0.1304022485	-2.4883654678	-1.5999197325
n	2.0034926493	-0.1400743337	-0.1908157630
c	2.9371622897	-0.8056246878	-1.1447607080
c	4.2400426590	-0.8923740107	-0.3166767986
o	4.0248997859	0.0156082786	0.8002213615
c	2.6958267786	0.3001330888	0.8182227599
c	3.0383441193	-0.0252858527	-2.4508632505
c	2.3815893055	-0.5094628696	-3.6005931215
c	2.4730262419	0.1896797797	-4.8162793553
c	3.2088523737	1.3841351885	-4.8938938535
c	3.8526693868	1.8818091738	-3.7472620766
c	3.7676430135	1.1804357883	-2.5340159139
c	2.2408122447	1.1380856579	1.9478796028
c	0.8855594876	1.2111536281	2.3941855209
c	0.5726819672	2.0998080285	3.4456337050
c	1.5572573188	2.8920392184	4.0564534746
c	2.8923613367	2.7953921968	3.6353649020
c	3.2272108241	1.9196741012	2.5959418425
o	-3.6267568794	-1.0282110751	-4.2837626772
c	-4.8671280472	-0.9152569681	-4.9953701322

h	2.4997467085	-1.8030098909	-1.3635938661
h	4.4114937119	-1.9047842190	0.1042334687
h	5.1451360625	-0.5643727051	-0.8613774147
h	4.2682603462	1.8363044796	2.2556809715
h	3.6753631045	3.4021022639	4.1144052846
h	1.2781791523	3.5746323293	4.8738252395
h	-0.4662070907	2.1662115416	3.8004529735
h	-0.0102293618	-0.4707080255	4.5922627506
h	0.2706435301	-2.5974498268	5.8619645378
h	0.2743985258	-4.7971449189	4.6519064739
h	0.0071884281	-4.8488016098	2.1541226942
h	-0.2549855013	-2.7234085494	0.8647404129
h	-1.6693578108	2.7184423601	1.2909075814
h	-3.8974503862	3.6512511815	1.8994947620
h	-5.5409428710	2.2567492777	3.1906096458
h	-4.9254639955	-0.0806297934	3.8677816875
h	-2.6881402304	-1.0118240711	3.2832782054
h	1.7788487901	-1.4287369328	-3.5169176376
h	1.9628747771	-0.2030074378	-5.7097986777
h	3.2805344626	1.9299641288	-5.8475014853
h	4.4263135251	2.8202282132	-3.7987796291
h	4.2754345145	1.5823635269	-1.6420271112
h	-0.5449091833	1.2281362251	-3.7815064308
h	-1.6745704011	-1.3097638856	-2.8435763363
h	-2.8809039509	0.1463630325	-0.4699240818
h	-1.1623115759	2.4393186080	-1.2059761425
h	-4.8982046775	-1.7701528425	-5.6944137008
h	-5.7286085011	-0.9550632040	-4.2984511014
h	-4.9197369452	0.0414985589	-5.5539050448

7b

69

pd	0.2316236616	-0.3229772197	-0.9143422867
c	-2.5601963433	-0.0418374347	-3.4135876817
c	-1.6684971781	-2.2654018401	1.5876086868
c	-0.7122544732	-1.3816927394	2.1407251551
c	-0.0830702166	-1.7217017811	3.3589124565
c	-0.4073054303	-2.9220137965	4.0139193388
c	-1.3666948748	-3.7892557463	3.4680505154
c	-1.9971647853	-3.4538211153	2.2578199285
p	-0.3035131960	0.1694800639	1.2049166406
c	-1.7123944793	1.3205030073	1.5436534149
c	-1.7031550937	2.5704476111	0.8841866354
c	-2.7392267538	3.4911730187	1.0987676878
c	-3.8043663655	3.1669037993	1.9586823209
c	-3.8265611163	1.9202692197	2.6042825633
c	-2.7839337104	0.9981402764	2.4015812529
c	-1.9604727671	0.8225107439	-2.5561505265

c	-1.7682617915	-0.2046905109	-1.4656251424
c	-2.4017715831	-1.2336700400	-2.4807936989
c	-3.6132793651	-2.0077287660	-2.0280257106
o	-3.7905436228	-2.4684379469	-0.9085274711
cl	0.7512587058	-1.5203370175	-2.9292103425
n	2.3448792547	-0.1518232354	-0.4326637921
c	3.4071827262	-0.4068791346	-1.4636422387
c	4.5835243472	-0.8427827370	-0.5799821817
o	4.2971524482	-0.2140786706	0.7017851346
c	2.9597674697	0.0496433738	0.6975744238
c	3.6552715919	0.8596984506	-2.2852204971
c	3.0664469278	0.9979900617	-3.5591400574
c	3.2888507102	2.1549505021	-4.3246000440
c	4.0952992665	3.1921040405	-3.8277826175
c	4.6783852735	3.0678283865	-2.5551420850
c	4.4595143089	1.9112321320	-1.7899089503
c	2.4455517327	0.6611434616	1.9413263465
c	1.0674950555	0.8975887388	2.2214027396
c	0.7290754539	1.6290617898	3.3803413018
c	1.7080788099	2.1018382445	4.2670092677
c	3.0612266928	1.8314647039	4.0131025590
c	3.4211418111	1.1181938675	2.8645393148
o	-4.5088665348	-2.1808244630	-3.0365073437
c	-5.6695282756	-2.9574640862	-2.7109735495
h	3.0397012111	-1.2107277633	-2.1312678928
h	4.6103768721	-1.9415905983	-0.4196999489
h	5.5728290709	-0.4906898745	-0.9239866981
h	4.4786728794	0.9191211298	2.6481433984
h	3.8415286620	2.1825376131	4.7050234339
h	1.4079667356	2.6693077100	5.1609835946
h	-0.3314849550	1.8206406448	3.5986990008
h	0.6689456666	-1.0544075268	3.8038562937
h	0.0975810568	-3.1775818516	4.9585360548
h	-1.6188754223	-4.7291837126	3.9832312018
h	-2.7491094818	-4.1222390696	1.8120053146
h	-2.1754418833	-2.0505183178	0.6328808744
h	-0.8809513621	2.8152901069	0.1926281343
h	-2.7215145672	4.4633116853	0.5826239479
h	-4.6228652335	3.8855353268	2.1180517219
h	-4.6623319392	1.6572912816	3.2707651684
h	-2.8077864872	0.0217958368	2.9079001173
h	2.4091091418	0.1945492337	-3.9278884002
h	2.8235019489	2.2450160573	-5.3184853157
h	4.2684136855	4.0977649213	-4.4296995843
h	5.3096940009	3.8763015398	-2.1546036078
h	4.9213116283	1.8342719516	-0.7929720361
h	-2.9945404280	0.0472617172	-4.4210232727
h	-1.6339672453	-1.9564366550	-2.8433720808
h	-2.4141165837	-0.0464642511	-0.5777695871
h	-1.6952556841	1.8892044989	-2.6200144905
h	-6.2865568533	-2.9845105702	-3.6270211864
h	-5.3872737533	-3.9861925104	-2.4075687781
h	-6.2365630411	-2.4947070574	-1.8780722866

TS_{ring}-2

69

c	-2.9936060245	-0.0957403222	-2.7623787855
c	-1.4483036253	0.7939877561	-1.5148536204
c	3.0332044258	-0.7780924362	3.3921623188
c	2.1278437886	-0.6084155238	2.3144665851
c	0.9477063266	0.1654633841	2.5219569006
c	0.7630032344	0.7974965470	3.7701661448
c	1.6878479936	0.6486631550	4.8149743668
c	2.8188783669	-0.1595184524	4.6289890516
c	2.5517021432	-1.1693528160	1.0127217511
n	2.1392466862	-0.8598925827	-0.1841229510
c	3.1636721526	-1.3899170004	-1.1470596754
c	3.8427229060	-2.4696134473	-0.2938277861
o	3.6142848186	-2.0164591634	1.0727898368
pd	0.2415879291	-0.0382439356	-0.8684417504
cl	0.5816427417	-0.8651381636	-3.0807803126
c	4.0814921609	-0.2558113459	-1.6053229477
c	3.8392653639	0.3882825081	-2.8364741578
c	4.6699148054	1.4356783183	-3.2673292076
c	5.7495685417	1.8584036151	-2.4750087351
c	5.9938760445	1.2283214077	-1.2431170096
c	5.1659577291	0.1800599510	-0.8115264806
p	-0.4086813935	0.2638794618	1.2631542187
c	-1.2934496305	1.8254920701	1.7041231136
c	-0.7056068790	3.0461626521	1.3018220892
c	-1.3318727885	4.2638231761	1.6039354917
c	-2.5587202402	4.2752260707	2.2923388730
c	-3.1559563453	3.0646884413	2.6777961542
c	-2.5266297321	1.8406578283	2.3878887415
c	-4.3358081851	-0.6052379985	-2.4345187378
o	-5.3259840932	0.2845541439	-2.7664083863
c	-6.6583627519	-0.1503794500	-2.4868587614
c	-1.5545375594	-1.1040665699	1.7728908456
c	-2.4120423173	-1.6567157273	0.7951469323
c	-3.3308998439	-2.6606893205	1.1398594377
c	-3.3869793275	-3.1408680228	2.4585854067
c	-2.5251614819	-2.6091537914	3.4336001202
c	-1.6150754797	-1.5930004427	3.0974509591
c	-1.5308406884	1.6033852848	-2.7081335549
c	-2.6941213603	1.1972326452	-3.3313347769
o	-4.5803924525	-1.6816388528	-1.8948746340
h	2.6206645426	-1.7983797224	-2.0217146392
h	3.3615335770	-3.4645233370	-0.4037324997
h	4.9328766580	-2.5625365586	-0.4485078737
h	3.9306139392	-1.3892823950	3.2301895256
h	3.5458992946	-0.3002942627	5.4429869775
h	1.5138568466	1.1559624781	5.7760624236
h	-0.1337068206	1.4146663430	3.9289566716

h	-0.9465863561	-1.1903015973	3.8725660310
h	-2.5573928705	-2.9879065883	4.4670160202
h	-4.0998530632	-3.9356297128	2.7280165583
h	-3.9946878373	-3.0494500474	0.3536545284
h	-2.3720055457	-1.3127464849	-0.2481050146
h	0.2406246715	3.0369206518	0.7374030584
h	-0.8665127080	5.2099404878	1.2878529118
h	-3.0543279918	5.2316845771	2.5188826088
h	-4.1218120194	3.0677179209	3.2059312925
h	-3.0000253814	0.8946271881	2.6908773111
h	2.9726357114	0.0715163160	-3.4388193897
h	4.4680168074	1.9262772667	-4.2322069522
h	6.4002096385	2.6793317447	-2.8145276270
h	6.8364467014	1.5533685570	-0.6129286288
h	5.3714844626	-0.2979393415	0.1592684630
h	-3.3063525577	1.7353301688	-4.0749010327
h	-2.2294637115	-0.8850972582	-2.8527661570
h	-2.2653296747	0.9374058145	-0.7875463926
h	-0.7606899514	2.3078514882	-3.0617904282
h	-7.3249143123	0.6725800186	-2.8036621410
h	-6.9053653532	-1.0777290997	-3.0445117174
h	-6.7931772621	-0.3583088563	-1.4051774260

***E,E* (8) [7b]**

69

c	-4.5525824369	-1.1077105976	-1.5362397318
c	-1.5165302211	-1.2016907334	-0.9275675226
c	3.3553637454	-0.7464329051	3.6036520047
c	2.5075979333	-0.5229516043	2.4919245294
c	1.1593559077	-0.1109503145	2.7159452259
c	0.7200210590	0.0538990477	4.0465440350
c	1.5721031197	-0.1757428557	5.1390651662
c	2.8962238749	-0.5782360988	4.9155054863
c	3.0990340710	-0.7286136886	1.1533602729
n	2.4976439183	-0.8213536898	0.0052241585
c	3.5479985144	-0.8972829524	-1.0569030515
c	4.7990246366	-1.2502593250	-0.2290399666
o	4.4531926107	-0.8438548576	1.1266784394
pd	0.4102650307	-1.0206101554	-0.4901522939
cl	0.9320748949	-2.3871873482	-2.3521551549
c	3.6218495711	0.4082487942	-1.8434963477
c	2.9918364487	0.4954314207	-3.1023875140
c	3.0532943276	1.6849993414	-3.8468542924
c	3.7384307518	2.8024893293	-3.3414082436
c	4.3578048468	2.7280383016	-2.0818419597
c	4.2985664780	1.5391295352	-1.3371836073
p	-0.0414202915	0.2256040525	1.3338728043
c	0.0890747285	2.0440003788	1.0323814228

c	-0.3972728220	2.5336537509	-0.2008953170
c	-0.3559908953	3.9091164122	-0.4772291137
c	0.1844298326	4.8031654258	0.4631998477
c	0.6811120254	4.3190717798	1.6849455256
c	0.6327358669	2.9447384171	1.9729902394
c	-5.9739464377	-1.2040378892	-1.9050433951
o	-6.1899115151	-1.1214792697	-3.2575449819
c	-7.5580638526	-1.2059934499	-3.6590990762
c	-1.6811992169	-0.0023370366	2.1495869491
c	-2.5815356226	1.0619458332	2.3583427505
c	-3.8390111669	0.8177176895	2.9382992567
c	-4.2048913145	-0.4843448752	3.3138362783
c	-3.3110871696	-1.5501678943	3.1051067088
c	-2.0590644682	-1.3144323035	2.5187454070
c	-2.0958914767	-0.8667127785	-2.1155554816
c	-3.5224148875	-0.9507922783	-2.4185478322
o	-6.8913406568	-1.3399605949	-1.1041474760
h	3.2450608715	-1.7132938155	-1.7428647628
h	5.0022622509	-2.3416518364	-0.2115661994
h	5.7149148126	-0.7088277943	-0.5288336836
h	4.3895015950	-1.0641237263	3.4154929414
h	3.5742054297	-0.7669552870	5.7613358627
h	1.1934401160	-0.0404859440	6.1635763436
h	-0.3190207926	0.3629052100	4.2322727123
h	-1.3701191401	-2.1557241710	2.3386920264
h	-3.5971172585	-2.5748468376	3.3871517485
h	-5.1933446535	-0.6729927773	3.7593979090
h	-4.5387731929	1.6535965096	3.0908447053
h	-2.3046648808	2.0848774891	2.0631299799
h	-0.8033800529	1.8279136382	-0.9427944757
h	-0.7391759572	4.2818601295	-1.4392381977
h	0.2247542435	5.8804991131	0.2402987610
h	1.1118914562	5.0148892290	2.4213251412
h	1.0251649130	2.5754670720	2.9323868060
h	2.4338311502	-0.3778342271	-3.4769428122
h	2.5610896558	1.7367740807	-4.8303472003
h	3.7892219427	3.7332897186	-3.9273403295
h	4.8916334181	3.6012865232	-1.6759165457
h	4.7846867387	1.4990987756	-0.3490417325
h	-3.7937364313	-0.8646020235	-3.4847849679
h	-4.3803135987	-1.1642645995	-0.4501854516
h	-2.1614511930	-1.6030331237	-0.1209913819
h	-1.4510908419	-0.5405829652	-2.9491099661
h	-7.5616827775	-1.1233671991	-4.7614677056
h	-8.0100860047	-2.1700561618	-3.3466060047
h	-8.1607214540	-0.3883021729	-3.2119626585