

# Next-to-next-to-leading order gravitational spin-squared potential via the effective field theory for spinning objects in the post-Newtonian scheme

Michele Levi<sup>a,b</sup> and Jan Steinhoff<sup>c,d</sup>

<sup>a</sup>Université Pierre et Marie Curie, CNRS-UMR 7095, Institut d'Astrophysique de Paris,  
98 bis Boulevard Arago, 75014 Paris, France

<sup>b</sup>Sorbonne Universités, Institut Lagrange de Paris,  
98 bis Boulevard Arago, 75014 Paris, France

<sup>c</sup>Max-Planck-Institute for Gravitational Physics (Albert-Einstein-Institute),  
Am Mühlenberg 1, 14476 Potsdam-Golm, Germany

<sup>d</sup>Centro Multidisciplinar de Astrofísica, Instituto Superior Técnico, Universidade de Lisboa,  
Avenida Rovisco Pais 1, 1049-001 Lisboa, Portugal

E-mail: [michele.levi@upmc.fr](mailto:michele.levi@upmc.fr), [jan.steinhoff@aei.mpg.de](mailto:jan.steinhoff@aei.mpg.de)

**Abstract.** The next-to-next-to-leading order spin-squared interaction potential for generic compact binaries is derived for the first time via the effective field theory for gravitating spinning objects in the post-Newtonian scheme. The spin-squared sector is an intricate one, as it requires the consideration of the point particle action beyond minimal coupling, and mainly involves the spin-squared worldline couplings, which are quite complex, compared to the worldline couplings from the minimal coupling part of the action. This sector also involves the linear in spin couplings, as we go up in the nonlinearity of the interaction, and in the loop order. Hence, there is an excessive increase in the number of Feynman diagrams, of which more are higher loop ones. We provide all the Feynman diagrams and their values. The beneficial nonrelativistic gravitational fields are employed in the computation. This spin-squared correction, which enters at the fourth post-Newtonian order for rapidly rotating compact objects, completes the conservative sector up to the fourth post-Newtonian accuracy. The robustness of the effective field theory for gravitating spinning objects is shown here once again, as demonstrated in a recent series of papers by the authors, which obtained all spin dependent sectors, required up to the fourth post-Newtonian accuracy. The effective field theory of spinning objects allows to directly obtain the equations of motion, and the Hamiltonians, and these will be derived for the potential obtained here in a forthcoming paper.

---

## Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
<b>2</b>	<b>The EFT for gravitating spinning objects in the PN scheme</b>	<b>2</b>
<b>3</b>	<b>Next-to-next-to-leading order spin-squared interaction</b>	<b>7</b>
3.1	One-graviton exchange	7
3.2	Two-graviton exchange and cubic self-interaction	11
3.2.1	Two-graviton exchange	11
3.2.2	Cubic self-interaction	13
3.3	Cubic in G interaction	17
3.3.1	Three-graviton exchange	17
3.3.2	Cubic self-interaction with two-graviton exchange	18
3.3.3	Two-loop interaction	19
<b>4</b>	<b>Next-to-next-to-leading order spin-squared potential</b>	<b>20</b>
<b>5</b>	<b>Conclusions</b>	<b>23</b>

---

## 1 Introduction

The anticipated direct detection of gravitational waves (GW) may become a realistic prospect in view of the imminent worldwide operation of second-generation ground-based interferometers, such as the two of Advanced LIGO [1], Advanced Virgo [2], and KAGRA [3]. This will transform GW science into a powerful observational tool. Inspiralling binaries of compact objects are considered as most promising sources for the detection of the GW signal. The post-Newtonian (PN) approximation of General Relativity stands out among the various and complementary approaches to model these systems, as it enables to an analytical treatment of the inspiral phase of their evolution [4]. Using the matched filtering technique to search the GW signal results in a pressing demand to supply accurate theoretical waveforms, where the continuous signal is modeled via the Effective-One-Body (EOB) approach [5]. It turns out that even relative high order corrections beyond Newtonian gravity, such as up to the sixth PN (6PN) order, are required to obtain such waveforms, and furthermore to gain information about the inner structure of the constituents of the binary [6].

Of these compact objects black holes are expected to be near-extremal, i.e. to rotate rapidly. Hence, considering the recent completion of the 4PN order point-mass correction [7], it is essential to obtain the same PN accuracy for binaries with spinning objects. To this end finite size effects with spins should also be taken into account. The leading order (LO) finite size spin effects, which are of the LO spin-squared interaction at the quadrupole level, and enter already at the 2PN order, were first derived for black holes in 1975 in [8, 9]. Generic quadrupoles, required to describe neutron stars, were already included in [10], and the proportionality of the quadrupole to spin-squared was introduced in [11]. However, the next-to-leading order (NLO) spin-squared interaction was treated much later in the following series of works [12–15], and in [16], using the effective field theory (EFT) for spinning objects, which was formulated there. Furthermore, the LO cubic and quartic in spin interactions,

which enter at the 3.5PN and 4PN orders, respectively, were first approached in parts for black hole binaries in [14, 17]. Recently, these have been obtained for generic compact objects for the cubic in spin interaction in [18, 19], and also for the quartic in spin interaction in [18], where the latter was using the EFT for spinning objects [16]. These have been also partially treated in [20].

In this paper we derive for the first time the next-to-next-to-leading order (NNLO) spin-squared interaction potential via the EFT for gravitating spinning objects in the PN scheme [16]. The NNLO level in the spin dependent case, which was first tackled in [21], was also obtained for the spin-orbit interaction at the 3.5PN order for rapidly rotating compact objects [22]. The NNLO quadratic in spin potentials here and in [21] enter at the 4PN order. The EFT for gravitating spinning objects [16] is based on the original and innovative EFT approach for the binary inspiral, which was presented in [23, 24]. Further, in view of the seminal works on spin in special and general relativity in [25, 26], an extension to the spinning case was first initiated in [27]. We show here the robustness of the EFT for gravitating spinning objects [16], which was already demonstrated in [16, 18, 22], and allows to obtain straightforwardly the equations of motion (EOM) [16, 28], as well as the Hamiltonians [16].

The spin-squared sector is an intricate one, all the more so considering its LO and NLO levels [16], compared to the NNLO here. This sector requires the consideration of the point particle action beyond minimal coupling, and involves mainly contributions with the spin-squared worldline couplings, which are quite complex, compared to the worldline couplings, that follow from the minimal coupling part of the action. Yet, we also have contributions to this sector, involving the linear in spin couplings, as we go up in the nonlinearity of the interaction, and in the loop order. Thus, there is an increase in the number of Feynman diagrams and in complexity with respect to the NLO, which is even more excessive than that, which occurs in the spin1-spin2 sector [16, 21, 29]. We have here 64 diagrams, of which more are higher loop ones, where we have 11 two-loops, and tensor integrals up to order 6. However, the application of the nonrelativistic gravitational (NRG) fields [30, 31] in the spinning case, as demonstrated in [16, 18, 21, 22, 29, 32], makes the computations more efficient. This ingredient is actually included together with other beneficial gauge choices in the EFT for gravitating spinning objects [16]. Finally, the EFT computations are also automatized here, using the xAct free packages for Mathematica [33, 34].

This paper is organized as follows. In section 2 we recall the required effective action beyond minimal coupling, following the EFT for gravitating spinning objects [16], and provide the Feynman rules relevant for this sector. In section 3 we provide the Feynman diagrams of the NNLO spin-squared interaction, and their values. In section 4 we introduce the NNLO spin-squared potential, and explain how to obtain from it the EOM, and the Hamiltonian. Finally, our conclusions are presented in 5.

## 2 The EFT for gravitating spinning objects in the PN scheme

In this section we briefly review the effective action, which should be considered in this sector beyond minimal coupling, following the EFT for spinning objects, which was formulated in [16]. From this action the Feynman rules, which are required for the EFT computation of the NNLO spin-squared interaction, are derived. We build on the series of works in [16, 18, 21, 22, 28, 29, 32], where we follow similar notations and conventions, in particular, to those in [16, 18, 22]. We also use the NRG fields, which were already shown to perform well in spin dependent sectors in [16, 18, 21, 22, 29, 32]. Similarly, in what follows  $d$  is set

to 3, as only the dependence in the generic  $d$  dimensional, related with the loop Feynman integrals, see appendix A in [21], should be followed.

Let us first write the approximate metric in terms of the NRG fields to the orders required in this work:

$$g_{\mu\nu} = \begin{pmatrix} e^{2\phi} & -e^{2\phi} A_j \\ -e^{2\phi} A_i & -e^{-2\phi} \gamma_{ij} + e^{2\phi} A_i A_j \end{pmatrix} \simeq \begin{pmatrix} 1 + 2\phi + 2\phi^2 + \frac{4}{3}\phi^3 & -A_j - 2A_j\phi \\ -A_i - 2A_i\phi & -\delta_{ij} + 2\phi\delta_{ij} - \sigma_{ij} - 2\phi^2\delta_{ij} + 2\phi\sigma_{ij} + A_i A_j + \frac{4}{3}\phi^3\delta_{ij} \end{pmatrix}. \quad (2.1)$$

The effective action for the binary system reads

$$S = S_g + \sum_{I=1}^2 S_{(I)\text{pp}}, \quad (2.2)$$

where  $S_g$  is the pure gravitational action, and  $S_{(I)\text{pp}}$  is the worldline point particle action for each of the two components of the binary. The gravitational action comprises the Einstein-Hilbert action plus the harmonic gauge-fixing term, that is

$$S_g = S_{\text{EH}} + S_{\text{GF}} = -\frac{1}{16\pi G} \int d^4x \sqrt{g} R + \frac{1}{32\pi G} \int d^4x \sqrt{g} g_{\mu\nu} \Gamma^\mu \Gamma^\nu, \quad (2.3)$$

where  $\Gamma^\mu \equiv \Gamma_{\rho\sigma}^\mu g^{\rho\sigma}$ .

From the gravitational action the propagators, and the self-gravitational vertices are derived. The NRG scalar, vector, and tensor field propagators, and the corresponding time dependent propagator vertices can be found, e.g., in section 2 of [22].

As for the three-graviton vertices, required for the NNLO of the spin-squared interaction, they are similar to those, required in [22], except for the following vertex:

$$\begin{array}{c} \text{---} \\ \diagup \\ \text{---} \\ \diagdown \\ \text{---} \end{array} = \frac{1}{16\pi G} \int d^4x (2\sigma_{ij} \partial_i \phi \partial_j \phi - \sigma_{jj} \partial_i \phi \partial_i \phi), \quad (2.4)$$

in which only the stationary part of the vertex is required here, unlike in the NNLO spin-orbit sector, where its time dependence should be included [22].

Also, the only four-graviton vertex, required at the NNLO level, is the stationary one, which is found in [21, 22].

We proceed to the point particle action of each of the spinning objects. The minimal coupling part of the action reads

$$S_{\text{pp}} = \int d\lambda \left[ -m\sqrt{u^2} - \frac{1}{2} S_{\mu\nu} \Omega^{\mu\nu} \right], \quad (2.5)$$

with the affine parameter  $\lambda$ , parametrized here as the coordinate time, i.e.  $\lambda = t = x^0$ , the 4-velocity  $u^\mu \equiv dx^\mu/d\lambda$ , and the angular velocity and spin tensors of the object  $\Omega^{\mu\nu}$ ,  $S_{\mu\nu}$ , respectively [16]. Yet, in the spin-squared interaction, we consider finite size effects of the objects, i.e. also the nonminimal coupling part of the action. Therefore, the action in eq. (2.5) should be supplemented here with its spin-induced part, which is quadratic in the spin [16]. From the symmetry considerations outlined in [16], in particular parity invariance,

which holds for macroscopic objects in General Relativity, and the  $SO(3)$  invariance of the body-fixed spatial triad, it follows that the only such operator, which appears in the action [16], is given by

$$L_{ES^2} = -\frac{C_{ES^2}}{2m} \frac{E_{\mu\nu}}{\sqrt{u^2}} S^\mu S^\nu, \quad (2.6)$$

where we have here the Wilson coefficient  $C_{ES^2}$ , that is the quadrupolar deformation constant due to spin from [11], and similarly introduced in [12]. This coefficient equals unity in the black hole case. This LO nonminimal coupling for the spin-induced quadrupole, which also contributes the LO finite size effects, is the only operator, which contributes to the conservative spin-squared sector. We expect then to have in the spin-squared interaction both contributions from spin-squared couplings from eq. (2.6), and from nonlinear effects of the linear in spin couplings, which arise from the minimal coupling part of the action in eq. (2.5), that would play a smaller role in the interaction. The mass couplings also play a smaller role in this interaction.

We begin then with the mass couplings, where we present their expansion in the velocity, to the order required here. The one-graviton couplings to the worldline mass read

$$\begin{array}{c} | \\ \bullet \text{---} \end{array} = -m \int dt \phi \left[ 1 + \frac{3}{2}v^2 + \frac{7}{8}v^4 + \dots \right], \quad (2.7)$$

$$\begin{array}{c} | \\ \bullet \text{---} \end{array} = m \int dt A_i v^i \left[ 1 + \frac{1}{2}v^2 + \dots \right], \quad (2.8)$$

$$\begin{array}{c} | \\ \bullet \text{=} \end{array} = \frac{1}{2}m \int dt \sigma_{ij} v^i v^j [1 + \dots]. \quad (2.9)$$

with similar notations as in, e.g., [22].

The two-graviton mass couplings, required here, read

$$\begin{array}{c} | \\ \bullet \text{ / } \end{array} = -\frac{1}{2}m \int dt \phi^2 \left[ 1 - \frac{9}{2}v^2 + \dots \right], \quad (2.10)$$

$$\begin{array}{c} | \\ \bullet \text{ / } \end{array} = m \int dt \phi A_i v^i [1 + \dots]. \quad (2.11)$$

The three-graviton mass coupling, that is required here, reads

$$\begin{array}{c} | \\ \bullet \text{ / } \end{array} = -\frac{1}{6}m \int dt \phi^3 [1 + \dots]. \quad (2.12)$$

Next, we consider the spin couplings, required for this sector, given in the canonical gauge [16]. Yet, we recall the kinematic terms, which involve spin with no field coupling [16],

to the order required here

$$L_{\text{kin}} = -\vec{S} \cdot \vec{\Omega} + \frac{1}{2} \vec{S} \cdot \vec{v} \times \vec{a} \left( 1 + \frac{3}{4} v^2 \right), \quad (2.13)$$

with similar notations as in [22].

Then, the one-graviton linear in spin couplings, required in this work, read

$$\begin{array}{c} \bullet \\ | \\ \text{-----} \end{array} = \int dt \epsilon_{ijk} S_k \left( \frac{1}{2} \partial_i A_j + \frac{3}{4} v^i v^l (\partial_l A_j - \partial_j A_l) + v^i \partial_t A_j \right), \quad (2.14)$$

$$\begin{array}{c} \bullet \\ | \\ \text{---} \end{array} = \int dt 2\epsilon_{ijk} S_k v^i \partial_j \phi, \quad (2.15)$$

$$\begin{array}{c} \bullet \\ | \\ \text{=} \end{array} = \int dt \frac{1}{2} \epsilon_{ijk} S_k v^l \partial_i \sigma_{jl}, \quad (2.16)$$

with similar notations as in [22].

The two-graviton spin coupling, which we require here, reads


$$\begin{array}{c} \bullet \\ | \\ \text{---} \end{array} = \int dt 2\epsilon_{ijk} S_k \partial_i A_j \phi. \quad (2.17)$$

Finally, we turn to the spin-squared couplings from eq. (2.6), which play the major role in this interaction.

The one-graviton spin-squared couplings read

$$\begin{array}{c} \blacksquare \\ | \\ \text{---} \end{array} = \int dt \frac{C_{ES^2}}{2m} \left[ S^i S^j \left( \partial_i \partial_j \phi \left( 1 + \frac{3}{2} v^2 + \frac{7}{8} v^4 \right) - 3 \partial_i \partial_k \phi v^j v^k \left( 1 - \frac{7}{12} v^2 \right) \right. \right. \\ \left. \left. - 2 \partial_t \partial_i \phi v^j + \frac{1}{4} \partial_k \partial_l \phi v^i v^j v^k v^l - \partial_t \partial_k \phi v^i v^j v^k - \partial_t^2 \phi v^i v^j \right) \right. \\ \left. - S^2 \left( \partial_i \partial_i \phi \left( 1 + \frac{3}{2} v^2 + \frac{7}{8} v^4 \right) - \partial_i \partial_j \phi v^i v^j \left( 1 - \frac{5}{2} v^2 \right) \right. \right. \\ \left. \left. + 2 \partial_t \partial_i \phi v^i \left( 1 + \frac{3}{2} v^2 \right) + 2 \partial_t^2 \phi (1 + v^2) \right) \right], \quad (2.18)$$


$$\begin{array}{c} \blacksquare \\ | \\ \text{-----} \end{array} = \int dt -\frac{C_{ES^2}}{2m} \left[ S^i S^j \left( (\partial_i \partial_j A_k v^k - \partial_i \partial_k A_j v^k - \partial_t \partial_i A_j) \left( 1 + \frac{1}{2} v^2 \right) \right. \right. \\ \left. \left. + \frac{1}{2} (\partial_k (\partial_l A_i - \partial_i A_l) v^j v^k v^l + \partial_t (\partial_i A_k + \partial_k A_i) v^j v^k) \right) \right. \\ \left. - S^2 \left( (\partial_i \partial_i A_k v^k - \partial_i \partial_j A_i v^j - \partial_t \partial_i A_i) \left( 1 + \frac{1}{2} v^2 \right) + \partial_t \partial_i A_j v^i v^j \right) \right], \quad (2.19)$$




$$\begin{aligned}
= \int dt & -\frac{C_{ES^2}}{4m} \left[ S^i S^j \left( \partial_i \partial_j \sigma_{kl} v^k v^l + \partial_k \partial_l \sigma_{ij} v^k v^l - 2 \partial_i \partial_k \sigma_{jl} v^k v^l \right. \right. \\
& \left. \left. - 2 \partial_t \partial_i \sigma_{jk} v^k + 2 \partial_t \partial_k \sigma_{ij} v^k + \partial_t^2 \sigma_{ij} \right) \right. \\
& \left. - S^2 \left( \partial_k \partial_k \sigma_{ij} v^i v^j + \partial_i \partial_j \sigma_{kk} v^i v^j - 2 \partial_i \partial_j \sigma_{ik} v^j v^k \right. \right. \\
& \left. \left. - 2 \partial_t \partial_i \sigma_{ij} v^j + 2 \partial_t \partial_i \sigma_{jj} v^i + \partial_t^2 \sigma_{ii} \right) \right], \tag{2.20}
\end{aligned}$$

where the black square boxes represent the spin-squared operator on the worldlines, as in [16, 18].


The two-graviton spin-squared couplings, which are required here, read




$$\begin{aligned}
= \int dt & \frac{C_{ES^2}}{2m} \left[ S^i S^j \left( 3 \partial_i \phi \partial_j \phi \left( 1 + \frac{5}{6} v^2 \right) - 5 \partial_i \phi \partial_k \phi v^j v^k + 2 (\partial_k \phi)^2 v^i v^j \right. \right. \\
& \left. \left. + 2 \partial_t \phi \partial_i \phi v^j + 3 \phi \partial_i \partial_j \phi \left( 1 - \frac{1}{2} v^2 \right) + 3 \phi \partial_i \partial_k \phi v^j v^k + 2 \phi \partial_t \partial_i \phi v^j \right) \right. \\
& \left. - S^2 \left( (\partial_i \phi)^2 \left( 1 + \frac{3}{2} v^2 \right) - 3 \partial_i \phi \partial_j \phi v^i v^j - 2 \partial_t \phi \partial_i \phi v^i - 4 (\partial_t \phi)^2 \right. \right. \\
& \left. \left. + 3 \phi \partial_i \partial_i \phi \left( 1 - \frac{1}{2} v^2 \right) + \phi \partial_i \partial_j \phi v^i v^j - 2 \phi \partial_t \partial_i \phi v^i - 2 \phi \partial_t^2 \phi \right) \right], \tag{2.21}
\end{aligned}$$




$$\begin{aligned}
= \int dt & -\frac{C_{ES^2}}{2m} \left[ S^i S^j \left( \partial_i \partial_j \phi A_k v^k - 2 \partial_t \partial_i \phi A_j - 6 \partial_i \phi \partial_j A_k v^k - 6 \partial_i \phi \partial_k A_j v^k \right. \right. \\
& \left. \left. - \partial_k \phi \partial_i A_k v^j + \partial_k \phi \partial_k A_i v^j - \partial_t \phi \partial_i A_j - 4 \partial_i \phi \partial_t A_j \right. \right. \\
& \left. \left. + 3 \phi \partial_i \partial_j A_k v^k - 3 \phi \partial_i \partial_k A_j v^k - 3 \phi \partial_t \partial_i A_j \right) \right. \\
& \left. + S^2 \left( 2 \partial_t \partial_i \phi A_i - \partial_k \partial_k \phi A_l v^l + 7 \partial_i \phi \partial_i A_j v^j + 5 \partial_i \phi \partial_j A_i v^j + \partial_t \phi \partial_i A_i \right. \right. \\
& \left. \left. + 2 \partial_i \phi \partial_t A_i - 3 \phi \partial_k \partial_k A_l v^l + 3 \phi \partial_i \partial_j A_i v^j + 3 \phi \partial_t \partial_i A_i \right) \right], \tag{2.22}
\end{aligned}$$



$$\begin{aligned}
= \int dt & -\frac{C_{ES^2}}{2m} \left[ S^i S^j \left( \sigma_{ik} \partial_j \partial_k \phi + \partial_k \phi \left( \partial_i \sigma_{jk} - \frac{1}{2} \partial_k \sigma_{ij} \right) \right) \right. \\
& \left. - S^2 \left( \sigma_{ij} \partial_i \partial_j \phi + \partial_i \phi \left( \partial_j \sigma_{ij} - \frac{1}{2} \partial_i \sigma_{jj} \right) \right) \right], \tag{2.23}
\end{aligned}$$



$$\begin{aligned}
= \int dt & \frac{C_{ES^2}}{8m} \left[ S^i S^j \left( \partial_k A_i \partial_k A_j + \partial_i A_k \partial_j A_k - 2 \partial_i A_k \partial_k A_j \right) \right. \\
& \left. - 2 S^2 \left( (\partial_i A_j)^2 - \partial_i A_j \partial_j A_i \right) \right]. \tag{2.24}
\end{aligned}$$



**Figure 1.** NNLO spin-squared one-graviton exchange Feynman diagrams.

Finally, the required three-graviton spin-squared coupling reads

$$\begin{aligned}
 \text{Diagram (a1)} &= \int dt \frac{3C_{ES^2}}{2m} \left[ 3S^i S^j \left( \phi \partial_i \phi \partial_j \phi + \frac{1}{2} \phi^2 \partial_i \partial_j \phi \right) - S^2 \left( \phi (\partial_i \phi)^2 + \frac{3}{2} \phi^2 \partial_i \partial_i \phi \right) \right]. \\
 & \tag{2.25}
 \end{aligned}$$

Note the complexity of the spin-squared couplings with respect to the other worldline couplings.

### 3 Next-to-next-to-leading order spin-squared interaction

In this section we present the perturbative expansion of the NNLO spin-squared two-body effective action in terms of Feynman diagrams, and we provide the value for each diagram. At the NNLO level, which is up to order  $G^3$ , the classification of the Feynman diagrams is similar to that in [21, 22], as can be seen in figures 1-6 below. There is a total of 64 diagrams, which make up the NNLO spin-squared interaction. We note that whereas the linear interaction involves exclusively the spin-squared couplings, as we go up in the nonlinearity of the interaction, that is in the loop order, but even at the two-graviton exchange diagrams, we start to have more diagrams, which involve the linear in spin couplings. Lastly, we also have take into account higher order time derivatives, which appear in the 2PN order [35], and in up to NLO spin-orbit, and spin-squared [16] sectors. We refer the reader to [21, 22, 32] for further details on the generation of the Feynman diagrams from the Feynman rules, and the evaluation of such Feynman diagrams. In particular, we also refer to [22] for the conventions and notations, used here.

#### 3.1 One-graviton exchange

There are 6 one-graviton exchange diagrams in this sector, which can be seen in figure 1. We note that all diagrams here involve only the spin-squared couplings, and add up to the ones, which already entered in the NLO spin-squared sector [16]. Here we require tensor Fourier integrals of up to order 6 as in [21], see appendix A. Our treatment of time derivatives, and higher order time derivative terms is similar to that in [16, 22, 28].

These diagrams are evaluated by:

$$\begin{aligned}
 \text{Fig. 1(a1)} &= \frac{GC_{1ES^2}m_2}{2m_1r^3} \left[ S_1^2 - 3(\vec{S}_1 \cdot \vec{n})^2 \right] + \frac{GC_{1ES^2}m_2}{4m_1r^3} \left[ 5S_1^2v_1^2 + 3S_1^2v_2^2 - 2(\vec{S}_1 \cdot \vec{v}_1)^2 \right. \\
 & \quad \left. + 6\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 - 9v_1^2(\vec{S}_1 \cdot \vec{n})^2 - 9v_2^2(\vec{S}_1 \cdot \vec{n})^2 - 6S_1^2(\vec{v}_1 \cdot \vec{n})^2 \right]
 \end{aligned}$$



$$\begin{aligned}
& + \frac{GC_{1ES^2m_2}}{m_1r^2} \vec{S}_1 \cdot \vec{a}_1 \vec{S}_1 \cdot \vec{n} - \frac{GC_{1ES^2m_2}}{m_1r^2} \left[ 2\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} - \dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \right. \\
& - \left. \vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 \right] + \frac{GC_{1ES^2m_2}}{m_1r} \ddot{S}_1^2 + \frac{GC_{1ES^2m_2}}{16m_1r^3} \left[ 30S_1^2 v_1^2 v_2^2 - 12v_1^2 (\vec{S}_1 \cdot \vec{v}_1)^2 \right. \\
& - 12v_2^2 (\vec{S}_1 \cdot \vec{v}_1)^2 + 19S_1^2 v_1^4 + 7S_1^2 v_2^4 + 42\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 v_1^2 \\
& + 36\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 v_2^2 - 54v_1^2 v_2^2 (\vec{S}_1 \cdot \vec{n})^2 - 6(\vec{v}_1 \cdot \vec{n})^2 (\vec{S}_1 \cdot \vec{v}_1)^2 \\
& - \left. 36S_1^2 v_1^2 (\vec{v}_1 \cdot \vec{n})^2 - 36S_1^2 v_2^2 (\vec{v}_1 \cdot \vec{n})^2 - 21(\vec{S}_1 \cdot \vec{n})^2 v_1^4 - 21(\vec{S}_1 \cdot \vec{n})^2 v_2^4 \right] \\
& + \frac{GC_{1ES^2m_2}}{2m_1r^2} \left[ S_1^2 v_1^2 \vec{a}_1 \cdot \vec{n} - 2\vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{a}_1 + 2S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{a}_1 \right. \\
& + \left. 3\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{a}_1 v_2^2 \right] - \frac{GC_{1ES^2m_2}}{2m_1r^2} \left[ 2\vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \dot{\vec{S}}_1 \cdot \vec{v}_1 - 2\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} v_1^2 \right. \\
& + \left. 6\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} v_2^2 - 3\dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 v_2^2 - 3\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 v_2^2 \right] \\
& + \frac{GC_{1ES^2m_2}}{2m_1r} \left[ 2\vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \dot{\vec{a}}_1 + (2\vec{S}_1 \cdot \vec{v}_1 \ddot{\vec{S}}_1 \cdot \vec{v}_1 - 2\vec{S}_1 \cdot \ddot{\vec{S}}_1 v_1^2 + v_1^2 \ddot{S}_1^2 + 3v_2^2 \ddot{S}_1^2) \right. \\
& + 2(\vec{S}_1 \cdot \vec{a}_1)^2 + 4(\dot{\vec{S}}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{a}_1 + \vec{S}_1 \cdot \vec{v}_1 \dot{\vec{S}}_1 \cdot \vec{a}_1 - 2\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{a}_1 + \vec{v}_1 \cdot \vec{a}_1 \dot{S}_1^2) \\
& - \left. 2(\dot{S}_1^2 v_1^2 - (\dot{\vec{S}}_1 \cdot \vec{v}_1)^2) \right] \tag{3.1}
\end{aligned}$$

$$\begin{aligned}
\text{Fig. 1(a2)} = & \frac{GC_{1ES^2m_2}}{4m_1r^3} \left[ 2\vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 - S_1^2 \vec{v}_1 \cdot \vec{v}_2 + 3S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} - 6\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} \right. \\
& - \left. 6\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 3\vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 + 15\vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 \right] \\
& - \frac{GC_{1ES^2m_2}}{2m_1r^2} \left[ \vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_2 \cdot \vec{n} - \dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - \vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 + 3\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \right] \\
& + \frac{GC_{1ES^2m_2}}{8m_1r^3} \left[ 4\vec{S}_1 \cdot \vec{v}_1 v_1^2 \vec{S}_1 \cdot \vec{v}_2 + 3S_1^2 v_1^2 \vec{v}_1 \cdot \vec{v}_2 + 6\vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 v_2^2 - 3S_1^2 \vec{v}_1 \cdot \vec{v}_2 v_2^2 \right. \\
& - 4\vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{v}_1)^2 - 9S_1^2 \vec{v}_1 \cdot \vec{n} v_1^2 \vec{v}_2 \cdot \vec{n} - 12\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 v_1^2 \vec{v}_2 \cdot \vec{n} \\
& - 18\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} v_1^2 \vec{S}_1 \cdot \vec{v}_2 + 12\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_1 \cdot \vec{v}_2 + 9S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} v_2^2 \\
& - 18\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} v_2^2 - 18\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 v_2^2 - 9v_1^2 \vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 \\
& - 9\vec{v}_1 \cdot \vec{v}_2 v_2^2 (\vec{S}_1 \cdot \vec{n})^2 + 12\vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{v}_1)^2 + 6\vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 (\vec{v}_1 \cdot \vec{n})^2 \\
& - 18S_1^2 \vec{v}_1 \cdot \vec{v}_2 (\vec{v}_1 \cdot \vec{n})^2 + 45\vec{v}_1 \cdot \vec{n} v_1^2 \vec{v}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 + 45\vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} v_2^2 (\vec{S}_1 \cdot \vec{n})^2 \\
& + \left. 30S_1^2 \vec{v}_2 \cdot \vec{n} (\vec{v}_1 \cdot \vec{n})^3 - 30\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} (\vec{v}_1 \cdot \vec{n})^2 \right] \\
& - \frac{GC_{1ES^2m_2}}{4m_1r^2} \left[ S_1^2 \vec{v}_1 \cdot \vec{a}_1 \vec{v}_2 \cdot \vec{n} + \vec{S}_1 \cdot \vec{v}_1 \vec{a}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{a}_1 \vec{S}_1 \cdot \vec{v}_2 \right. \\
& - 6\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{a}_1 \vec{S}_1 \cdot \vec{v}_2 - 2S_1^2 \vec{a}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{v}_2 - \vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{a}_1 \vec{v}_1 \cdot \vec{v}_2 - 2S_1^2 \vec{v}_1 \cdot \vec{n} \vec{a}_1 \cdot \vec{v}_2 \\
& + \vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{a}_1 \cdot \vec{v}_2 - 3S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{a}_2 + 6\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{a}_2 \\
& + 6S_1^2 \vec{v}_1 \cdot \vec{n} \vec{a}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} - 3\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{a}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} + 3\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{a}_1 \vec{v}_2 \cdot \vec{n} \\
& + \left. 9\vec{v}_1 \cdot \vec{a}_1 \vec{v}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 - 9\vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{a}_2 (\vec{S}_1 \cdot \vec{n})^2 \right] \\
& + \frac{GC_{1ES^2m_2}}{4m_1r^2} \left[ 2\vec{S}_1 \cdot \vec{v}_1 \dot{\vec{S}}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} - 5\vec{S}_1 \cdot \dot{\vec{S}}_1 v_1^2 \vec{v}_2 \cdot \vec{n} + \vec{v}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 \right.
\end{aligned}$$

$$\begin{aligned}
& + 3\dot{\vec{S}}_1 \cdot \vec{n} v_1^2 \vec{S}_1 \cdot \vec{v}_2 + \vec{v}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 \dot{\vec{S}}_1 \cdot \vec{v}_2 + 3\vec{S}_1 \cdot \vec{n} v_1^2 \dot{\vec{S}}_1 \cdot \vec{v}_2 \\
& - 4\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{v}_2 + \dot{\vec{S}}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 \vec{v}_1 \cdot \vec{v}_2 + \vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 \vec{v}_1 \cdot \vec{v}_2 - 3\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_2 \cdot \vec{n} v_2^2 \\
& + 3\dot{\vec{S}}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 v_2^2 + 3\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 v_2^2 - 3\dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} \\
& - 3\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} - 9\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} v_1^2 \vec{v}_2 \cdot \vec{n} - 9\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} v_2^2 \\
& + 6\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_2 \cdot \vec{n} (\vec{v}_1 \cdot \vec{n})^2 \Big] - \frac{GC_{1ES^2} m_2}{2m_1 r} \left[ (\vec{S}_1 \cdot \dot{\vec{a}}_1 \vec{S}_1 \cdot \vec{v}_2 - \vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \dot{\vec{a}}_1 \vec{v}_2 \cdot \vec{n}) \right. \\
& + (\ddot{\vec{S}}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 + \vec{S}_1 \cdot \vec{v}_1 \ddot{\vec{S}}_1 \cdot \vec{v}_2 - 2\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{v}_2 - \vec{v}_1 \cdot \vec{v}_2 \ddot{S}_1^2 + 2\vec{S}_1 \cdot \ddot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \\
& - \ddot{\vec{S}}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} - \vec{S}_1 \cdot \vec{n} \ddot{\vec{S}}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} + \vec{v}_1 \cdot \vec{n} \ddot{\vec{v}}_2 \cdot \vec{n} \dot{S}_1^2) + (2\dot{\vec{S}}_1 \cdot \dot{\vec{a}}_1 \vec{S}_1 \cdot \vec{v}_2 \\
& + 2\vec{S}_1 \cdot \dot{\vec{a}}_1 \dot{\vec{S}}_1 \cdot \vec{v}_2 - 4\vec{S}_1 \cdot \dot{\vec{S}}_1 \dot{\vec{a}}_1 \cdot \vec{v}_2 + 3\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_2 \cdot \dot{\vec{a}}_2 + \dot{\vec{a}}_1 \cdot \vec{v}_2 \dot{S}_1^2 \\
& + 4\vec{S}_1 \cdot \dot{\vec{S}}_1 \dot{\vec{a}}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} - 2\dot{\vec{S}}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \dot{\vec{a}}_1 \vec{v}_2 \cdot \vec{n} - 2\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \dot{\vec{a}}_1 \vec{v}_2 \cdot \vec{n} \\
& + 3\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_2 \cdot \dot{\vec{a}}_2 - \dot{\vec{a}}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \dot{S}_1^2) + 2(\dot{\vec{S}}_1 \cdot \vec{v}_1 \dot{\vec{S}}_1 \cdot \vec{v}_2 - \dot{S}_1^2 \vec{v}_1 \cdot \vec{v}_2 \\
& + \dot{S}_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} - \dot{\vec{S}}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n}) \Big] + \frac{GC_{1ES^2} m_2}{2m_1} \overset{(3)}{S}_1^2 \vec{v}_2 \cdot \vec{n} \tag{3.2}
\end{aligned}$$

$$\begin{aligned}
\text{Fig. 1(a3)} & = \frac{GC_{1ES^2} m_2}{16m_1 r^3} \left[ 8\vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 \vec{v}_1 \cdot \vec{v}_2 - 3S_1^2 v_1^2 v_2^2 + 2v_2^2 (\vec{S}_1 \cdot \vec{v}_1)^2 + 2v_1^2 (\vec{S}_1 \cdot \vec{v}_2)^2 \right. \\
& - 6S_1^2 (\vec{v}_1 \cdot \vec{v}_2)^2 - 24\vec{v}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 - 12\vec{S}_1 \cdot \vec{n} v_1^2 \vec{v}_2 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 \\
& + 36S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \vec{v}_1 \cdot \vec{v}_2 - 24\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} \vec{v}_1 \cdot \vec{v}_2 - 24\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 \vec{v}_1 \cdot \vec{v}_2 \\
& - 12\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 v_2^2 - 3v_1^2 v_2^2 (\vec{S}_1 \cdot \vec{n})^2 + 9S_1^2 v_2^2 (\vec{v}_1 \cdot \vec{n})^2 - 6(\vec{S}_1 \cdot \vec{v}_1)^2 (\vec{v}_2 \cdot \vec{n})^2 \\
& + 9S_1^2 v_1^2 (\vec{v}_2 \cdot \vec{n})^2 - 6(\vec{v}_1 \cdot \vec{n})^2 (\vec{S}_1 \cdot \vec{v}_2)^2 - 6(\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_1 \cdot \vec{v}_2)^2 \\
& + 60\vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 + 60\vec{S}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 (\vec{v}_1 \cdot \vec{n})^2 \\
& + 15v_2^2 (\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_1 \cdot \vec{n})^2 - 45S_1^2 (\vec{v}_1 \cdot \vec{n})^2 (\vec{v}_2 \cdot \vec{n})^2 + 60\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 (\vec{v}_2 \cdot \vec{n})^2 \\
& \left. + 15v_1^2 (\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_2 \cdot \vec{n})^2 - 105(\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_1 \cdot \vec{n})^2 (\vec{v}_2 \cdot \vec{n})^2 \right] \\
& + \frac{GC_{1ES^2} m_2}{16m_1 r^2} \left[ 4\vec{S}_1 \cdot \dot{\vec{a}}_1 \vec{v}_2 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 - 6S_1^2 \vec{v}_2 \cdot \vec{n} \dot{\vec{a}}_1 \cdot \vec{v}_2 + 4\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 \dot{\vec{a}}_1 \cdot \vec{v}_2 \right. \\
& - 3S_1^2 \dot{\vec{a}}_1 \cdot \vec{n} v_2^2 + 2\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \dot{\vec{a}}_1 v_2^2 + 3S_1^2 v_1^2 \dot{\vec{a}}_2 \cdot \vec{n} - 4\vec{v}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 \dot{\vec{S}}_1 \cdot \dot{\vec{a}}_2 \\
& - 2\vec{S}_1 \cdot \vec{n} v_1^2 \dot{\vec{S}}_1 \cdot \dot{\vec{a}}_2 + 6S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_1 \cdot \dot{\vec{a}}_2 - 4\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 \vec{v}_1 \cdot \dot{\vec{a}}_2 - 2\dot{\vec{a}}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{v}_1)^2 \\
& + 2\dot{\vec{a}}_1 \cdot \vec{n} (\vec{S}_1 \cdot \vec{v}_2)^2 - 12\vec{S}_1 \cdot \vec{n} \dot{\vec{a}}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 + 12\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 \dot{\vec{a}}_2 \cdot \vec{n} \\
& - 6\vec{v}_2 \cdot \vec{n} \dot{\vec{a}}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 - 3\dot{\vec{a}}_1 \cdot \vec{n} v_2^2 (\vec{S}_1 \cdot \vec{n})^2 + 3v_1^2 \dot{\vec{a}}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 \\
& + 6\vec{v}_1 \cdot \vec{n} \vec{v}_1 \cdot \dot{\vec{a}}_2 (\vec{S}_1 \cdot \vec{n})^2 - 9S_1^2 \dot{\vec{a}}_2 \cdot \vec{n} (\vec{v}_1 \cdot \vec{n})^2 + 6\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \dot{\vec{a}}_2 (\vec{v}_1 \cdot \vec{n})^2 \\
& + 9S_1^2 \dot{\vec{a}}_1 \cdot \vec{n} (\vec{v}_2 \cdot \vec{n})^2 - 6\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \dot{\vec{a}}_1 (\vec{v}_2 \cdot \vec{n})^2 - 15\dot{\vec{a}}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_1 \cdot \vec{n})^2 \\
& \left. + 15\dot{\vec{a}}_1 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_2 \cdot \vec{n})^2 \right] + \frac{GC_{1ES^2} m_2}{4m_1 r^2} \left[ 2\dot{\vec{S}}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 \right. \\
& + 2\vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 + 2\vec{v}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 \dot{\vec{S}}_1 \cdot \vec{v}_2 - 6\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_2 \cdot \vec{n} \vec{v}_1 \cdot \vec{v}_2 \\
& + 2\dot{\vec{S}}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 \vec{v}_1 \cdot \vec{v}_2 + 2\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 \vec{v}_1 \cdot \vec{v}_2 - 3\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} v_2^2 + \dot{\vec{S}}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 v_2^2 \\
& \left. + \vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 v_2^2 - 6\dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 - 6\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 \right]
\end{aligned}$$

$$\begin{aligned}
& -6\vec{S}_1 \cdot \vec{n}\dot{\vec{S}}_1 \cdot \vec{n}\vec{v}_2 \cdot \vec{n}\vec{v}_1 \cdot \vec{v}_2 - 3\vec{S}_1 \cdot \vec{n}\dot{\vec{S}}_1 \cdot \vec{n}\vec{v}_1 \cdot \vec{n}v_2^2 + 9\vec{S}_1 \cdot \dot{\vec{S}}_1\vec{v}_1 \cdot \vec{n}(\vec{v}_2 \cdot \vec{n})^2 \\
& - 3\dot{\vec{S}}_1 \cdot \vec{n}\vec{S}_1 \cdot \vec{v}_1(\vec{v}_2 \cdot \vec{n})^2 - 3\vec{S}_1 \cdot \vec{n}\dot{\vec{S}}_1 \cdot \vec{v}_1(\vec{v}_2 \cdot \vec{n})^2 + 15\vec{S}_1 \cdot \vec{n}\dot{\vec{S}}_1 \cdot \vec{n}\vec{v}_1 \cdot \vec{n}(\vec{v}_2 \cdot \vec{n})^2 \Big] \\
& - \frac{GC_{1ES^2}m_2}{16m_1r} \Big[ 2(2\vec{S}_1 \cdot \vec{v}_2\ddot{\vec{S}}_1 \cdot \vec{v}_2 - 3\vec{S}_1 \cdot \ddot{\vec{S}}_1v_2^2 - 2\ddot{\vec{S}}_1 \cdot \vec{n}\vec{v}_2 \cdot \vec{n}\vec{S}_1 \cdot \vec{v}_2 \\
& - 2\vec{S}_1 \cdot \vec{n}\ddot{\vec{v}}_2 \cdot \vec{n}\ddot{\vec{S}}_1 \cdot \vec{v}_2 - \vec{S}_1 \cdot \vec{n}\ddot{\vec{S}}_1 \cdot \vec{n}v_2^2 + 3\vec{S}_1 \cdot \ddot{\vec{S}}_1(\vec{v}_2 \cdot \vec{n})^2 + 3\vec{S}_1 \cdot \vec{n}\ddot{\vec{S}}_1 \cdot \vec{n}(\vec{v}_2 \cdot \vec{n})^2) \\
& - (2\vec{S}_1 \cdot \vec{a}_1\vec{S}_1 \cdot \vec{a}_2 - 3S_1^2\vec{a}_1 \cdot \vec{a}_2 + 3S_1^2\vec{a}_1 \cdot \vec{n}\vec{a}_2 \cdot \vec{n} - 2\vec{S}_1 \cdot \vec{n}\vec{S}_1 \cdot \vec{a}_1\vec{a}_2 \cdot \vec{n} \\
& - 2\vec{S}_1 \cdot \vec{n}\vec{a}_1 \cdot \vec{n}\vec{S}_1 \cdot \vec{a}_2 - \vec{a}_1 \cdot \vec{a}_2(\vec{S}_1 \cdot \vec{n})^2 + 3\vec{a}_1 \cdot \vec{n}\vec{a}_2 \cdot \vec{n}(\vec{S}_1 \cdot \vec{n})^2) - 4(\dot{\vec{S}}_1 \cdot \vec{v}_1\vec{S}_1 \cdot \vec{a}_2 \\
& + \vec{S}_1 \cdot \vec{v}_1\dot{\vec{S}}_1 \cdot \vec{a}_2 - 3\vec{S}_1 \cdot \dot{\vec{S}}_1\vec{v}_1 \cdot \vec{a}_2 + 3\vec{S}_1 \cdot \dot{\vec{S}}_1\vec{v}_1 \cdot \vec{n}\vec{a}_2 \cdot \vec{n} - \dot{\vec{S}}_1 \cdot \vec{n}\vec{S}_1 \cdot \vec{v}_1\vec{a}_2 \cdot \vec{n} \\
& - \vec{S}_1 \cdot \vec{n}\dot{\vec{S}}_1 \cdot \vec{v}_1\vec{a}_2 \cdot \vec{n} - \dot{\vec{S}}_1 \cdot \vec{n}\vec{v}_1 \cdot \vec{n}\vec{S}_1 \cdot \vec{a}_2 - \vec{S}_1 \cdot \vec{n}\vec{v}_1 \cdot \vec{n}\dot{\vec{S}}_1 \cdot \vec{a}_2 - \vec{S}_1 \cdot \vec{n}\dot{\vec{S}}_1 \cdot \vec{n}\vec{v}_1 \cdot \vec{a}_2 \\
& + 3\vec{S}_1 \cdot \vec{n}\dot{\vec{S}}_1 \cdot \vec{n}\vec{v}_1 \cdot \vec{n}\vec{a}_2 \cdot \vec{n}) - 2(3\dot{S}_1^2v_2^2 - 2(\dot{\vec{S}}_1 \cdot \vec{v}_2)^2 + 4\dot{\vec{S}}_1 \cdot \vec{n}\vec{v}_2 \cdot \vec{n}\dot{\vec{S}}_1 \cdot \vec{v}_2 \\
& + v_2^2(\dot{\vec{S}}_1 \cdot \vec{n})^2 - 3\dot{S}_1^2(\vec{v}_2 \cdot \vec{n})^2 - 3(\dot{\vec{S}}_1 \cdot \vec{n})^2(\vec{v}_2 \cdot \vec{n})^2) \Big] \\
& - \frac{GC_{1ES^2}m_2}{8m_1} \Big[ (3\vec{S}_1 \cdot \ddot{\vec{S}}_1\vec{a}_2 \cdot \vec{n} - \ddot{\vec{S}}_1 \cdot \vec{n}\vec{S}_1 \cdot \vec{a}_2 - \vec{S}_1 \cdot \vec{n}\ddot{\vec{S}}_1 \cdot \vec{a}_2 + \vec{S}_1 \cdot \vec{n}\ddot{\vec{S}}_1 \cdot \vec{n}\vec{a}_2 \cdot \vec{n}) \\
& + (3\dot{S}_1^2\vec{a}_2 \cdot \vec{n} - 2\dot{\vec{S}}_1 \cdot \vec{n}\dot{\vec{S}}_1 \cdot \vec{a}_2 + \vec{a}_2 \cdot \vec{n}(\dot{\vec{S}}_1 \cdot \vec{n})^2) \Big] \tag{3.3}
\end{aligned}$$

$$\begin{aligned}
\text{Fig. 1(b1)} = & -\frac{2GC_{1ES^2}m_2}{m_1r^3} \Big[ S_1^2\vec{v}_1 \cdot \vec{v}_2 - 3\vec{v}_1 \cdot \vec{v}_2(\vec{S}_1 \cdot \vec{n})^2 \Big] + \frac{2GC_{1ES^2}m_2}{m_1r^2} \Big[ 2\vec{S}_1 \cdot \dot{\vec{S}}_1\vec{v}_2 \cdot \vec{n} \\
& - \dot{\vec{S}}_1 \cdot \vec{n}\vec{S}_1 \cdot \vec{v}_2 - \vec{S}_1 \cdot \vec{n}\dot{\vec{S}}_1 \cdot \vec{v}_2 \Big] - \frac{GC_{1ES^2}m_2}{m_1r^3} \Big[ 3S_1^2v_1^2\vec{v}_1 \cdot \vec{v}_2 + S_1^2\vec{v}_1 \cdot \vec{v}_2v_2^2 \\
& - 2\vec{v}_1 \cdot \vec{v}_2(\vec{S}_1 \cdot \vec{v}_1)^2 + 6\vec{S}_1 \cdot \vec{n}\vec{v}_1 \cdot \vec{n}\vec{S}_1 \cdot \vec{v}_1\vec{v}_1 \cdot \vec{v}_2 - 3v_1^2\vec{v}_1 \cdot \vec{v}_2(\vec{S}_1 \cdot \vec{n})^2 \\
& - 3\vec{v}_1 \cdot \vec{v}_2v_2^2(\vec{S}_1 \cdot \vec{n})^2 - 6S_1^2\vec{v}_1 \cdot \vec{v}_2(\vec{v}_1 \cdot \vec{n})^2 \Big] + \frac{GC_{1ES^2}m_2}{m_1r^2} \Big[ 2S_1^2\vec{v}_1 \cdot \vec{a}_1\vec{v}_2 \cdot \vec{n} \\
& + \vec{S}_1 \cdot \vec{v}_1\vec{a}_1 \cdot \vec{n}\vec{S}_1 \cdot \vec{v}_2 + \vec{v}_1 \cdot \vec{n}\vec{S}_1 \cdot \vec{a}_1\vec{S}_1 \cdot \vec{v}_2 - 2\vec{S}_1 \cdot \vec{n}\vec{v}_1 \cdot \vec{a}_1\vec{S}_1 \cdot \vec{v}_2 \\
& - 2S_1^2\vec{a}_1 \cdot \vec{n}\vec{v}_1 \cdot \vec{v}_2 + \vec{S}_1 \cdot \vec{n}\vec{S}_1 \cdot \vec{a}_1\vec{v}_1 \cdot \vec{v}_2 - 2S_1^2\vec{v}_1 \cdot \vec{n}\vec{a}_1 \cdot \vec{v}_2 + \vec{S}_1 \cdot \vec{n}\vec{S}_1 \cdot \vec{v}_1\vec{a}_1 \cdot \vec{v}_2 \Big] \\
& + \frac{GC_{1ES^2}m_2}{m_1r^2} \Big[ 2\vec{S}_1 \cdot \dot{\vec{S}}_1v_1^2\vec{v}_2 \cdot \vec{n} + \vec{v}_1 \cdot \vec{n}\dot{\vec{S}}_1 \cdot \vec{v}_1\vec{S}_1 \cdot \vec{v}_2 - \dot{\vec{S}}_1 \cdot \vec{n}v_1^2\vec{S}_1 \cdot \vec{v}_2 \\
& + \vec{v}_1 \cdot \vec{n}\dot{\vec{S}}_1 \cdot \vec{v}_1\dot{\vec{S}}_1 \cdot \vec{v}_2 - \vec{S}_1 \cdot \vec{n}v_1^2\dot{\vec{S}}_1 \cdot \vec{v}_2 - 4\vec{S}_1 \cdot \dot{\vec{S}}_1\vec{v}_1 \cdot \vec{n}\vec{v}_1 \cdot \vec{v}_2 + \dot{\vec{S}}_1 \cdot \vec{n}\vec{S}_1 \cdot \vec{v}_1\vec{v}_1 \cdot \vec{v}_2 \\
& + \vec{S}_1 \cdot \vec{n}\dot{\vec{S}}_1 \cdot \vec{v}_1\vec{v}_1 \cdot \vec{v}_2 + 2\vec{S}_1 \cdot \dot{\vec{S}}_1\vec{v}_2 \cdot \vec{n}v_2^2 - \dot{\vec{S}}_1 \cdot \vec{n}\vec{S}_1 \cdot \vec{v}_2v_2^2 - \vec{S}_1 \cdot \vec{n}\dot{\vec{S}}_1 \cdot \vec{v}_2v_2^2 \Big] \tag{3.4}
\end{aligned}$$

$$\begin{aligned}
\text{Fig. 1(b2)} = & -\frac{GC_{1ES^2}m_2}{m_1r^3} \Big[ 2\vec{S}_1 \cdot \vec{v}_1\vec{S}_1 \cdot \vec{v}_2\vec{v}_1 \cdot \vec{v}_2 - S_1^2(\vec{v}_1 \cdot \vec{v}_2)^2 + 3S_1^2\vec{v}_1 \cdot \vec{n}\vec{v}_2 \cdot \vec{n}\vec{v}_1 \cdot \vec{v}_2 \\
& - 6\vec{S}_1 \cdot \vec{n}\vec{S}_1 \cdot \vec{v}_1\vec{v}_2 \cdot \vec{n}\vec{v}_1 \cdot \vec{v}_2 - 6\vec{S}_1 \cdot \vec{n}\vec{v}_1 \cdot \vec{n}\vec{S}_1 \cdot \vec{v}_2\vec{v}_1 \cdot \vec{v}_2 - 3(\vec{S}_1 \cdot \vec{n})^2(\vec{v}_1 \cdot \vec{v}_2)^2 \\
& + 15\vec{v}_1 \cdot \vec{n}\vec{v}_2 \cdot \vec{n}\vec{v}_1 \cdot \vec{v}_2(\vec{S}_1 \cdot \vec{n})^2 \Big] + \frac{GC_{1ES^2}m_2}{m_1r^2} \Big[ S_1^2\vec{v}_2 \cdot \vec{n}\vec{a}_1 \cdot \vec{v}_2 \\
& - 2\vec{S}_1 \cdot \vec{n}\vec{S}_1 \cdot \vec{v}_2\vec{a}_1 \cdot \vec{v}_2 - S_1^2\vec{v}_1 \cdot \vec{n}\vec{v}_1 \cdot \vec{a}_2 + 2\vec{S}_1 \cdot \vec{n}\vec{S}_1 \cdot \vec{v}_1\vec{v}_1 \cdot \vec{a}_2 \\
& + 3\vec{v}_2 \cdot \vec{n}\vec{a}_1 \cdot \vec{v}_2(\vec{S}_1 \cdot \vec{n})^2 - 3\vec{v}_1 \cdot \vec{n}\vec{v}_1 \cdot \vec{a}_2(\vec{S}_1 \cdot \vec{n})^2 \Big] \\
& - \frac{GC_{1ES^2}m_2}{m_1r^2} \Big[ \dot{\vec{S}}_1 \cdot \vec{v}_1\vec{v}_2 \cdot \vec{n}\vec{S}_1 \cdot \vec{v}_2 + \vec{S}_1 \cdot \vec{v}_1\vec{v}_2 \cdot \vec{n}\dot{\vec{S}}_1 \cdot \vec{v}_2 + 2\vec{v}_1 \cdot \vec{n}\vec{S}_1 \cdot \vec{v}_2\dot{\vec{S}}_1 \cdot \vec{v}_2
\end{aligned}$$

$$\begin{aligned}
& -6\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_2 \cdot \vec{n} \vec{v}_1 \cdot \vec{v}_2 + 3\dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 \vec{v}_1 \cdot \vec{v}_2 + 3\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 \vec{v}_1 \cdot \vec{v}_2 \\
& -2\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} v_2^2 - 3\dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 3\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 \\
& -6\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \vec{v}_1 \cdot \vec{v}_2 + 6\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} (\vec{v}_2 \cdot \vec{n})^2 \\
& + \frac{GC_{1ES^2} m_2}{m_1 r} \left[ (2\vec{S}_1 \cdot \vec{v}_2 \ddot{\vec{S}}_1 \cdot \vec{v}_2 - 2\vec{S}_1 \cdot \ddot{\vec{S}}_1 v_2^2 - \ddot{\vec{S}}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 \right. \\
& - \vec{S}_1 \cdot \vec{n} \ddot{\vec{v}}_2 \cdot \vec{n} \ddot{\vec{S}}_1 \cdot \vec{v}_2 + 2\vec{S}_1 \cdot \ddot{\vec{S}}_1 (\vec{v}_2 \cdot \vec{n})^2) + (S_1^2 \vec{a}_1 \cdot \vec{a}_2 + \vec{a}_1 \cdot \vec{a}_2 (\vec{S}_1 \cdot \vec{n})^2) \\
& - (\dot{\vec{S}}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{a}_2 + \vec{S}_1 \cdot \vec{v}_1 \dot{\vec{S}}_1 \cdot \vec{a}_2 - 4\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{a}_2 + 2\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} \vec{a}_2 \cdot \vec{n} \\
& - \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{a}_2 - \vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{a}_2 - 2\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{a}_2) - 2(\dot{S}_1^2 v_2^2 \\
& - (\dot{\vec{S}}_1 \cdot \vec{v}_2)^2 + \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 - \dot{S}_1^2 (\vec{v}_2 \cdot \vec{n})^2) \left. \right] + \frac{GC_{1ES^2} m_2}{m_1} \left[ (2\vec{S}_1 \cdot \ddot{\vec{S}}_1 \vec{a}_2 \cdot \vec{n} \right. \\
& - \ddot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{a}_2 - \vec{S}_1 \cdot \vec{n} \ddot{\vec{S}}_1 \cdot \vec{a}_2) + 2(\dot{S}_1^2 \vec{a}_2 \cdot \vec{n} - \dot{\vec{S}}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{a}_2) \left. \right] \tag{3.5}
\end{aligned}$$

$$\begin{aligned}
\text{Fig. 1(c)} &= -\frac{GC_{1ES^2} m_2}{m_1 r^3} \left[ S_1^2 v_1^2 v_2^2 - S_1^2 (\vec{v}_1 \cdot \vec{v}_2)^2 - 3v_1^2 v_2^2 (\vec{S}_1 \cdot \vec{n})^2 + 3(\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_1 \cdot \vec{v}_2)^2 \right] \\
& - \frac{GC_{1ES^2} m_2}{m_1 r^2} \left[ 2S_1^2 \vec{v}_2 \cdot \vec{n} \vec{a}_1 \cdot \vec{v}_2 - 2\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 \vec{a}_1 \cdot \vec{v}_2 - S_1^2 \vec{a}_1 \cdot \vec{n} v_2^2 \right. \\
& + 2\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{a}_1 v_2^2 + \vec{a}_1 \cdot \vec{n} (\vec{S}_1 \cdot \vec{v}_2)^2 \left. \right] - \frac{2GC_{1ES^2} m_2}{m_1 r^2} \left[ 2\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_2 \cdot \vec{n} \vec{v}_1 \cdot \vec{v}_2 \right. \\
& - \dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 \vec{v}_1 \cdot \vec{v}_2 - \vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 \vec{v}_1 \cdot \vec{v}_2 - 2\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} v_2^2 + \dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 v_2^2 \\
& + \vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 v_2^2 \left. \right] - \frac{2GC_{1ES^2} m_2}{m_1 r} \left[ (\vec{S}_1 \cdot \vec{v}_2 \ddot{\vec{S}}_1 \cdot \vec{v}_2 + \vec{S}_1 \cdot \ddot{\vec{S}}_1 v_2^2) \right. \\
& \left. + (\dot{S}_1^2 v_2^2 + (\dot{\vec{S}}_1 \cdot \vec{v}_2)^2) \right] \tag{3.6}
\end{aligned}$$

## 3.2 Two-graviton exchange and cubic self-interaction

### 3.2.1 Two-graviton exchange


There are 12 two-graviton exchange diagrams, which can be seen in figure 2. They involve two-graviton mass couplings, which at the NNLO level are also contracted with linear in spin couplings, or two-graviton spin-squared couplings. We note that time derivatives originate here also from the spin-squared couplings.

These diagrams are evaluated by:

$$\text{Fig. 2(a1)} = -\frac{2G^2 m_2}{r^4} \left[ S_1^2 v_1^2 - (\vec{S}_1 \cdot \vec{v}_1)^2 + 2\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 - v_1^2 (\vec{S}_1 \cdot \vec{n})^2 - S_1^2 (\vec{v}_1 \cdot \vec{n})^2 \right] \tag{3.7}$$

$$\begin{aligned}
\text{Fig. 2(a2)} &= -\frac{4G^2 m_2}{r^4} \left[ \vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 - S_1^2 \vec{v}_1 \cdot \vec{v}_2 + S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} - \vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} \right. \\
& \left. - \vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 + \vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 \right] \tag{3.8}
\end{aligned}$$

$$\begin{aligned}
\text{Fig. 2(b1)} &= -\frac{G^2 C_{1ES^2} m_2}{2r^4} \left[ S_1^2 - 3(\vec{S}_1 \cdot \vec{n})^2 \right] - \frac{G^2 C_{1ES^2} m_2}{4r^4} \left[ 8S_1^2 v_1^2 - 9S_1^2 v_2^2 - 2(\vec{S}_1 \cdot \vec{v}_1)^2 \right. \\
& \left. + 6\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 - 18v_1^2 (\vec{S}_1 \cdot \vec{n})^2 + 27v_2^2 (\vec{S}_1 \cdot \vec{n})^2 - 6S_1^2 (\vec{v}_1 \cdot \vec{n})^2 \right]
\end{aligned}$$



**Figure 2.** NNLO spin-squared two-graviton exchange Feynman diagrams.

$$\begin{aligned}
& - \frac{G^2 C_{1ES^2} m_2}{r^3} \vec{S}_1 \cdot \dot{\vec{a}}_1 \vec{S}_1 \cdot \vec{n} + \frac{G^2 C_{1ES^2} m_2}{r^3} \left[ 2\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} - \dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \right. \\
& \left. - \vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 \right] - \frac{G^2 C_{1ES^2} m_2}{r^2} \ddot{S}_1^2 \quad (3.9)
\end{aligned}$$

$$\begin{aligned}
\text{Fig. 2(b2)} = & - \frac{G^2 C_{1ES^2} m_2}{4r^4} \left[ 2\vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 - S_1^2 \vec{v}_1 \cdot \vec{v}_2 + 2\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 + 4S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \right. \\
& - 8\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} - 6\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 3\vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 - S_1^2 (\vec{v}_1 \cdot \vec{n})^2 \\
& + 18\vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 - 3(\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_1 \cdot \vec{n})^2 \left. \right] - \frac{G^2 C_{1ES^2} m_2}{2r^3} \left[ \vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} \right. \\
& - 2\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_2 \cdot \vec{n} + \dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 + \vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 + \vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 \cdot \vec{n} \\
& \left. - 4\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \right] \quad (3.10)
\end{aligned}$$

$$\begin{aligned}
\text{Fig. 2(b3)} = & - \frac{G^2 C_{1ES^2} m_2}{4r^4} \left[ S_1^2 \vec{v}_1 \cdot \vec{v}_2 + 6\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 - 4S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \right. \\
& - 6\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 3\vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 + 3S_1^2 (\vec{v}_1 \cdot \vec{n})^2 + 18\vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 \\
& \left. - 15(\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_1 \cdot \vec{n})^2 \right] + \frac{G^2 C_{1ES^2} m_2}{2r^3} \left[ \vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} - 3\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \right] \quad (3.11)
\end{aligned}$$

$$\text{Fig. 2(b4)} = \frac{2G^2 C_{1ES^2} m_2}{r^4} \left[ S_1^2 \vec{v}_1 \cdot \vec{v}_2 - 3\vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 \right] \quad (3.12)$$

$$\begin{aligned}
\text{Fig. 2(b5)} = & \frac{2G^2 C_{1ES^2} m_2}{r^4} \left[ S_1^2 \vec{v}_1 \cdot \vec{v}_2 - 3\vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 \right] - \frac{2G^2 C_{1ES^2} m_2}{r^3} \left[ 2\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_2 \cdot \vec{n} \right. \\
& \left. - \dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - \vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 \right] \quad (3.13)
\end{aligned}$$

$$\begin{aligned}
\text{Fig. 2(c1)} = & - \frac{2G^2 C_{1ES^2} m_2^2}{m_1 r^4} \left[ S_1^2 - 3(\vec{S}_1 \cdot \vec{n})^2 \right] + \frac{G^2 C_{1ES^2} m_2^2}{2m_1 r^4} \left[ S_1^2 v_1^2 + 2\vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 \right. \\
& + 2S_1^2 \vec{v}_1 \cdot \vec{v}_2 - 14S_1^2 v_2^2 - (\vec{S}_1 \cdot \vec{v}_1)^2 + 4\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 - 8S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \\
& \left. - 8\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} - 2v_1^2 (\vec{S}_1 \cdot \vec{n})^2 + 36v_2^2 (\vec{S}_1 \cdot \vec{n})^2 + 10S_1^2 (\vec{v}_2 \cdot \vec{n})^2 \right]
\end{aligned}$$

$$+ \frac{G^2 C_{1ES^2} m_2^2}{m_1 r^3} \vec{a}_2 \cdot \vec{n} S_1^2 \quad (3.14)$$

$$\begin{aligned} \text{Fig. 2(c2)} = & - \frac{G^2 C_{1ES^2} m_2^2}{2m_1 r^4} \left[ 6\vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 + S_1^2 v_2^2 - 3(\vec{S}_1 \cdot \vec{v}_2)^2 - 24\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} \right. \\ & - 24\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 + 24\vec{S}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 12\vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 + 2S_1^2 (\vec{v}_2 \cdot \vec{n})^2 \\ & + 72\vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 - 36(\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_2 \cdot \vec{n})^2 \left. \right] - \frac{3G^2 C_{1ES^2} m_2^2}{m_1 r^3} \left[ \dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 \right. \\ & + \dot{\vec{S}}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 - 4\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \left. \right] \quad (3.15) \end{aligned}$$

$$\begin{aligned} \text{Fig. 2(c3)} = & \frac{G^2 C_{1ES^2} m_2^2}{m_1 r^4} \left[ 5S_1^2 v_2^2 - 3(\vec{S}_1 \cdot \vec{v}_2)^2 + 8\vec{S}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 8v_2^2 (\vec{S}_1 \cdot \vec{n})^2 \right. \\ & \left. - 8S_1^2 (\vec{v}_2 \cdot \vec{n})^2 \right] \quad (3.16) \end{aligned}$$

$$\begin{aligned} \text{Fig. 2(c4)} = & - \frac{2G^2 C_{1ES^2} m_2^2}{m_1 r^4} \left[ 4\vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 - 12S_1^2 \vec{v}_1 \cdot \vec{v}_2 + 5S_1^2 v_2^2 - 5(\vec{S}_1 \cdot \vec{v}_2)^2 \right. \\ & + 14S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} - \vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} - 15\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 \\ & + 20\vec{S}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 + 18\vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 - 18S_1^2 (\vec{v}_2 \cdot \vec{n})^2 \left. \right] \\ & + \frac{2G^2 C_{1ES^2} m_2^2}{m_1 r^3} \left[ 5S_1^2 \vec{a}_2 \cdot \vec{n} - 7\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{a}_2 \right] \quad (3.17) \end{aligned}$$

$$\begin{aligned} \text{Fig. 2(c5)} = & - \frac{2G^2 C_{1ES^2} m_2^2}{m_1 r^4} \left[ 2S_1^2 v_2^2 - (\vec{S}_1 \cdot \vec{v}_2)^2 + 2\vec{S}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - v_2^2 (\vec{S}_1 \cdot \vec{n})^2 \right. \\ & \left. - 2S_1^2 (\vec{v}_2 \cdot \vec{n})^2 \right] \quad (3.18) \end{aligned}$$


### 3.2.2 Cubic self-interaction

There are 27 cubic self-interaction diagrams in this sector, which can be seen in figure 3. Tensor one-loop integrals up to order 4, which appear in appendix A of [21], are required to be initially applied here in addition.

These diagrams are evaluated by:

$$\begin{aligned} \text{Fig. 3(a1)} = & \frac{G^2 m_2}{r^4} (\vec{S}_1 \cdot \vec{n})^2 + \frac{G^2 m_2}{2r^4} \left[ 4S_1^2 v_1^2 - 4(\vec{S}_1 \cdot \vec{v}_1)^2 + 10\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 - 2v_1^2 (\vec{S}_1 \cdot \vec{n})^2 \right. \\ & + 3v_2^2 (\vec{S}_1 \cdot \vec{n})^2 - 8S_1^2 (\vec{v}_1 \cdot \vec{n})^2 \left. \right] + \frac{2G^2 m_2}{r^3} \left[ S_1^2 \vec{a}_1 \cdot \vec{n} - \vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{a}_1 \right] \\ & + \frac{2G^2 m_2}{r^3} \left[ \vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} - \dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \right] \quad (3.19) \end{aligned}$$

$$\begin{aligned} \text{Fig. 3(a2)} = & - \frac{G^2 m_2}{4r^4} \left[ 3S_1^2 v_1^2 - 6\vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 - 2S_1^2 \vec{v}_1 \cdot \vec{v}_2 - 12\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \right. \\ & + 8S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} + 24\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} + 16\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 \\ & - 13v_1^2 (\vec{S}_1 \cdot \vec{n})^2 + 8\vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 - 5S_1^2 (\vec{v}_1 \cdot \vec{n})^2 - 48\vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 \\ & + 27(\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_1 \cdot \vec{n})^2 \left. \right] - \frac{G^2 m_2}{2r^3} \left[ 6\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} + 2\dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \right. \\ & + 8\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 - 6\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_2 \cdot \vec{n} - 5\dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 5\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 \\ & \left. - 20\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} + 20\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \right] + \frac{G^2 m_2}{2r^2} \left[ 3\dot{S}_1^2 - 5(\dot{\vec{S}}_1 \cdot \vec{n})^2 \right] \quad (3.20) \end{aligned}$$



**Figure 3.** NNLO spin-squared one-loop Feynman diagrams.

$$\begin{aligned}
\text{Fig. 3(a3)} = & -\frac{G^2 m_2}{2r^4} \left[ \vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 + S_1^2 \vec{v}_1 \cdot \vec{v}_2 - 4S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} - 4\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} \right. \\
& \left. - 4\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 2\vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 + 12\vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 \right] \\
& - \frac{G^2 m_2}{2r^3} \left[ 2\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_2 \cdot \vec{n} + \dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 + \vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 - 4\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \right]
\end{aligned} \tag{3.21}$$

$$\text{Fig. 3(a4)} = \frac{4G^2 m_2}{r^4} \left[ \vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 - S_1^2 \vec{v}_1 \cdot \vec{v}_2 + 2S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} - 2\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} \right] \tag{3.22}$$

$$\text{Fig. 3(a5)} = \frac{8G^2 C_{1ES^2} m_2^2}{m_1 r^4} \left[ S_1^2 v_2^2 - 2v_2^2 (\vec{S}_1 \cdot \vec{n})^2 \right] \tag{3.23}$$

$$\begin{aligned}
\text{Fig. 3(a6)} = & -\frac{4G^2 C_{1ES^2} m_2}{r^4} \left[ S_1^2 \vec{v}_1 \cdot \vec{v}_2 - 2\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} + 2\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 \right. \\
& \left. - 3\vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 \right]
\end{aligned} \tag{3.24}$$

$$\begin{aligned} \text{Fig. 3(a7)} = & -\frac{16G^2C_{1ES^2}m_2^2}{m_1r^4} \left[ S_1^2 \vec{v}_1 \cdot \vec{v}_2 - 2\vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 \right] + \frac{8G^2C_{1ES^2}m_2^2}{m_1r^3} \left[ 2\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_2 \cdot \vec{n} \right. \\ & \left. - \dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - \vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 \right] \end{aligned} \quad (3.25)$$

$$\begin{aligned} \text{Fig. 3(a8)} = & -\frac{4G^2C_{1ES^2}m_2}{r^4} \left[ S_1^2 \vec{v}_1 \cdot \vec{v}_2 + 2\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} - 2\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 \right. \\ & \left. - 3\vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 \right] + \frac{2G^2C_{1ES^2}m_2}{r^3} \left[ 2\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_2 \cdot \vec{n} - 3\dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 \right. \\ & \left. - 3\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 \right] \end{aligned} \quad (3.26)$$

$$\begin{aligned} \text{Fig. 3(a9)} = & \frac{4G^2C_{1ES^2}m_2}{r^4} \left[ S_1^2 v_1^2 - 3v_1^2 (\vec{S}_1 \cdot \vec{n})^2 \right] - \frac{2G^2C_{1ES^2}m_2}{r^3} \left[ 2\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} \right. \\ & \left. - 3\dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 - 3\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 \right] \end{aligned} \quad (3.27)$$

$$\begin{aligned} \text{Fig. 3(b1)} = & -\frac{G^2m_2}{r^4} \left[ 3S_1^2 v_1^2 - 3(\vec{S}_1 \cdot \vec{v}_1)^2 + 10\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 - 2v_1^2 (\vec{S}_1 \cdot \vec{n})^2 \right. \\ & \left. - 8S_1^2 (\vec{v}_1 \cdot \vec{n})^2 \right] \end{aligned} \quad (3.28)$$

$$\begin{aligned} \text{Fig. 3(b2)} = & \frac{4G^2C_{1ES^2}m_2^2}{m_1r^4} \left[ (\vec{S}_1 \cdot \vec{v}_2)^2 - 8\vec{S}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 2v_2^2 (\vec{S}_1 \cdot \vec{n})^2 \right. \\ & \left. + 12(\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_2 \cdot \vec{n})^2 \right] \end{aligned} \quad (3.29)$$

$$\begin{aligned} \text{Fig. 3(b3)} = & \frac{G^2C_{1ES^2}m_2}{r^4} \left[ S_1^2 v_1^2 + 2(\vec{S}_1 \cdot \vec{v}_1)^2 - 18\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 - 5v_1^2 (\vec{S}_1 \cdot \vec{n})^2 \right. \\ & \left. - 4S_1^2 (\vec{v}_1 \cdot \vec{n})^2 + 30(\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_1 \cdot \vec{n})^2 \right] \end{aligned} \quad (3.30)$$

$$\begin{aligned} \text{Fig. 3(b4)} = & -\frac{G^2C_{1ES^2}m_2}{4r^4} \left[ S_1^2 v_2^2 + 2(\vec{S}_1 \cdot \vec{v}_2)^2 - 12\vec{S}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 5v_2^2 (\vec{S}_1 \cdot \vec{n})^2 \right. \\ & \left. - S_1^2 (\vec{v}_2 \cdot \vec{n})^2 + 15(\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_2 \cdot \vec{n})^2 \right] \end{aligned} \quad (3.31)$$

$$\begin{aligned} \text{Fig. 3(b5)} = & -\frac{G^2C_{1ES^2}m_2^2}{2m_1r^4} \left[ S_1^2 v_1^2 + (\vec{S}_1 \cdot \vec{v}_1)^2 - 8\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 - 4v_1^2 (\vec{S}_1 \cdot \vec{n})^2 \right. \\ & \left. + 12(\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_1 \cdot \vec{n})^2 \right] - \frac{G^2C_{1ES^2}m_2^2}{m_1r^3} \left[ \vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{a}_1 - \vec{a}_1 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 \right] \\ & + \frac{G^2C_{1ES^2}m_2^2}{2m_1r^3} \left[ 2\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} - 3\dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 - 3\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 \right. \\ & \left. + 8\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \right] - \frac{G^2C_{1ES^2}m_2^2}{2m_1r^2} \left[ (\vec{S}_1 \cdot \ddot{\vec{S}}_1 + \vec{S}_1 \cdot \vec{n} \ddot{\vec{S}}_1 \cdot \vec{n}) \right. \\ & \left. + (\dot{S}_1^2 + (\dot{\vec{S}}_1 \cdot \vec{n})^2) \right] \end{aligned} \quad (3.32)$$

$$\begin{aligned} \text{Fig. 3(b6)} = & \frac{G^2C_{1ES^2}m_2}{r^4} \left[ (\vec{S}_1 \cdot \vec{v}_1)^2 - 6\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 - v_1^2 (\vec{S}_1 \cdot \vec{n})^2 + 6(\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_1 \cdot \vec{n})^2 \right] \\ & - \frac{G^2C_{1ES^2}m_2}{r^3} \left[ S_1^2 \vec{a}_1 \cdot \vec{n} - \vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{a}_1 + 2\vec{a}_1 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 \right] \\ & - \frac{G^2C_{1ES^2}m_2}{2r^3} \left[ 6\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} - 5\dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 - 5\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 \right. \\ & \left. + 16\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \right] + \frac{4G^2C_{1ES^2}m_2}{r^2} \left[ \vec{S}_1 \cdot \vec{n} \ddot{\vec{S}}_1 \cdot \vec{n} + (\ddot{\vec{S}}_1 \cdot \vec{n})^2 \right] \end{aligned} \quad (3.33)$$



$$\begin{aligned}
\text{Fig. 3(c1)} = & \frac{G^2 m_2}{r^4} \left[ 2S_1^2 v_1^2 - \vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 + S_1^2 \vec{v}_1 \cdot \vec{v}_2 - 2(\vec{S}_1 \cdot \vec{v}_1)^2 + 6\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \right. \\
& \left. - 4S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} + 4\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} - 2v_1^2 (\vec{S}_1 \cdot \vec{n})^2 - 4S_1^2 (\vec{v}_1 \cdot \vec{n})^2 \right] \\
& + \frac{G^2 m_2}{r^3} \left[ S_1^2 \vec{a}_1 \cdot \vec{n} - \vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{a}_1 \right] + \frac{G^2 m_2}{r^3} \left[ \vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} - \dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \right] \quad (3.34)
\end{aligned}$$

$$\begin{aligned}
\text{Fig. 3(c2)} = & -\frac{4G^2 C_{1ES^2} m_2^2}{m_1 r^4} \left[ \vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 + (\vec{S}_1 \cdot \vec{v}_2)^2 - 4\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} \right. \\
& \left. - 4\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 8\vec{S}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 2\vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 \right. \\
& \left. - 2v_2^2 (\vec{S}_1 \cdot \vec{n})^2 + 12\vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 + 12(\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_2 \cdot \vec{n})^2 \right] \\
& - \frac{4G^2 C_{1ES^2} m_2^2}{m_1 r^3} \left[ \dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 + \vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 - 4\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \right] \quad (3.35)
\end{aligned}$$

$$\begin{aligned}
\text{Fig. 3(c3)} = & -\frac{G^2 C_{1ES^2} m_2}{r^4} \left[ S_1^2 v_1^2 + 2\vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 + S_1^2 \vec{v}_1 \cdot \vec{v}_2 + 2(\vec{S}_1 \cdot \vec{v}_1)^2 \right. \\
& \left. - 18\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 - 4S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} - 8\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} \right. \\
& \left. - 10\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 5v_1^2 (\vec{S}_1 \cdot \vec{n})^2 - 5\vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 - 4S_1^2 (\vec{v}_1 \cdot \vec{n})^2 \right. \\
& \left. + 30\vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 + 30(\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_1 \cdot \vec{n})^2 \right] - \frac{G^2 C_{1ES^2} m_2}{r^3} \left[ 2\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} \right. \\
& \left. + 3\dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 + 3\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 - 12\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \right] \quad (3.36)
\end{aligned}$$

$$\begin{aligned}
\text{Fig. 3(c4)} = & \frac{G^2 C_{1ES^2} m_2}{2r^4} \left[ 2\vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 + S_1^2 \vec{v}_1 \cdot \vec{v}_2 - S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} - 6\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} \right. \\
& \left. - 6\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 5\vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 + 15\vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 \right] \\
& + \frac{G^2 C_{1ES^2} m_2}{r^3} \left[ \dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 + \vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 - 2\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \right] \quad (3.37)
\end{aligned}$$

$$\begin{aligned}
\text{Fig. 3(c5)} = & \frac{G^2 C_{1ES^2} m_2^2}{m_1 r^4} \left[ \vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 + S_1^2 \vec{v}_1 \cdot \vec{v}_2 - 4\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} \right. \\
& \left. - 4\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 4\vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 + 12\vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 \right] \\
& - \frac{G^2 C_{1ES^2} m_2^2}{2m_1 r^3} \left[ 2\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_2 \cdot \vec{n} - 3\dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 3\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 \right. \\
& \left. + 8\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \right] \quad (3.38)
\end{aligned}$$

$$\begin{aligned}
\text{Fig. 3(c6)} = & -\frac{G^2 C_{1ES^2} m_2}{r^4} \left[ \vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 + (\vec{S}_1 \cdot \vec{v}_1)^2 - 6\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \right. \\
& \left. - 4\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} - 2\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - v_1^2 (\vec{S}_1 \cdot \vec{n})^2 - \vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 \right. \\
& \left. + 6\vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 + 6(\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_1 \cdot \vec{n})^2 \right] + \frac{G^2 C_{1ES^2} m_2}{2r^3} \left[ 2\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} \right. \\
& \left. - 3\dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 - 3\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 + 4\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_2 \cdot \vec{n} - 2\dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 \right. \\
& \left. - 2\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 + 8\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} + 8\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \right] \quad (3.39)
\end{aligned}$$

$$\text{Fig. 3(d1)} = \frac{G^2 m_2}{4r^4} \left[ S_1^2 v_2^2 - 4\vec{S}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 3v_2^2 (\vec{S}_1 \cdot \vec{n})^2 - 3S_1^2 (\vec{v}_2 \cdot \vec{n})^2 \right]$$

$$+ 9(\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_2 \cdot \vec{n})^2 \quad (3.40)$$

$$\begin{aligned} \text{Fig. 3(d2)} = & -\frac{G^2 m_2}{r^4} \left[ 3\vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 - 3S_1^2 \vec{v}_1 \cdot \vec{v}_2 + 10S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} - 6\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} \right. \\ & \left. - 4\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 + 2\vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 \right] \quad (3.41) \end{aligned}$$

$$\begin{aligned} \text{Fig. 3(e)} = & \frac{G^2 m_2}{r^4} \left[ 3S_1^2 v_1^2 + 2\vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 - 2S_1^2 \vec{v}_1 \cdot \vec{v}_2 - 3(\vec{S}_1 \cdot \vec{v}_1)^2 + 14\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \right. \\ & + 8S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} - 8\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} - 4\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 \\ & \left. - 2\vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 - 8S_1^2 (\vec{v}_1 \cdot \vec{n})^2 + 12\vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 - 12(\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_1 \cdot \vec{n})^2 \right] \\ & + \frac{G^2 m_2}{r^3} \left[ 3\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} - 2\dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 - \vec{S}_1 \cdot \dot{\vec{S}}_1 \cdot \vec{v}_1 + 4\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \right] \quad (3.42) \end{aligned}$$

$$\begin{aligned} \text{Fig. 3(f)} = & \frac{G^2 m_2}{2r^4} \left[ 4\vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 - 5S_1^2 \vec{v}_1 \cdot \vec{v}_2 - 2S_1^2 v_2^2 + 2(\vec{S}_1 \cdot \vec{v}_2)^2 + 7S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \right. \\ & \left. - 2\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} - 6\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 8\vec{S}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 \right. \\ & \left. + 7\vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 + 8S_1^2 (\vec{v}_2 \cdot \vec{n})^2 - 9\vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 \right] + \frac{G^2 m_2}{r^3} \left[ S_1^2 \vec{a}_2 \cdot \vec{n} \right. \\ & \left. - \vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{a}_2 \right] + \frac{2G^2 m_2}{r^3} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \vec{S}_1 \cdot \vec{n} \quad (3.43) \end{aligned}$$

$$\begin{aligned} \text{Fig. 3(g1)} = & \frac{G^2 C_{1ES^2} m_2^2}{2m_1 r^4} \left[ 8\vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 - S_1^2 v_2^2 - (\vec{S}_1 \cdot \vec{v}_2)^2 - 32\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} \right. \\ & \left. - 32\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 + 8\vec{S}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 16\vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 \right. \\ & \left. + 4v_2^2 (\vec{S}_1 \cdot \vec{n})^2 + 96\vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 - 12(\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_2 \cdot \vec{n})^2 \right] \\ & + \frac{4G^2 C_{1ES^2} m_2^2}{m_1 r^3} \left[ \dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 + \vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 - 4\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \right] \quad (3.44) \end{aligned}$$

$$\begin{aligned} \text{Fig. 3(g2)} = & -\frac{G^2 C_{1ES^2} m_2}{4r^4} \left[ S_1^2 v_1^2 - 12\vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 - 4S_1^2 \vec{v}_1 \cdot \vec{v}_2 + 2(\vec{S}_1 \cdot \vec{v}_1)^2 \right. \\ & \left. - 12\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 + 16S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} + 48\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} \right. \\ & \left. + 48\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 5v_1^2 (\vec{S}_1 \cdot \vec{n})^2 + 24\vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 - S_1^2 (\vec{v}_1 \cdot \vec{n})^2 \right. \\ & \left. - 144\vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 + 15(\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_1 \cdot \vec{n})^2 \right] - \frac{G^2 C_{1ES^2} m_2}{r^3} \left[ \dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \right. \\ & \left. + \vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 - 2\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_2 \cdot \vec{n} - 3\dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 3\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 \right. \\ & \left. - 2\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} + 12\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \right] \quad (3.45) \end{aligned}$$

### 3.3 Cubic in G interaction

#### 3.3.1 Three-graviton exchange

There are 4 diagrams at order  $G^3$  with three-graviton exchange in this sector, which can be seen in figure 4. They do not contain linear in spin couplings, but rather up to three-graviton spin-squared ones.




Figure 4. NNLO spin-squared cubic in  $G$  Feynman diagrams with no loops.




Figure 5. NNLO spin-squared cubic in  $G$  one-loop Feynman diagrams.

These diagrams are evaluated by:

$$\text{Fig. 4(a1)} = \frac{C_1(ES^2)}{2} \frac{G^3 m_2^2}{r^5} \left[ S_1^2 - 3 \left( \vec{S}_1 \cdot \vec{n} \right)^2 \right], \quad (3.46)$$

$$\text{Fig. 4(a2)} = 4C_1(ES^2) \frac{G^3 m_2^2}{r^5} \left[ S_1^2 - 3 \left( \vec{S}_1 \cdot \vec{n} \right)^2 \right], \quad (3.47)$$

$$\text{Fig. 4(b1)} = \frac{C_1(ES^2)}{4} \frac{G^3 m_1 m_2}{r^5} \left[ S_1^2 - 3 \left( \vec{S}_1 \cdot \vec{n} \right)^2 \right], \quad (3.48)$$

$$\text{Fig. 4(b2)} = \frac{15C_1(ES^2)}{4} \frac{G^3 m_2^3}{m_1 r^5} \left[ S_1^2 - 3 \left( \vec{S}_1 \cdot \vec{n} \right)^2 \right]. \quad (3.49)$$

### 3.3.2 Cubic self-interaction with two-graviton exchange

There are 4 one-loop diagrams at order  $G^3$  in this sector, which can be seen in figure 5. Two-graviton spin-squared couplings also appear here.

These diagrams are evaluated by:

$$\text{Fig. 5(a1)} = - \frac{G^3 m_1 m_2}{r^5} \left( \vec{S}_1 \cdot \vec{n} \right)^2, \quad (3.50)$$

$$\text{Fig. 5(a2)} = - 8 \frac{G^3 m_2^2}{r^5} \left( \vec{S}_1 \cdot \vec{n} \right)^2, \quad (3.51)$$

$$\text{Fig. 5(b1)} = - \frac{C_1(ES^2)}{2} \frac{G^3 m_2^3}{m_1 r^5} \left[ S_1^2 + \left( \vec{S}_1 \cdot \vec{n} \right)^2 \right], \quad (3.52)$$

$$\text{Fig. 5(b2)} = C_1(ES^2) \frac{G^3 m_2^2}{r^5} \left[ 5S_1^2 - 3 \left( \vec{S}_1 \cdot \vec{n} \right)^2 \right]. \quad (3.53)$$




Figure 6. NNLO spin-squared two-loop Feynman diagrams.

### 3.3.3 Two-loop interaction

There are 11 two-loop diagrams at order  $G^3$  in this sector, which can be seen in figure 6. Here, the cubic vertices have no time dependence, as in the spin1-spin2 sector [21], but unlike the spin-orbit sector [22]. This is similar to what happens in one-loop diagrams at the NLO level [16, 29, 32].

The irreducible two-loop tensor integrals, which are required here up to order 4, are reduced as in Appendix A of [21], see eqs. (A12), (A13), and in Appendix A of [22], see eq. (A2).

These diagrams are evaluated by:

$$\text{Fig. 6(a1)} = 0, \quad (3.54)$$

$$\text{Fig. 6(a2)} = 0, \quad (3.55)$$

$$\text{Fig. 6(b1)} = \frac{4}{35} \frac{G^3 m_1 m_2}{r^5} \left[ 3S_1^2 + 5 \left( \vec{S}_1 \cdot \vec{n} \right)^2 \right], \quad (3.56)$$

$$\text{Fig. 6(b2)} = -\frac{1}{70} \frac{G^3 m_1 m_2}{r^5} \left[ 13S_1^2 - 25 \left( \vec{S}_1 \cdot \vec{n} \right)^2 \right], \quad (3.57)$$

$$\text{Fig. 6(b3)} = \frac{C_{1(ES^2)}}{2} \frac{G^3 m_2^3}{m_1 r^5} \left[ 3S_1^2 - 5 \left( \vec{S}_1 \cdot \vec{n} \right)^2 \right], \quad (3.58)$$

$$\text{Fig. 6(b4)} = \frac{3C_{1(ES^2)}}{7} \frac{G^3 m_1 m_2}{r^5} \left[ S_1^2 - 3 \left( \vec{S}_1 \cdot \vec{n} \right)^2 \right], \quad (3.59)$$

$$\text{Fig. 6(b5)} = \frac{C_{1(ES^2)}}{7} \frac{G^3 m_1 m_2}{r^5} \left[ S_1^2 - 3 \left( \vec{S}_1 \cdot \vec{n} \right)^2 \right], \quad (3.60)$$

$$\text{Fig. 6(c1)} = 0, \quad (3.61)$$

$$\text{Fig. 6(c2)} = C_{1(ES^2)} \frac{G^3 m_2^2}{r^5} \left[ S_1^2 - 15 \left( \vec{S}_1 \cdot \vec{n} \right)^2 \right], \quad (3.62)$$

$$\text{Fig. 6(d)} = 0, \quad (3.63)$$

$$\text{Fig. 6(e)} = -\frac{4}{35} \frac{G^3 m_1 m_2}{r^5} \left[ 2S_1^2 + 15 (\vec{S}_1 \cdot \vec{n})^2 \right]. \quad (3.64)$$

Notice that the diagram in figure 6(c1) is equivalent to 0, despite its being irreducible, rather than of the factorizable kind.

#### 4 Next-to-next-to-leading order spin-squared potential

The NNLO spin-squared potential for a binary with compact spinning components reads:

$$\begin{aligned} V_{\text{NNLO}}^{\text{SS}} = & -\frac{GC_{1ES^2}m_2}{16m_1r^3} \left[ 8\vec{S}_1 \cdot \vec{v}_1 v_1^2 \vec{S}_1 \cdot \vec{v}_2 - 42S_1^2 v_1^2 \vec{v}_1 \cdot \vec{v}_2 - 24\vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 \vec{v}_1 \cdot \vec{v}_2 + 11S_1^2 v_1^2 v_2^2 \right. \\ & + 12\vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 v_2^2 - 22S_1^2 \vec{v}_1 \cdot \vec{v}_2 v_2^2 - 12v_1^2 (\vec{S}_1 \cdot \vec{v}_1)^2 + 24\vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{v}_1)^2 - 10v_2^2 (\vec{S}_1 \cdot \vec{v}_1)^2 \\ & + 2v_1^2 (\vec{S}_1 \cdot \vec{v}_2)^2 + 26S_1^2 (\vec{v}_1 \cdot \vec{v}_2)^2 + 19S_1^2 v_1^4 + 7S_1^2 v_2^4 + 42\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 v_1^2 \\ & - 18S_1^2 \vec{v}_1 \cdot \vec{n} v_1^2 \vec{v}_2 \cdot \vec{n} - 24\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 v_1^2 \vec{v}_2 \cdot \vec{n} - 36\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} v_1^2 \vec{S}_1 \cdot \vec{v}_2 \\ & - 24\vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 12\vec{S}_1 \cdot \vec{n} v_1^2 \vec{v}_2 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 72\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_1 \cdot \vec{v}_2 \\ & - 12S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \vec{v}_1 \cdot \vec{v}_2 + 72\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} \vec{v}_1 \cdot \vec{v}_2 + 72\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 \vec{v}_1 \cdot \vec{v}_2 \\ & + 24\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 v_2^2 + 18S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} v_2^2 - 36\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} v_2^2 - 36\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 v_2^2 \\ & + 30v_1^2 \vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 - 9v_1^2 v_2^2 (\vec{S}_1 \cdot \vec{n})^2 + 30\vec{v}_1 \cdot \vec{v}_2 v_2^2 (\vec{S}_1 \cdot \vec{n})^2 - 6(\vec{v}_1 \cdot \vec{n})^2 (\vec{S}_1 \cdot \vec{v}_1)^2 \\ & - 36S_1^2 v_1^2 (\vec{v}_1 \cdot \vec{n})^2 + 24\vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{v}_1)^2 + 12\vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 (\vec{v}_1 \cdot \vec{n})^2 + 60S_1^2 \vec{v}_1 \cdot \vec{v}_2 (\vec{v}_1 \cdot \vec{n})^2 \\ & - 27S_1^2 v_2^2 (\vec{v}_1 \cdot \vec{n})^2 - 6(\vec{S}_1 \cdot \vec{v}_1)^2 (\vec{v}_2 \cdot \vec{n})^2 + 9S_1^2 v_1^2 (\vec{v}_2 \cdot \vec{n})^2 - 6(\vec{v}_1 \cdot \vec{n})^2 (\vec{S}_1 \cdot \vec{v}_2)^2 \\ & - 6(\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_1 \cdot \vec{v}_2)^2 - 21(\vec{S}_1 \cdot \vec{n})^2 v_1^4 - 21(\vec{S}_1 \cdot \vec{n})^2 v_2^4 + 90\vec{v}_1 \cdot \vec{n} v_1^2 \vec{v}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 \\ & - 180\vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 + 90\vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} v_2^2 (\vec{S}_1 \cdot \vec{n})^2 + 60S_1^2 \vec{v}_2 \cdot \vec{n} (\vec{v}_1 \cdot \vec{n})^3 \\ & - 60\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} (\vec{v}_1 \cdot \vec{n})^2 + 60\vec{S}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 (\vec{v}_1 \cdot \vec{n})^2 + 15v_2^2 (\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_1 \cdot \vec{n})^2 \\ & - 45S_1^2 (\vec{v}_1 \cdot \vec{n})^2 (\vec{v}_2 \cdot \vec{n})^2 + 60\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 (\vec{v}_2 \cdot \vec{n})^2 + 15v_1^2 (\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_2 \cdot \vec{n})^2 \\ & \left. - 105(\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_1 \cdot \vec{n})^2 (\vec{v}_2 \cdot \vec{n})^2 \right] - \frac{GC_{1ES^2}m_2}{16m_1r^2} \left[ 8S_1^2 v_1^2 \vec{a}_1 \cdot \vec{n} - 16\vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{a}_1 \right. \\ & + 16S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{a}_1 + 28S_1^2 \vec{v}_1 \cdot \vec{a}_1 \vec{v}_2 \cdot \vec{n} + 12\vec{S}_1 \cdot \vec{v}_1 \vec{a}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 + 20\vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{a}_1 \vec{S}_1 \cdot \vec{v}_2 \\ & - 8\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{a}_1 \vec{S}_1 \cdot \vec{v}_2 + 4\vec{S}_1 \cdot \vec{a}_1 \vec{v}_2 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 24S_1^2 \vec{a}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{v}_2 + 20\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{a}_1 \vec{v}_1 \cdot \vec{v}_2 \\ & - 24S_1^2 \vec{v}_1 \cdot \vec{n} \vec{a}_1 \cdot \vec{v}_2 + 12\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{a}_1 \cdot \vec{v}_2 - 22S_1^2 \vec{v}_2 \cdot \vec{n} \vec{a}_1 \cdot \vec{v}_2 + 4\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 \vec{a}_1 \cdot \vec{v}_2 \\ & + 13S_1^2 \vec{a}_1 \cdot \vec{n} v_2^2 - 6\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{a}_1 v_2^2 + 3S_1^2 v_1^2 \vec{a}_2 \cdot \vec{n} - 4\vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{a}_2 - 2\vec{S}_1 \cdot \vec{n} v_1^2 \vec{S}_1 \cdot \vec{a}_2 \\ & - 10S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{a}_2 + 28\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_1 \cdot \vec{a}_2 + 12S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{a}_2 - 24\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{a}_2 \\ & - 2\vec{a}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{v}_1)^2 - 14\vec{a}_1 \cdot \vec{n} (\vec{S}_1 \cdot \vec{v}_2)^2 - 24S_1^2 \vec{v}_1 \cdot \vec{n} \vec{a}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} + 12\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{a}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \\ & - 12\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{a}_1 \vec{v}_2 \cdot \vec{n} - 12\vec{S}_1 \cdot \vec{n} \vec{a}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 + 12\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{a}_2 \cdot \vec{n} \\ & - 36\vec{v}_1 \cdot \vec{a}_1 \vec{v}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 + 42\vec{v}_2 \cdot \vec{n} \vec{a}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 - 3\vec{a}_1 \cdot \vec{n} v_2^2 (\vec{S}_1 \cdot \vec{n})^2 + 3v_1^2 \vec{a}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 \\ & - 42\vec{v}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{a}_2 (\vec{S}_1 \cdot \vec{n})^2 + 36\vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{a}_2 (\vec{S}_1 \cdot \vec{n})^2 - 9S_1^2 \vec{a}_2 \cdot \vec{n} (\vec{v}_1 \cdot \vec{n})^2 + 6\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{a}_2 (\vec{v}_1 \cdot \vec{n})^2 \\ & + 9S_1^2 \vec{a}_1 \cdot \vec{n} (\vec{v}_2 \cdot \vec{n})^2 - 6\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{a}_1 (\vec{v}_2 \cdot \vec{n})^2 - 15\vec{a}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_1 \cdot \vec{n})^2 \\ & \left. + 15\vec{a}_1 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_2 \cdot \vec{n})^2 \right] + \frac{GC_{1ES^2}m_2}{4m_1r^2} \left[ 4\vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_1 - 4\vec{S}_1 \cdot \vec{S}_1 \vec{v}_1 \cdot \vec{n} v_1^2 \right] \end{aligned}$$

$$\begin{aligned}
& - 2\vec{S}_1 \cdot \vec{v}_1 \dot{\vec{S}}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} - 3\vec{S}_1 \cdot \dot{\vec{S}}_1 v_1^2 \vec{v}_2 \cdot \vec{n} - 5\vec{v}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 + \dot{\vec{S}}_1 \cdot \vec{n} v_1^2 \vec{S}_1 \cdot \vec{v}_2 \\
& + 2\dot{\vec{S}}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 5\vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \dot{\vec{S}}_1 \cdot \vec{v}_2 + \vec{S}_1 \cdot \vec{n} v_1^2 \dot{\vec{S}}_1 \cdot \vec{v}_2 + 2\vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 \\
& + 6\vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 \dot{\vec{S}}_1 \cdot \vec{v}_2 + 20\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{v}_2 - 5\dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_1 \cdot \vec{v}_2 - 5\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 \vec{v}_1 \cdot \vec{v}_2 \\
& - 2\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_2 \cdot \vec{n} \vec{v}_1 \cdot \vec{v}_2 + 2\dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 \vec{v}_1 \cdot \vec{v}_2 + 2\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 \vec{v}_1 \cdot \vec{v}_2 - 9\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} v_2^2 \\
& + \dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 v_2^2 + \vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 v_2^2 - 5\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_2 \cdot \vec{n} v_2^2 + \dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 v_2^2 + \vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 v_2^2 \\
& + 3\dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} + 3\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} + 9\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} v_1^2 \vec{v}_2 \cdot \vec{n} \\
& - 6\dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 6\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 - 18\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \vec{v}_1 \cdot \vec{v}_2 \\
& + 3\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} v_2^2 + 9\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} v_2^2 - 6\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_2 \cdot \vec{n} (\vec{v}_1 \cdot \vec{n})^2 \\
& + 15\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} (\vec{v}_2 \cdot \vec{n})^2 + 3\dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 (\vec{v}_2 \cdot \vec{n})^2 + 3\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 (\vec{v}_2 \cdot \vec{n})^2 \\
& - 15\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} (\vec{v}_2 \cdot \vec{n})^2 \Big] - \frac{GC_{1ES^2} m_2}{16m_1 r} \left[ 8(2\vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \dot{\vec{a}}_1 - \vec{S}_1 \cdot \dot{\vec{a}}_1 \vec{S}_1 \cdot \vec{v}_2 \right. \\
& + \vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \dot{\vec{a}}_1 \vec{v}_2 \cdot \vec{n}) + 2(8\vec{S}_1 \cdot \vec{v}_1 \ddot{\vec{S}}_1 \cdot \vec{v}_1 - 8\vec{S}_1 \cdot \ddot{\vec{S}}_1 v_1^2 - 4\ddot{\vec{S}}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 - 4\vec{S}_1 \cdot \vec{v}_1 \ddot{\vec{S}}_1 \cdot \vec{v}_2 \\
& - 2\vec{S}_1 \cdot \vec{v}_2 \ddot{\vec{S}}_1 \cdot \vec{v}_2 + 8\vec{S}_1 \cdot \ddot{\vec{S}}_1 \vec{v}_1 \cdot \vec{v}_2 - 29\vec{S}_1 \cdot \ddot{\vec{S}}_1 v_2^2 + 4v_1^2 \ddot{\vec{S}}_1^2 + 4\vec{v}_1 \cdot \vec{v}_2 \ddot{\vec{S}}_1^2 + 12v_2^2 \ddot{\vec{S}}_1^2 \\
& - 8\vec{S}_1 \cdot \ddot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} + 4\ddot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} + 4\vec{S}_1 \cdot \vec{n} \ddot{\vec{S}}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} - 6\ddot{\vec{S}}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 \\
& - 6\vec{S}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \ddot{\vec{S}}_1 \cdot \vec{v}_2 + \vec{S}_1 \cdot \vec{n} \ddot{\vec{S}}_1 \cdot \vec{n} v_2^2 + 13\vec{S}_1 \cdot \ddot{\vec{S}}_1 (\vec{v}_2 \cdot \vec{n})^2 - 4\vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \ddot{\vec{S}}_1^2 \\
& - 3\vec{S}_1 \cdot \vec{n} \ddot{\vec{S}}_1 \cdot \vec{n} (\vec{v}_2 \cdot \vec{n})^2) + (2\vec{S}_1 \cdot \vec{a}_1 \vec{S}_1 \cdot \vec{a}_2 + 13S_1^2 \vec{a}_1 \cdot \vec{a}_2 + 16(\vec{S}_1 \cdot \vec{a}_1)^2 + 3S_1^2 \vec{a}_1 \cdot \vec{n} \vec{a}_2 \cdot \vec{n} \\
& - 2\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{a}_1 \vec{a}_2 \cdot \vec{n} - 2\vec{S}_1 \cdot \vec{n} \vec{a}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{a}_2 + 15\vec{a}_1 \cdot \vec{a}_2 (\vec{S}_1 \cdot \vec{n})^2 + 3\vec{a}_1 \cdot \vec{n} \vec{a}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2) \\
& + 4(8\dot{\vec{S}}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{a}_1 + 8\vec{S}_1 \cdot \vec{v}_1 \dot{\vec{S}}_1 \cdot \vec{a}_1 - 16\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{a}_1 - 4\dot{\vec{S}}_1 \cdot \vec{a}_1 \vec{S}_1 \cdot \vec{v}_2 - 4\vec{S}_1 \cdot \vec{a}_1 \dot{\vec{S}}_1 \cdot \vec{v}_2 \\
& + 8\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{a}_1 \cdot \vec{v}_2 - 3\dot{\vec{S}}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{a}_2 - 3\vec{S}_1 \cdot \vec{v}_1 \dot{\vec{S}}_1 \cdot \vec{a}_2 + 13\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{a}_2 - 6\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_2 \cdot \vec{a}_2 \\
& + 8\vec{v}_1 \cdot \vec{a}_1 \dot{\vec{S}}_1^2 - 2\vec{a}_1 \cdot \vec{v}_2 \dot{\vec{S}}_1^2 - 8\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{a}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} + 4\dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{a}_1 \vec{v}_2 \cdot \vec{n} + 4\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{a}_1 \vec{v}_2 \cdot \vec{n} \\
& - 5\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} \vec{a}_2 \cdot \vec{n} - \dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{a}_2 \cdot \vec{n} - \vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 \vec{a}_2 \cdot \vec{n} + 3\dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{a}_2 \\
& + 3\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{a}_2 + 7\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{a}_2 - 6\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{a}_2 + 2\vec{a}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \dot{\vec{S}}_1^2 \\
& + 3\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{a}_2 \cdot \vec{n}) - 2(8\dot{\vec{S}}_1^2 v_1^2 + 8\dot{\vec{S}}_1 \cdot \vec{v}_1 \dot{\vec{S}}_1 \cdot \vec{v}_2 - 8\dot{\vec{S}}_1^2 \vec{v}_1 \cdot \vec{v}_2 + 29\dot{\vec{S}}_1^2 v_2^2 - 8(\dot{\vec{S}}_1 \cdot \vec{v}_1)^2 \\
& + 2(\dot{\vec{S}}_1 \cdot \vec{v}_2)^2 + 8\dot{\vec{S}}_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} - 8\dot{\vec{S}}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} + 12\dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 - v_2^2 (\dot{\vec{S}}_1 \cdot \vec{n})^2 \\
& - 13\dot{\vec{S}}_1^2 (\vec{v}_2 \cdot \vec{n})^2 + 3(\dot{\vec{S}}_1 \cdot \vec{n})^2 (\vec{v}_2 \cdot \vec{n})^2) \Big] - \frac{GC_{1ES^2} m_2}{8m_1} \left[ 4\vec{v}_2 \cdot \vec{n} S_1^2 + (13\vec{S}_1 \cdot \ddot{\vec{S}}_1 \vec{a}_2 \cdot \vec{n} \right. \\
& - 7\ddot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{a}_2 - 7\vec{S}_1 \cdot \vec{n} \ddot{\vec{S}}_1 \cdot \vec{a}_2 - \vec{S}_1 \cdot \vec{n} \ddot{\vec{S}}_1 \cdot \vec{n} \vec{a}_2 \cdot \vec{n}) + (13\dot{\vec{S}}_1^2 \vec{a}_2 \cdot \vec{n} - 14\dot{\vec{S}}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{a}_2 \\
& - \vec{a}_2 \cdot \vec{n} (\dot{\vec{S}}_1 \cdot \vec{n})^2) \Big] + \frac{G^2 C_{1ES^2} m_2^2}{m_1 r^4} \left[ 9\vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 - 10S_1^2 \vec{v}_1 \cdot \vec{v}_2 + 9S_1^2 v_2^2 + (\vec{S}_1 \cdot \vec{v}_1)^2 \right. \\
& - 10(\vec{S}_1 \cdot \vec{v}_2)^2 - 6\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 + 32S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} - 6\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} \\
& - 38\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 + 44\vec{S}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - v_1^2 (\vec{S}_1 \cdot \vec{n})^2 + 2\vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 \\
& \left. + 2v_2^2 (\vec{S}_1 \cdot \vec{n})^2 - 36S_1^2 (\vec{v}_2 \cdot \vec{n})^2 + 24\vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 + 6(\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_1 \cdot \vec{n})^2 \right]
\end{aligned}$$

$$\begin{aligned}
& - 12(\vec{S}_1 \cdot \vec{n})^2(\vec{v}_2 \cdot \vec{n})^2 \Big] - \frac{G^2 m_2}{4r^4} \left[ 5S_1^2 v_1^2 + 4\vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 - 2S_1^2 \vec{v}_1 \cdot \vec{v}_2 - 3S_1^2 v_2^2 - 8(\vec{S}_1 \cdot \vec{v}_1)^2 \right. \\
& + 4(\vec{S}_1 \cdot \vec{v}_2)^2 + 56\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 + 6S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} - 28\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} \\
& - 4\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 20\vec{S}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 + 17v_1^2 (\vec{S}_1 \cdot \vec{n})^2 - 22\vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 + 3v_2^2 (\vec{S}_1 \cdot \vec{n})^2 \\
& - 19S_1^2 (\vec{v}_1 \cdot \vec{n})^2 + 13S_1^2 (\vec{v}_2 \cdot \vec{n})^2 + 54\vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 - 75(\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_1 \cdot \vec{n})^2 \\
& + 9(\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_2 \cdot \vec{n})^2 \Big] - \frac{G^2 C_{1ES^2} m_2}{4r^4} \left[ 7S_1^2 v_1^2 + 2\vec{S}_1 \cdot \vec{v}_1 \vec{S}_1 \cdot \vec{v}_2 - 14S_1^2 \vec{v}_1 \cdot \vec{v}_2 + 8S_1^2 v_2^2 \right. \\
& - 2(\vec{S}_1 \cdot \vec{v}_2)^2 - 2\vec{S}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 - 2S_1^2 \vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} - 4\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 \vec{v}_2 \cdot \vec{n} \\
& + 12\vec{S}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 25v_1^2 (\vec{S}_1 \cdot \vec{n})^2 + 44\vec{v}_1 \cdot \vec{v}_2 (\vec{S}_1 \cdot \vec{n})^2 - 22v_2^2 (\vec{S}_1 \cdot \vec{n})^2 + 5S_1^2 (\vec{v}_1 \cdot \vec{n})^2 \\
& + S_1^2 (\vec{v}_2 \cdot \vec{n})^2 - 6\vec{v}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 + 3(\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_1 \cdot \vec{n})^2 - 15(\vec{S}_1 \cdot \vec{n})^2 (\vec{v}_2 \cdot \vec{n})^2 \Big] \\
& + \frac{G^2 C_{1ES^2} m_2^2}{m_1 r^3} \left[ \vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{a}_1 - 11S_1^2 \vec{a}_2 \cdot \vec{n} + 14\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{a}_2 - \vec{a}_1 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 \right] \\
& + \frac{G^2 C_{1ES^2} m_2}{r^3} \left[ S_1^2 \vec{a}_1 \cdot \vec{n} + 2\vec{a}_1 \cdot \vec{n} (\vec{S}_1 \cdot \vec{n})^2 \right] - \frac{G^2 m_2}{r^3} \left[ 3S_1^2 \vec{a}_1 \cdot \vec{n} - 3\vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{a}_1 + S_1^2 \vec{a}_2 \cdot \vec{n} \right. \\
& - \vec{S}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{a}_2 \Big] - \frac{G^2 m_2}{r^3} \left[ 3\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} - 6\dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 - 5\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 + 2\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_2 \cdot \vec{n} \right. \\
& + 2\dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 + 2\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 + 14\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} - 6\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \Big] \\
& + \frac{G^2 C_{1ES^2} m_2}{2r^3} \left[ 12\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} - 4\dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 - 4\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 - 10\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_2 \cdot \vec{n} \right. \\
& + 3\dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 + 3\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 - 16\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} + 16\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \Big] \\
& - \frac{G^2 C_{1ES^2} m_2^2}{2m_1 r^3} \left[ 2\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_1 \cdot \vec{n} - 3\dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_1 - 3\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_1 + 30\vec{S}_1 \cdot \dot{\vec{S}}_1 \vec{v}_2 \cdot \vec{n} \right. \\
& - 19\dot{\vec{S}}_1 \cdot \vec{n} \vec{S}_1 \cdot \vec{v}_2 - 19\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{v}_2 + 8\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_1 \cdot \vec{n} + 16\vec{S}_1 \cdot \vec{n} \dot{\vec{S}}_1 \cdot \vec{n} \vec{v}_2 \cdot \vec{n} \Big] \\
& + \frac{G^2 C_{1ES^2} m_2^2}{2m_1 r^2} \left[ (\vec{S}_1 \cdot \ddot{\vec{S}}_1 + \vec{S}_1 \cdot \vec{n} \ddot{\vec{S}}_1 \cdot \vec{n}) + (\dot{S}_1^2 + (\dot{\vec{S}}_1 \cdot \vec{n})^2) \right] \\
& + \frac{G^2 C_{1ES^2} m_2}{r^2} \left[ (\ddot{S}_1^2 - 4\vec{S}_1 \cdot \vec{n} \ddot{\vec{S}}_1 \cdot \vec{n}) - 4(\dot{\vec{S}}_1 \cdot \vec{n})^2 \right] - \frac{G^2 m_2}{2r^2} \left[ 3\dot{S}_1^2 - 5(\dot{\vec{S}}_1 \cdot \vec{n})^2 \right] \\
& + \frac{7G^3 C_{1ES^2} m_2^2}{2r^5} \left[ 19S_1^2 - (\vec{S}_1 \cdot \vec{n})^2 \right] - \frac{23G^3 C_{1ES^2} m_1 m_2}{28r^5} \left[ S_1^2 - 3(\vec{S}_1 \cdot \vec{n})^2 \right] \\
& - \frac{19G^3 C_{1ES^2} m_2^3}{4m_1 r^5} \left[ S_1^2 - 3(\vec{S}_1 \cdot \vec{n})^2 \right] + \frac{2G^3 m_2^2}{r^5} \left[ 9S_1^2 - 11(\vec{S}_1 \cdot \vec{n})^2 \right] \\
& + \frac{G^3 m_1 m_2}{14r^5} \left[ S_1^2 + 25(\vec{S}_1 \cdot \vec{n})^2 \right] + (1 \leftrightarrow 2) \tag{4.1}
\end{aligned}$$

As explained in [16], since this potential contains higher order time derivatives of the variables, the EOM, which are derived from it via a variation of the action, also contain higher order time derivatives, which must be eliminated, using lower order EOM. In a forthcoming work we are going to reduce these higher order time derivatives at the level of the potential, following the procedure of redefinition of variables, outlined in [28, 36], where it was extended for spin variables in [28]. We are going to provide the EOM, and to transform this potential to a Hamiltonian, from which gauge-invariant relations for the binding energy can be obtained in a straightforward way. These relations are of great value for refining, for instance, the

effective-one-body Hamiltonian, and the gravitational waveforms derived from it.

## 5 Conclusions

In this work we derived for the first time the NNLO spin-squared interaction potential for generic compact binaries via the EFT for gravitating spinning objects in the PN scheme, which was formulated in [16]. This correction, which enters at the 4PN order for rapidly rotating compact objects, completes the conservative sector up to the 4PN accuracy. This high level of PN accuracy is necessary in order to detect gravitational waves. The robustness of the EFT for gravitating spinning objects is shown here once again, as was already demonstrated in [16, 18, 22], which obtained all spin dependent sectors, required up to the 4PN accuracy, and was initiated at the NNLO level in [21, 28]. The EFT of spinning objects allows to directly obtain the EOM from the potential via a proper variation of the action [16, 28], and to obtain corresponding Hamiltonians in a straightforward manner [16]. In a forthcoming paper we are going to derive these for the NNLO spin-squared potential obtained in this paper.

The spin-squared sector is an intricate one, as it requires the consideration of the point particle action beyond minimal coupling, and involves mainly contributions with the spin-squared worldline couplings, which are quite complex, compared to the worldline couplings, that follow from the minimal coupling part of the action. Yet, there are also contributions to this sector, involving the linear in spin couplings, as we go up in the nonlinearity of the interaction, and in the loop order. Thus, there is an increase in the number of Feynman diagrams and in complexity with respect to the NLO, which is even more excessive than that, which occurs in the spin1-spin2 sector [16, 21, 29]. We have here 64 diagrams, of which more are higher loop ones, where we have 11 two-loops, and tensor integrals up to order 6. The application of the NRG fields [30, 31], and the gauge choices of the EFT for gravitating spinning objects [16] then help to render the computations more efficient. Lastly, we checked most of the computations, using Mathematica.

Finally, it should also be noted, that the relation between the Wilson coefficients, appearing in this sector, and in [18], required for generic compact objects at the 4PN accuracy, and the multipole moments used in numerical codes, e.g. [37–39], as well as the relation with the Geroch-Hansen multipoles for black holes [40, 41], should be worked out via a formal EFT matching procedure. Clearly, this involves subtleties [38], and is left for future work.

## Acknowledgments

ML is grateful for the kind hospitality at the Max Planck Institute for Gravitational Physics (AEI) during the final stages of this work. This work has been done within the Labex ILP (reference ANR-10-LABX-63) part of the Idex SUPER, and received financial French state aid managed by the Agence Nationale de la Recherche, as part of the programme Investissements d’Avenir under the reference ANR-11-IDEX-0004-02.

## References

- [1] “LIGO webpage.” <http://www.ligo.caltech.edu>.
- [2] “Virgo webpage.” <https://wwwcascina.virgo.infn.it>.
- [3] “KAGRA webpage.” <http://gwcenter.icrr.u-tokyo.ac.jp/en>.



- [4] L. Blanchet, *Gravitational Radiation from Post-Newtonian Sources and Inspiralling Compact Binaries*, *Living Rev.Rel.* **17** (2014) 2, [[arXiv:1310.1528](#)].
- [5] A. Buonanno and T. Damour, *Effective one-body approach to general relativistic two-body dynamics*, *Phys.Rev.* **D59** (1999) 084006, [[gr-qc/9811091](#)].
- [6] K. Yagi and N. Yunes, *Love can be Tough to Measure*, *Phys.Rev.* **D89** (2014) 021303, [[arXiv:1310.8358](#)].
- [7] T. Damour, P. Jaranowski, and G. Schafer, *Nonlocal-in-time action for the fourth post-Newtonian conservative dynamics of two-body systems*, *Phys.Rev.* **D89** (2014) 064058, [[arXiv:1401.4548](#)].
- [8] P. D. D’Eath, *Interaction of two black holes in the slow-motion limit*, *Phys.Rev.* **D12** (1975) 2183–2199.
- [9] K. S. Thorne and J. B. Hartle, *Laws of motion and precession for black holes and other bodies*, *Phys.Rev.* **D31** (1985) 1815–1837.
- [10] B. Barker and R. O’Connell, *Gravitational Two-Body Problem with Arbitrary Masses, Spins, and Quadrupole Moments*, *Phys.Rev.* **D12** (1975) 329–335.
- [11] E. Poisson, *Gravitational waves from inspiraling compact binaries: The Quadrupole moment term*, *Phys.Rev.* **D57** (1998) 5287–5290, [[gr-qc/9709032](#)].
- [12] R. A. Porto and I. Z. Rothstein, *Next to Leading Order Spin(1)Spin(1) Effects in the Motion of Inspiralling Compact Binaries*, *Phys.Rev.* **D78** (2008) 044013, [[arXiv:0804.0260](#)]. [*Erratum-ibid.* **D81** (2010) 029905].
- [13] J. Steinhoff, S. Hergt, and G. Schafer, *Spin-squared Hamiltonian of next-to-leading order gravitational interaction*, *Phys.Rev.* **D78** (2008) 101503, [[arXiv:0809.2200](#)].
- [14] S. Hergt and G. Schafer, *Higher-order-in-spin interaction Hamiltonians for binary black holes from Poincare invariance*, *Phys.Rev.* **D78** (2008) 124004, [[arXiv:0809.2208](#)].
- [15] S. Hergt, J. Steinhoff, and G. Schafer, *Reduced Hamiltonian for next-to-leading order Spin-Squared Dynamics of General Compact Binaries*, *Class.Quant.Grav.* **27** (2010) 135007, [[arXiv:1002.2093](#)].
- [16] M. Levi and J. Steinhoff, *An effective field theory for gravitating spinning objects in the post-Newtonian scheme*, [arXiv:1501.04956](#).
- [17] S. Hergt and G. Schafer, *Higher-order-in-spin interaction Hamiltonians for binary black holes from source terms of Kerr geometry in approximate ADM coordinates*, *Phys.Rev.* **D77** (2008) 104001, [[arXiv:0712.1515](#)].
- [18] M. Levi and J. Steinhoff, *Leading order finite size effects with spins for inspiralling compact binaries*, *JHEP* **1506** (2015) 059, [[arXiv:1410.2601](#)].
- [19] S. Marsat, *Cubic order spin effects in the dynamics and gravitational wave energy flux of compact object binaries*, *Class.Quant.Grav.* **32** (2015), no. 8 085008, [[arXiv:1411.4118](#)].
- [20] V. Vaidya, *Gravitational spin Hamiltonians from the S matrix*, *Phys.Rev.* **D91** (2015) 024017, [[arXiv:1410.5348](#)].
- [21] M. Levi, *Binary dynamics from spin1-spin2 coupling at fourth post-Newtonian order*, *Phys.Rev.* **D85** (2012) 064043, [[arXiv:1107.4322](#)].
- [22] M. Levi and J. Steinhoff, *Next-to-next-to-leading order gravitational spin-orbit coupling via the effective field theory for spinning objects in the post-Newtonian scheme*, [arXiv:1506.05056](#).
- [23] W. D. Goldberger and I. Z. Rothstein, *An Effective field theory of gravity for extended objects*, *Phys.Rev.* **D73** (2006) 104029, [[hep-th/0409156](#)].

- [24] W. D. Goldberger, *Les Houches lectures on effective field theories and gravitational radiation*, [hep-ph/0701129](#).
- [25] A. J. Hanson and T. Regge, *The Relativistic Spherical Top*, *Annals Phys.* **87** (1974) 498.
- [26] I. Bailey and W. Israel, *Lagrangian Dynamics of Spinning Particles and Polarized Media in General Relativity*, *Commun.Math.Phys.* **42** (1975) 65–82.
- [27] R. A. Porto, *Post-Newtonian corrections to the motion of spinning bodies in NRGR*, *Phys.Rev.* **D73** (2006) 104031, [[gr-qc/0511061](#)].
- [28] M. Levi and J. Steinhoff, *Equivalence of ADM Hamiltonian and Effective Field Theory approaches at next-to-next-to-leading order spin1-spin2 coupling of binary inspirals*, *JCAP* **1412** (2014) 003, [[arXiv:1408.5762](#)].
- [29] M. Levi, *Next to Leading Order gravitational Spin1-Spin2 coupling with Kaluza-Klein reduction*, *Phys.Rev.* **D82** (2010) 064029, [[arXiv:0802.1508](#)].
- [30] B. Kol and M. Smolkin, *Non-Relativistic Gravitation: From Newton to Einstein and Back*, *Class.Quant.Grav.* **25** (2008) 145011, [[arXiv:0712.4116](#)].
- [31] B. Kol, M. Levi, and M. Smolkin, *Comparing space+time decompositions in the post-Newtonian limit*, *Class.Quant.Grav.* **28** (2011) 145021, [[arXiv:1011.6024](#)].
- [32] M. Levi, *Next to Leading Order gravitational Spin-Orbit coupling in an Effective Field Theory approach*, *Phys.Rev.* **D82** (2010) 104004, [[arXiv:1006.4139](#)].
- [33] J. M. Martín-García, “xAct: Efficient tensor computer algebra for Mathematica.” <http://www.xact.es>.
- [34] J. M. Martín-García, *xPerm: fast index canonicalization for tensor computer algebra*, *Computer Physics Communications* **179** (2008) 597–603, [[arXiv:0803.0862](#)].
- [35] J. B. Gilmore and A. Ross, *Effective field theory calculation of second post-Newtonian binary dynamics*, *Phys.Rev.* **D78** (2008) 124021, [[arXiv:0810.1328](#)].
- [36] T. Damour and G. Schaefer, *Redefinition of position variables and the reduction of higher order Lagrangians*, *J.Math.Phys.* **32** (1991) 127–134.
- [37] W. G. Laarakkers and E. Poisson, *Quadrupole moments of rotating neutron stars*, *Astrophys.J.* **512** (1999) 282–287, [[gr-qc/9709033](#)].
- [38] G. Pappas and T. A. Apostolatos, *Revising the multipole moments of numerical spacetimes, and its consequences*, *Phys.Rev.Lett.* **108** (2012) 231104, [[arXiv:1201.6067](#)].
- [39] K. Yagi, K. Kyutoku, G. Pappas, N. Yunes, and T. A. Apostolatos, *Effective No-Hair Relations for Neutron Stars and Quark Stars: Relativistic Results*, *Phys.Rev.* **D89** (2014) 124013, [[arXiv:1403.6243](#)].
- [40] R. Hansen, *Multipole moments of stationary space-times*, *J.Math.Phys.* **15** (1974) 46–52.
- [41] F. Ryan, *Gravitational waves from the inspiral of a compact object into a massive, axisymmetric body with arbitrary multipole moments*, *Phys.Rev.* **D52** (1995) 5707–5718.