

Cell, Volume 171

Supplemental Information

Mechanism of Transcription

Anti-termination in Human Mitochondria

Hauke S. Hillen, Andrey V. Parshin, Karen Agaronyan, Yaroslav I. Morozov, James J. Graber, Aleksandar Chernev, Kathrin Schwinghammer, Henning Urlaub, Michael Anikin, Patrick Cramer, and Dmitry Temiakov

Table S1 | X-ray data collection and refinement statistics for TEFM. Related to Figure

1

	TEFM CTD PDB ID: 5OL8	TEFM CTD SeMet-SAD ^a	TEFM NTD PDB ID: 5OL9	TEFM NTD S-SAD
Data collection				
Space group	C2	C2	P4 ₃ 2 ₁ 2	P4 ₃ 2 ₁ 2
Cell dimensions				
a, b, c (Å)	98.48, 112.54, 88.84	97.57, 112.79, 88.84	47.67, 47.67, 93.40	47.72, 47.72, 93.32
α, β, γ (°)	90.00, 110.13, 90.00	90, 109.76, 90.00	90.00, 90.00, 90.00	90.00, 90.00, 90.00
Wavelength	1.0000	0.9765	1.0000	2.0664
Resolution (Å) ^a	46.23 – 1.90 (1.94 – 1.90) ^b	48.32 – 2.68 (2.74 – 2.68) ^b	42.46 – 1.30 (1.33 – 1.30) ^b	42.49 – 2.10 (2.14 – 2.10) ^b
R _{meas}	0.056 (2.78)	0.24 (3.50)	0.107 (4.67)	0.096 (2.51)
I/σ(I)	17.92 (0.79)	9.45 (0.62)	20.26 (0.60)	41.67 (7.74)
CC _{1/2}	100.0 (35.3)	99.7 (32.6)	100.0 (41.3)	100.0 (95.1)
Completeness (%)	98.1 (89.5)	99.7 (98.8)	99.7 (98.1)	99.4 (96.1)
Redundancy	6.60 (5.04)	11.86 (6.25)	25.05 (24.01)	37.62 (25.64)
Refinement				
Resolution (Å)	46.23 – 1.90		42.46 – 1.30	
No. reflections	70117		27057	
R _{work} / R _{free}	0.195 / 0.228		0.190 / 0.197	
No. atoms				
Protein	6724		692	
Ligands	24		4	
Water	129		80	
B factors				
Protein	67.33		27.16	
Ligands	79.72		56.01	
Water	57.78		38.21	
r.m.s deviations				
Bond lengths (Å)	0.003		0.009	
Bond angles (°)	0.51		0.95	
Ramachandran				
Preferred / allowed / disallowed (%)	97.5 / 2.5 / 0.0		98.7 / 1.3 / 0.0	

^a The data reflect the merged results from several crystals^b Values in parentheses are for highest-resolution shell.

Table S2 | X-ray data collection and refinement statistics for the EC-TEFM complex.*Related to Figure 4.*

	EC-TEFM Complex ^a PDB ID: 5OLA
Data collection	
Space group	C2
Cell dimensions	
<i>a, b, c</i> (Å)	224.53, 155.55, 164.19
α, β, γ (°)	90.00, 113.59, 90.00
Wavelength	1.0000
Resolution (Å) ^a	49.16 – 3.90 (4.00 – 3.90) ^b
<i>R</i> _{meas}	0.258 (2.187)
<i>I</i> / σ (<i>I</i>)	9.72 (1.44)
<i>CC</i> _{1/2}	99.7 (54.5)
Completeness (%)	99.6 (97.7)
Redundancy	13.12 (12.50)
Refinement	
Resolution (Å)	48.87 – 3.90
No. reflections	46930
<i>R</i> _{work} / <i>R</i> _{free}	0.243 / 0.276
No. atoms	
Macromolecules	25122
Ligands	0
Water	0
<i>B</i> factors	
Macromolecules	160.94
Ligands	0
Water	0
r.m.s deviations	
Bond lengths (Å)	0.004
Bond angles (°)	0.63
Ramachandran	
Preferred / allowed / disallowed (%)	94.2 / 5.1 / 0.6

^a The data reflect the merged results from two datasets.^b Values in parentheses are for highest-resolution shell.

Table S3 | List of oligonucleotides used. Related to STAR Methods.

REAGENT OR RESOURCE ^a	SOURCE	IDENTIFIER
RNA14mt agucugcggcgcgc	(Schwinghammer et al, 2013)	N/A
NT25HH GAACATGGTGTAATTATTTTCGACGCCAG ACGAAC	This paper	N/A
TS22HH GTTTCGTCTGGCGTGCGCGCCGCTACAC CATGTTC	This paper	N/A
TS26 GGGCTTAGTTCGTCTGGCGTGCGCGCC GCTACACCATGTTTGCTGACC	This paper	N/A
NT26A GGTCAGCAAACATGGTGTAAGTATTACG ACGCCAGACGAACCTAAGCCC	This paper	N/A
RNA14HH ugaugguaaugcuccugucgugauc	This paper	N/A
NT19HH CATGGGGTAACTAGTTCTGA CGCCAGACG	This paper	N/A
TS16HH CGTCTGGCGTGATCACGACTACCCCAT G	This paper	N/A
NT_LSP TGTTAGTTGGGGGGTGACTGTTAAAAGT GCATACCTATCCCCGATAGGCC	This paper	N/A
TS_LSP GGCCTATCTTTTGGCGGTATGCACTTTT AACAGTCACCCCCCACTAACA	This paper	N/A
RNA10 cugcgcgcau	This paper	N/A
TS1 GGGTCCTGTCTGAAATCGACATCGCCG C	This paper	N/A
NT1 CGATTTTCAGACAGGACCC	This paper	N/A

^a DNA = UPPERCASE; RNA = lowercase