

Supplementary Material

Dynamic mechanical control of alginate-fibronectin hydrogels with dual crosslinking: covalent and ionic

Sara Trujillo ^{1,2}, Melanie Seow ^{1,4}, Aline Lueckgen ⁴, Manuel Salmeron-Sanchez ^{1,2,3*} and Amaia Cipitria ^{5*}

¹ Centre for the Cellular Microenvironment, University of Glasgow, Glasgow, UK

² Centre for Biomaterials and Tissue Engineering (CBIT), Universitat Politècnica de València, Camino de Vera s/n, 46022 Valencia, Spain

³ Biomedical Research Networking Centre in Bioengineering, Biomaterials and Nanomedicine (CIBER-BBN), Valencia, Spain

⁴ Julius Wolff Institute & Centre for Musculoskeletal Surgery, Charité - Universitätsmedizin Berlin, Berlin 13353, Germany

⁵ Max Planck Institute of Colloids and Interfaces, Department of Biomaterials, 14476 Potsdam, Germany

Correspondence: Manuel.Salmeron-Sanchez@glasgow.ac.uk (M.S.-S.); amaia.cipitria@mpikg.mpg.de (A.C.)




Figure S1. Representative strain sweep curves at an angular frequency of $10 \text{ rad}\cdot\text{s}^{-1}$ depicting the storage (G') and loss (G'') modulus of 2wt% alginate hydrogels polymerised with low and high crosslinking ratio ($X=0.05$ and $X=0.5$).