



<https://doi.org/10.1038/s42003-023-05222-1>

OPEN

Author Correction: Deep learning enables fast, gentle STED microscopy

Vahid Ebrahimi , Till Stephan, Jiah Kim, Pablo Carravilla, Christian Eggeling, Stefan Jakobs  & Kyu Young Han 

Correction to: *Communications Biology* <https://doi.org/10.1038/s42003-023-05054-z>, published online 27 June 2023.

In this article the funding from the 'Deutsche Forschungsgemeinschaft (German Research Foundation; under Germany's Excellence Strategy – EXC 2051 – Project-ID 390713860; project number 316213987 – SFB 1278; Instrument funding MINFLUX Jena INST 275_405_1), the State of Thuringia (TMWWDG), and the Free State of Thuringia (TAB; AdvancedSTED / FGZ: 2018 FGI 0022; Advanced Flu-Spec / 2020 FGZ: FGI 0031), and support by the integration into the Leibniz Center for Photonics in Infection Research (LPI, part of the BMBF national roadmap for research infrastructures)' was omitted. The original article has been corrected.

Published online: 10 August 2023



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2023